



# EASTERN ATHABASCA REGIONAL MONITORING PROGRAM

2022/2023 COMMUNITY REPORT

FINAL REPORT

August 2023



## Acknowledgments

The Eastern Athabasca Regional Monitoring Program (EARMP) is conducted in partnership with the Government of Saskatchewan, the Canadian Nuclear Safety Commission, and industry partners Cameco Corporation (Cameco) and Orano Canada Inc. (Orano).

The Executive Summary Dene translation was provided by Rosalie Tsannie-Burseth.

The EARMP steering committee would like to thank the Athabasca residents and communities who have donated their time and traditional foods over the years and for their continued support for the program. Community member participation and local knowledge are essential to the success of the program.

For more information on the program and additional reports please visit us at [www.earmp.ca](http://www.earmp.ca)



---

**TABLE OF CONTENTS**

**INTRODUCTION ..... 1**

**Background.....1**

        Uranium Mining and Milling Operations in the Region.....3

        Communities in the Region .....3

        Community Monitoring Program Objectives .....4

**Summary of EARMP Community Monitoring Program Framework.....5**

        Community Involvement.....5

        Study Design and Objectives of the 2022/2023 Program.....6

**Results .....6**

**WATER (TUÎTÅEDI) CHEMISTRY ..... 7**

**FISH (ŁUE) CHEMISTRY ..... 9**

**BERRY (JÍE) CHEMISTRY ..... 11**

**SUMMARY..... 13**

**LITERATURE CITED ..... 15**

**APPENDIX A COMMUNITY MONITORING PROGRAM FRAMEWORK**

**APPENDIX B DETAILED DATA ANALYSIS**

**APPENDIX C DETAILED DATA**



Above: Camsell Portage, Saskatchewan

---



## Executive Summary

*The Eastern Athabasca Regional Monitoring Program was established in 2011 under the Province of Saskatchewan's Boreal Watershed Initiative. The community component of the program partners with communities within the Athabasca Basin to monitor the safety of traditionally harvested country foods by collecting and testing representative water, fish, berry, bird, and mammal tissue samples from the seven communities located in the region. Harvesting and consuming traditional foods are an important part of the culture in northern Saskatchewan which contributes to an overall healthy lifestyle through physical activity and healthy eating. Community members collected and submitted 60 fish samples, 20 berry samples, and 6 water samples for testing in late 2022. The current year's program results show that country foods are safe for consumption with chemical profiles for water, fish, and berry samples generally similar to previous monitoring years and natural background.*

## *Yati nedhe hots'j Ɂediri yatí hilchú si*

*Diri erit'is Eastern Athabasca nenene ghq holj ni 2011. Saskatchewan Boreal Watershed (Tue Bazi Erit'is hołe si). Diri erit'is hołe si Dene yets'édanj t'a-u t'a bër, t'qchaghë t'a dághída si; tu, łue, jié, dët'ani, ech'ërë ghq asi (betth'i ts'j) nałtsj. Diri ës'tëre ts'j asi nałtsj si bët'á boghedi ha hodi. Dene jlaisdjghj kóę nade si nih chu tu chu t'a nokorëlde t'a dághëna. Nih ts'j shelyi si bët'á naraíts'ër-u sodoghida ha. T'a nuhts'ëranj si jłk'etqng łue tth'i hilchu, nqng ełk'ëch'a jié net'j ha bëkolʔj, jłk'edjghj ts'adhel dët'ani ts'j asi hilchu, taghë ts'adhel ës'tëre ts'j asi nałtsj, jłk'etaghë tu hilchu 2023 nene k'e. Diri asi nałtsj si net'j-u ʔqły t'a bët'á dághída si asʔile sj nih chu tu-u, jié tth'i ʔqły nezı.*

# INTRODUCTION

## Background

The EARMP is a collaborative industry-government partnership long-term environmental monitoring program established in 2011 under the Province of Saskatchewan’s Boreal Watershed Initiative. The program is supported by contributions from several stakeholders including the Saskatchewan Ministry of Environment, the Canadian Nuclear Safety Commission, Cameco Corporation, and Orano Canada Inc. One of the primary goals of the Boreal Watershed Initiative was to assess the ecological integrity of Saskatchewan’s northern watersheds to address potential environmental concerns, and to identify sustainable management practices in the region. The EARMP was designed to identify potential cumulative effects downstream of uranium mining and milling operations in the Eastern Athabasca region of northern Saskatchewan (Figure 1).

Cumulative effects are defined as impacts on the environment that result from the impact of an action when added to other past, present, and foreseeable future actions (Joint Panel 1992). Cumulative effects might occur when projects overlap in an area (spatially), such as when two watersheds (rivers and streams), exposed to uranium mining and milling activities, converge. Cumulative effects may also occur overtime (temporally) if contaminants are emitted into the environment

Figure 1 Study location.



over extended periods. The EARMP was developed to establish baseline conditions and facilitate the examination of spatial and temporal changes over the long term.

This program is intended to supplement the extensive environmental monitoring completed



## Introduction



near each uranium mining and milling operation in northern Saskatchewan, which are regulated by federal and provincial agencies including the Canadian Nuclear Safety Commission, the Saskatchewan Ministry of Environment, and Environment and Climate Change Canada. In addition, community sampling has occurred through the Athabasca Working Group Environmental Monitoring Program for 18 years (2000-2017) and continues today as the Community-Based Environmental Monitoring Program under the Ya’Thi Néné Collaboration Agreement. The EARMP is designed to complement these monitoring programs and allows a more comprehensive evaluation of potential cumulative effects from industry in northern Saskatchewan. A full description of the EARMP study design is provided in Appendix A.

The EARMP framework includes two programs: a technical program and a community program. The technical monitoring program was established to monitor potential long-term changes in the aquatic environment far-downstream of uranium mining and milling operations in the Eastern Athabasca region. Sampling was last completed by CanNorth in 2015 and information from the technical monitoring program is presented in a separate report which can be viewed on the EARMP web-

site ([www.earmp.ca](http://www.earmp.ca)). The community program monitors the safety of traditionally harvested country foods by collecting and testing water, fish, berry, mammal, and avian tissue samples from the seven communities located in the Athabasca region. The community program results for the last 12 years (2011-2022) can be viewed on the EARMP website ([www.earmp.ca](http://www.earmp.ca)). A 10-year summary report that summarizes the results from 2011 to 2021 was released last year and is also available on the website. The objective of this document is to present a summary of the results of the community program conducted in 2022/2023.

---

*“Gathering and eating traditional country foods can help reduce the risk of diabetes, heart disease, and obesity, especially when the foods are cooked in traditional ways.”*

---

*Dr. James Irvine – Saskatchewan Population Health Unit*


## Uranium Mining and Milling Operations in the Region

As a result of the COVID-19 pandemic, both the active mine (Cigar Lake) and active mill (McClean Lake) in the Eastern Athabasca region remained in a state of care and maintenance during the 2020 EARMP field season but were operational during the 2021 and 2022 EARMP field seasons. Additional mine and mill operations in the region (i.e., Key Lake, McArthur River, and Rabbit Lake) were previously placed into care and maintenance due to market forces. Key Lake and McArthur River returned to production in November 2022. In addition, other closed, decommissioned, and/or abandoned uranium

mine sites are located in the region near the community of Uranium City. The locations of these uranium mining and milling operations are presented in *Figure 2*.

Extensive monitoring within the local study areas of each of the uranium mines/mills generally includes testing the air, soil, vegetation, water, sediment, benthic invertebrates, and fish (Orano 2022; CanNorth 2018a, 2020a, 2020b, 2020c, 2021). These monitoring programs are designed specifically for each mine and are a requirement under the provincial operating licence and the CNSC Licenses as documented in the facilities Licence Conditions Handbook.

*Figure 2 Study area overview.*



## Communities in the Region

There are seven communities in the region, including Black Lake Denesuline First Nation, Fond du Lac Denesuline First Nation, Stony Rapids, Wollaston Lake, Hatchet Lake Denesuline First Nation, Camsell Portage, and Uranium City (Figure 2). For the 2022/2023 community monitoring program, the communities of Wollaston Lake and Hatchet Lake Denesuline First Nation were assessed together for a total of six study areas.

### Community Monitoring Program Objectives

The community monitoring program was developed to address potential concerns about the safety of traditional foods that community members routinely consume.



Above: Billy Joe Mercredi collecting fish samples at Stony Rapids, Saskatchewan.

A number of traditional food studies have been completed in communities across northern Saskatchewan including Hatchet Lake Denesuline First Nation, Uranium City, the Lac La Ronge Indian Band, and English River First Nation, and have established that fish, berries,

and wild game are extremely important food sources for these northern communities (CanNorth 1999, 2011, 2014, 2017).

In 2018, a human health risk assessment was completed using all the available chemistry data collected from 2011 to 2017. The assessment determined that the level of chemicals of interest in the traditional foods were safe and do not pose health risks to members of the Athabasca Basin communities. The risk assessment is available in the 2017/2018 community monitoring report (CanNorth 2018b; [www.earmp.ca/reports](http://www.earmp.ca/reports))

The community monitoring program objectives are to:



Determine the safety of traditionally harvested food for local consumption.



Establish long-term monitoring at community harvesting areas to assess changes over time.



Foster confidence in the consumption of traditional foods as well as engage and involve community members in the gathering of information.



Communicate monitoring results through reporting, meetings, and public media.



## Summary of EARMP Community Monitoring Program Framework

### Community Involvement



Above: Adam Benonie collecting water samples on Wollaston Lake, Saskatchewan.

The community monitoring program relies on the participation of community members for the selection of sampling locations and for sample collection.

Community members play a role in every step of the process:

#### Community Representatives

In 2011, community members selected representatives from each community to carry out the annual country food sample collection.

The selected representatives were provided training in sample collection, storage, and shipping procedures.

#### Sample Locations

One water sample location was selected for each community for consistency. Fish, berry, bird, and mammal samples are collected from locations where community members routinely fish, gather and hunt.

#### Sample Collection

Each year, community representatives aim to collect five samples of each food type from each community.

#### Sample Testing

Collected samples are shipped to CanNorth for laboratory testing by Saskatchewan Research Council. Results are analysed by CanNorth and compared to available guidelines, other data collected in the region, and the most recent human health risk assessment.

#### Sharing Results

Results are shared with the communities and are available to the public at [www.earmp.com](http://www.earmp.com).

Sharing the monitoring results is one of the primary goals of the community program. To accomplish this, communication and engagement strategies are implemented and are summarized below:



#### WWW.EARMP.CA

In 2020 the EARMP website was updated to improve the ease at which communities can access information and encourage community engagement.

#### SOCIAL MEDIA

Social media will be used as a promotional tool starting in 2020 through:  
[@CanNorthEnviroServices](https://twitter.com/CanNorthEnviroServices)  
[linkedin.com/company/cannorth](https://www.linkedin.com/company/cannorth)



#### CALENDARS

Free EARMP calendars in English, Cree, and Dene are distributed to the Athabasca communities and other northern communities and circulated through the band offices, community health centers, post offices, and schools annually.

#### OUTREACH EVENTS

Results are presented at different outreach events when the opportunity arises. Past events include the Northern Saskatchewan Environmental Quality Committee and the Canadian Ecotoxicity Workshop



## Study Design and Objectives of the 2022/2023 Program

The community monitoring program continues to follow the study design and objectives outlined in the EARMP Community Program Framework (Appendix A), and consists of comparison to baseline data, regional reference data, and the most recent human health risk assessment (CanNorth 2018b). The study focuses on key chemicals of interest including the metals; aluminum, arsenic, cadmium, cobalt, copper, iron, lead, molybdenum, nickel, selenium, uranium, vanadium, and zinc. Radionuclides including lead-210, polonium-210, radium-226, and thorium-230 are also a primary focus. Ammonia in water and mercury in fish are also addressed. Note, all of these are present naturally in the environment but can become elevated due to mining and other industrial development activities.




The program is completed annually with the core components of water and fish sampled each year. A traditional food item is also selected each year as an additional sampling component. This year's additional focal items were blueberries and bog cranberries. A portion of the budget is also set aside to support chemical analyses of opportunistic samples submitted by the community. These community-requested samples can range from additional core samples or may be uniquely harvested species or specimens not historically part of the program (berries or animals hunted) or involve samples which have generated some community concern or interest. Additional blueberry and bog cranberry samples were submitted as opportunistic samples for the 2022 program.

The 2022/2023 program collected the core elements (water and fish), with blueberry and bog cranberry being the additional focal food for the year.



## Results

The community monitoring report is subdivided into three sections:

-  Water (Tuîtaedi) Chemistry
-  Fish (Łue) Chemistry
-  Berry (Ch'adi) Chemistry


Appendix A provides a description of the community monitoring program framework, Appendix B presents a summary of the chemistry results, and detailed results from all sampling years are provided in Appendix C.

# WATER (TUÎTÅEDI) CHEMISTRY


Surface water samples have been collected by hand at one waterbody of interest near each community, by community members and CanNorth field staff, annually in late August or early September since 2011 (baseline), with the exception of Camsell Portage in 2018 and 2020. Camsell Portage could not be sampled in 2018 due to scheduling conflicts and in 2020 due to the small population size and COVID-19 restrictions. Waterbodies assessed included Black Lake, Ellis Bay of Lake Athabasca near Camsell Portage, the Fond du Lac River near

Fond du Lac, the Fond du Lac River near Stony Rapids, the Fredette River near Uranium City, and Welcome Bay of Wollaston Lake (Figure 3). All samples were preserved as required and kept refrigerated until chemical analysis was completed. All water samples were submitted to the Saskatchewan Research Council analytical laboratory for chemical analysis. The summary water quality data is presented in Appendix B, Figure 1; Table 1 and summarized below. The raw water quality data are presented in Appendix C, Table 1.

Figure 3 Water quality sampling areas, 2011 to 2022







Concentrations of chemicals in the water over the years are very low, with most chemicals at levels so low the laboratory could not measure them even with the use of laboratory techniques known for their ability to measure low levels of chemicals. Chemicals that were at measurable levels were all lower than the Canadian Drinking Water Quality guidelines (Health Canada 2022) and the Saskatchewan Environmental Quality Guidelines for the protection of freshwater aquatic life (GS 2023). In addition, the pH at all locations was within the guideline range. Most of the chemical levels were within the range of concentrations expected for the region and the baseline assessment. In 2021, it was noted that one sample collected from the Fond du Lac study area contained higher levels of some metals compared to previous years (but still below applicable guidelines). In 2022, these metals have returned to levels similar to previous years. There were small increases in nickel in the Camsell Portage and Wollaston/Hatchet Lake samples; however,



## Summary of Water



levels are still significantly lower than the environmental guideline.


Overall, the concentrations of the chemicals assessed in the community water samples since the baseline sampling years (2011-2012) are very low and are not considered a concern to the environment or human health. Community members should note that drinking raw water from any source does carry a risk of ingesting natural parasites that can result in gastrointestinal infections.

# FISH (ŁUE) CHEMISTRY

Fish chemistry samples were collected by community members using gill nets set or angling at waterbodies near their communities. Fish collection in the past has included lake trout (Łuezané) and lake whitefish (Łú), and northern pike (oulday) (Figure 4). In 2022, lake trout and lake whitefish were collected from all communities. Ageing structures (fish scales and

ear bones) were removed and submitted to a specialized laboratory to determine the age of the fish. The fish flesh was submitted to the Saskatchewan Research Council for chemical analysis. The data are summarized in detail in Appendix B, Table 2 and raw data are provided in Appendix C, Table 2.

Figure 4 Fish chemistry sampling areas, 2011 to 2022





Similar to the water chemistry results, the general levels of the chemicals in fish continued to be very low in 2022, with most chemicals at levels so low the laboratory could not measure them even with the use of laboratory techniques known for their ability to measure low levels of chemicals. Chemicals that were measurable in 2022 were within the regional reference range and comparable to concentrations measured during previous monitoring years with few exceptions. Chemicals that appeared higher in 2022 (mercury in lake trout from Black Lake and arsenic in lake whitefish from Camsell Portage and Uranium City) were similar to past results from other EARMP communities. Lake whitefish levels of arsenic from Fond du Lac and selenium from Uranium City were the only chemicals measured outside of the reference range and past results from other EARMP communities; however, values remained below applicable guidelines and are considered safe for consumption. All metals in lake whitefish and lake trout will be monitored again in the 2023/2024 sampling program.



## Summary of Fish



**Similar to  
Baseline?**



**Similar to Regional  
Reference Range?**



**Safe to Eat?**



Overall, the levels of chemicals assessed in the fish collected from the communities since 2011 are considered low and similar to levels assessed in the 2018 human health risk assessment that determined fish do not present health risks to Athabasca Basin residents. Mercury levels were low in fish sampled in 2022; however, it is recommended that community members consult the Saskatchewan Mercury in Fish Guidelines for additional information:

<https://publications.saskatchewan.ca/#/products/68781>




# BERRY (JÍE) CHEMISTRY

The additional focal items of the 2022/2023 community monitoring program were berries hand-collected by local community members independently or with the aid of CanNorth personnel near each study community. Sampling is conducted at locations typically used for berry collection by community members (Figure 5). Depending on accessibility and on current local abundance, the type of berry selected for collection was either blueberry or bog cranberry. Berry chemistry samples were collected in 2011-2012 (baseline),

and in 2013, 2014, 2015, 2016, 2018, 2019, and 2022.


In 2022, blueberries (ts̓at̓chóth) were collected from Black Lake, Camsell Portage, Fond du Lac, Stony Rapids, and Hatchet Lake/Wollaston Lake. Bog cranberries (nantlhe'ér) were collected from Camsell Portage and Fond du Lac. The data are summarized in detail in Appendix B, Table 3 and 4, while raw data are provided in Appendix C, Table 3 and 4.

Figure 5 Blueberry and bog cranberry sampling areas, 2011 to 2022





Similar to the water and fish chemistry results, the levels of the chemicals in the blueberries and cranberries continued to be very low in 2022, with most chemicals at levels so low the laboratory could not measure them. Most chemicals that were measurable in 2022 were within the regional reference range and comparable to concentrations measured during previous monitoring years. The only exception was the 2022 blueberry and bog cranberry samples from the Fond du Lac study area and the 2022 blueberry sample from the Hatchet Lake/Wollaston Lake study area. These samples contained higher levels of one or more metals compared to the regional reference range. However, levels were within the range of levels measured during previous years at other EARMP communities and within the range of levels from the previous human health risk assessment.



### Summary of Berries



**Similar to Baseline?**



**Similar to Regional Reference Range?**



**Safe to Eat?**



Overall, the levels of chemicals assessed in blueberries and bog cranberries collected from the communities are considered low, and based on the previous human health risk assessment, the consumption of berries by Athabasca Basin residents is considered safe.

---

# SUMMARY

The results indicate that the measured concentrations of chemicals of interest in water, fish, and berry samples collected and tested in 2022-2023 community monitoring program were similar to baseline and regionally measured levels. The measured concentrations were also similar to those incorporated into the last human health risk assessment completed in 2018 and to concentrations discussed in the 10-year summary report and are therefore considered safe for consumption. These community traditional foods continue to be safe and a healthy dietary choice for residents of the Athabasca basin.



Safe to Drink?



Safe to Eat?




Safe to Eat?




## WE WANT TO HEAR FROM YOU!

Please contact us at [info@earmp.com](mailto:info@earmp.com)


Tell us . . .



your view  
of the  
program



if there is  
anything  
missing from  
the program



how you  
want to hear  
about the  
program

If you have any comments or questions on the Eastern Athabasca Regional Monitoring Program, please contact us [info@earmp.com](mailto:info@earmp.com) or visit our website at [www.earmp.ca](http://www.earmp.ca)



A photograph of a bird, possibly a Kingbird, perched on a weathered wooden post. The bird has a white head and neck, a dark eye, and brownish-grey wings and tail. The background is a soft, out-of-focus green.

*"We live off the land and waters, birds, animals, fish,  
berries; we have to respect and preserve them"*

*Joe Beavereye*

*Elder from Black Lake Denesuline First Nation*

*Nɪh ts'ɪŋqné daghídá sɪ, tu chu nɪh k'e, ʔasi yedá  
dziredɪthu tech'adie chu tué hu nɪh k'e hots'ɪ  
jie t'a sɪ;degharé ʔedɪrɪ ʔasié besuts'udí  
hoʔq yunadhédene godhé hobebá"*

*Joe Beavereye*

*ʔqɪnedhe Black Lake Tazɛn tué Denesuline*

*First Nation hots'ɪ*

---

# LITERATURE CITED

- CanNorth. 1999. Hatchet Lake dietary study. Prepared for the Atomic Energy Control Board, Ottawa, ON.
- CanNorth. 2011. Traditional foods study Uranium City, Saskatchewan. Year 1. Prepared for Cameco Corporation, Saskatoon, SK.
- CanNorth. 2014. Lac La Ronge Indian Band wild foods study. Prepared for the Lac La Ronge Indian Band, La Ronge SK.
- CanNorth. 2017. English River First Nation Traditional Food Analyses. Prepared for the English River First Nation, Patuanak, SK.
- CanNorth. 2018a. Decommissioned Beaverlodge Mine Site Environmental Performance Report, 2013 to 2017. September.
- CanNorth. 2018b. Human Health Risk Assessment for the Eastern Athabasca Basin. Prepared for Government of Saskatchewan and CNSC, October.
- CanNorth. 2020a. Rabbit Lake Operation Environmental Performance Report. Project No. 3490, Prepared for Cameco.
- CanNorth. 2020b. McArthur River Operation Environmental Performance Report. Project No. 3493, Prepared for Cameco.
- CanNorth. 2020c. Key Lake Operation Environmental Performance Report. Project No. 3492, Prepared for Cameco Corporation, December.
- CanNorth. 2021. Cigar Lake Operation Environmental Performance Report 2016 to 2020. Prepared for Cameco Corporation, Saskatoon, SK.
- GS. 2023. Saskatchewan Environmental Quality Guidelines. <https://environment-quality-guides.saskatchewan.ca/>.
- Health Canada. 2022. Guidelines for Canadian drinking water quality - Summary table. Water and Air Quality Bureau, Healthy Environments and Consumer Safety Branch, Health Canada, Ottawa, Ontario.
- Joint Panel. 1992. Assessing cumulative effects of Saskatchewan uranium mines development. Prepared for Joint Federal/Provincial Panel on uranium mining in northern Saskatchewan.
- Orano. 2022. McClean Lake Operation Technical Information Document, Environmental Performance, Volume 1 of 1. Version 1, Revision 0, September.

The report was prepared by:



# CanNorth

Canada North Environmental Services (CanNorth) is a 100% Indigenous owned environmental consulting company based in Saskatoon, Saskatchewan. CanNorth has been providing environmental services to Canadian industry, government agencies, and First Nations and communities for over 30 years. For additional information visit us at [www.cannorth.com](http://www.cannorth.com)

**CERTIFIED**  
**Aboriginal Business**

Canadian Council for  
Aboriginal Business 





APPENDICES

---

**LIST OF APPENDICES**

- Appendix A Community Monitoring Program Framework
- Appendix B Detailed Data Analysis
- Appendix C Detailed Data

APPENDIX A

---

EARMP COMMUNITY PROGRAM FRAMEWORK



# APPENDIX A: COMMUNITY MONITORING PROGRAM FRAMEWORK

## 1.0 INTRODUCTION

The Eastern Athabasca Regional Monitoring Program (EARMP) is a collaborative industry-government partnership, long-term environmental monitoring program established in 2011 under the Province of Saskatchewan's Boreal Watershed Initiative. The EARMP was designed to identify potential cumulative effects downstream of uranium mining and milling operations in the Eastern Athabasca region of northern Saskatchewan. It consists of two programs: a technical monitoring program and a community monitoring program. The technical program was established to monitor long-term changes in the aquatic environment far downstream of uranium mining and milling operations in the Eastern Athabasca region. The community program was established to monitor the safety of traditionally harvested country foods from the communities located in the Eastern Athabasca region.

The following document focuses entirely on the EARMP community program. The objective of the EARMP community program framework document is to provide detailed information related to the communities and mine sites located in the Eastern Athabasca region of northern Saskatchewan, the rationale for studying country foods, detailed information and rationale on the EARMP community program study design, and details of the data analyses and communication of the results.

## 2.0 STUDY AREA

### 2.1 Communities

There are seven communities in the region including Black Lake, Camsell Portage, Fond du Lac Denesuline First Nation, Hatchet Lake Denesuline First Nation/Wollaston Lake, Stony Rapids, and Uranium City. For the EARMP community program, the communities of Wollaston Lake and Hatchet Lake Denesuline First Nation were assessed together due to their close proximity to each other, creating a total of six community study areas. Provided below are brief descriptions of each community.

### 2.1.1 Black Lake

The Black Lake Denesuline First Nation is situated in northern Saskatchewan's Athabasca region approximately 1,180 km northwest of Prince Albert. Access to the community is by air to Stony Rapids and then by all-weather road approximately 20 km to Black Lake. Access to the Athabasca Seasonal Road (provincial highway 905) also lies between the two communities. The community currently maintains a total registered membership of 2,283 members, with an estimated 1900 of those members residing on reserve (BLFN 2023).

The people of Black Lake initially settled at Stony Lake prior to relocating to the area currently occupied by the fishing camp on the banks of the Black Lake River. The current Black Lake community was settled in the early 1950s after a new Roman Catholic church was constructed. The Dene language is still very strong and continues to be taught by the Elders to children and youth, both at home and within the school system. The people continue to maintain their traditional lifestyle of hunting, fishing, and trapping on a year-round basis as both commercial and private pursuits (PAGC 2008, 2012).

### 2.1.2 Camsell Portage

Camsell Portage is a small community located on the northern shoreline of Lake Athabasca, approximately 35 km from the community of Uranium City. It remains the most northern and isolated community in the province and is only accessible by boat in the open-water season and by air year-round.

Camsell Portage was settled by trappers who arrived during the 1900s from Lac La Biche, Alberta, the Northwest Territories, and Fort Fitzgerald, Alberta and who used it as a historical portage route to the north. During peak activities near Uranium City, Camsell Portage had a population of over 300 people (P. Steene pers. comm.). The population of Camsell Portage is currently 5 people and increases to approximately 20 people in the summer months (C. Larocque. pers. comm. June 20, 2022). No mining activity has taken place in the area; however, currently there are operating hydroelectricity generating stations near the community on the Waterloo, Wellington, and Charlot river systems.

### 2.1.3 Fond du Lac

The Fond du Lac Denesuline First Nation is situated on the northeast shore of Lake Athabasca in the Athabasca region of northern Saskatchewan, approximately 60 km south of the Northwest

Territories border and 1,275 km northwest of Prince Albert. It currently maintains a total registered membership of 2,300 members, with more than 900 members residing on reserve and 1,300 to 1,400 members residing at locations off reserve (FDFN 2023). Members are primarily of Dene and Cree descent. Access to the community is by seasonal ice road in the winter and by boat during the summer. Two airline companies also provide year-round access to the community.

Founded over 150 years ago, Fond du Lac is one of the oldest and most remote northern communities in Saskatchewan. During Cultural Camp, the Elders share their cultural and traditional knowledge with the youth, including demonstrations in setting traps, tent raising, fire building, snowshoe racing, and preparing and smoking dry meat (PAGC 2008, 2012).

#### 2.1.4 Hatchet Lake/Wollaston Lake

The Hatchet Lake Denesuline First Nation and the community of Wollaston Lake are situated on the south-eastern shoreline of Wollaston Lake (known in Dene as "Axe" Lake) in the Athabasca region of northern Saskatchewan, approximately 724 km northwest of Prince Albert (PAGC 2008). The Hatchet Lake Denesuline First Nation has total of 1,659 registered members, with 1,276 residing on the reserve and 377 members residing at locations off reserve (AANDC 2012). The northern settlement of Wollaston Lake has a population of 96 (SC 2021). Access to Hatchet Lake and Wollaston Lake is by ice road in the winter and by boat or barge during the open-water season. Year-round access is provided by two airline companies that operate scheduled flights between the surrounding communities and southern Saskatchewan.

Traditionally, the people lived as a hunting and gathering society with barren-ground caribou being an important food source. They still follow the seasonal caribou hunting patterns today. The majority of residents are Dene; however, during the 1950s some people of Cree-Metis ancestry moved to the northern settlement of Wollaston Lake (PAGC 2012).

#### 2.1.5 Stony Rapids

Stony Rapids is a northern hamlet in Saskatchewan with a total population of 219 residents (SC 2021). The community is located on the shoreline of the Fond du Lac River, approximately 80 km south of the border with the Northwest Territories. The Fond du Lac River connects the community of Stony Rapids to the Fond du Lac Denesuline First Nation, Uranium City, and Camsell Portage. An all-weather road also connects the community to the Black Lake Denesuline First Nation.



### 2.1.6 Uranium City

The history of the Uranium City area dates back to the late 1930s when uranium ore was first discovered in the area. It was not until 1952 that the town of Uranium City was established as a base for uranium mining in the Beaverlodge area. Operations at Saskatchewan's first uranium mine began in May of 1953 and continued until June of 1982, by which time rising costs and failing ore grade made it unprofitable. Within a year following the closure of the mine, Uranium City changed from a resource town of almost 2,500 inhabitants to a northern settlement with approximately 150 residents (Bone 1998). Uranium City continued to serve as the regional base for a number of services including education, health care, and the RCMP headquarters for a number of years following the mine closure. Many public institutions closed in 1983 and the hospital closed in 2003. The current population is approximately 91 residents (SC 2021).

## 2.2 Uranium Operations

There are currently five uranium mines/mills in the Eastern Athabasca region. These include Key Lake, McArthur River, McClean Lake, Rabbit Lake, and Cigar Lake. In addition, the decommissioned Gunnar and Beaverlodge uranium mine and mill sites are located within the region and near the community of Uranium City.

### 2.2.1 Key Lake

Cameco Corporation's (Cameco) Key Lake Operation is located in north-central Saskatchewan approximately 570 km north of Saskatoon. Mining at the Key Lake Operation began in 1983 with open pit mining of the Gaertner orebody followed by open pit mining of the Deilmann orebody beginning in 1986. Mining activities ceased in 1997 with stockpiles from the Deilmann orebody lasting until late 1999. At this time, the mill began processing ore trucked approximately 80 km from the McArthur River Operation and shifted from subaerial to subaqueous tailings management at the Deilmann Tailings Management Facility. In 2018, due to market weakness in uranium prices, Cameco suspended the production at McArthur River and Key Lake for an indeterminate duration and placed both sites in a state of care and maintenance. Production resumed in November 2022.

### 2.2.2 McArthur River

The McArthur River Operation is located approximately 270 km north of La Ronge and 80 km north of the Key Lake Operation. It is currently the world's largest, high-grade uranium deposit.

McArthur River has been operational since 1999 and is managed and operated by Cameco. The operation includes underground mining, processing systems, an ore handling system, and camp infrastructure. Specialized mining equipment is used to extract the high-grade uranium ore and mineralized wastes are blended with high-grade ore to produce a slurry, which is trucked to the Key Lake Operation for processing and resulting tailings management.

### 2.2.3 McClean Lake

The McClean Lake Operation is located approximately 15 km west of Wollaston Lake in northern Saskatchewan. Orano Canada Inc. (formerly AREVA) is the majority owner (70%) and operator of the McClean Lake Operation. Exploration activities started in the late 1970s, environmental assessment in the early 1990s, and the initiation of mining and mill operations in 1996 and 1999, respectively. The McClean Lake Operation currently comprises of three main areas: the JEB area, which includes the permanent camp and the McClean Lake mill and JEB tailing management facility; the Sue mining area, which includes the mined-out Sue A/C, Sue B, and Sue E pits; and the Sink/Vulture Treated Effluent Management System (S/V TEMS).

### 2.2.4 Rabbit Lake

The Rabbit Lake Operation, owned and operated by Cameco, is the longest-operating uranium production facility in Saskatchewan (since 1975). It is located in northeastern Saskatchewan, on the west side of Wollaston Lake approximately 350 km north of La Ronge. The Rabbit Lake Operation includes the Eagle Point underground mine, Rabbit Lake mill, four mined-out open pit mines, of which the original Rabbit Lake pit is being used as the Rabbit Lake In-Pit Tailings Management Facility (RLTMF), the Rabbit Lake Above Ground Tailings Management Facility (AGTMF), overburden stockpiles, waste rock stockpiles, effluent treatment facilities, and camp infrastructure. Rabbit Lake was transitioned into care and maintenance in 2016.

### 2.2.5 Cigar Lake

The Cigar Lake Operation is located approximately 80 km west of Wollaston Lake and 40 km inside the eastern margin of the Athabasca Basin region of northern Saskatchewan. The Operation involves the construction, mining operation, and eventual decommissioning of what is currently the world's highest-grade and second largest known uranium deposit. The Operation is currently managed and operated by Cameco. The initial discovery of the Cigar Lake uranium deposit occurred in May 1981. Following the acquisition of the construction license in December 2004, underground construction activities commenced. Site construction activities were expected to

take 24 months to 36 months; however, in 2006 and 2008 the mine experienced two inflow events that caused flooding of all underground workings of the Cigar Lake Project. Cigar Lake became operational in July 2014 but was in a state of care and maintenance as a result of the COVID-19 pandemic through the 2020/2021 EARMP program. The mine was operational during the last two EARMP program years.

### 2.2.6 Other Properties

The decommissioned Eldorado uranium mining and milling operation is located approximately 8 km east of Uranium City and north-east of Beaverlodge Lake in northern Saskatchewan. The mine operated for almost 30 years between 1953 and 1982. Decommissioning of the site occurred from 1983 to 1985 and transition phase monitoring continues today. Upon its inception as a publicly traded company, Cameco was assigned responsibility for the management and reclamation of the decommissioned site. Post-decommissioning activities include the ongoing monitoring and maintenance of the site, regular water quality monitoring at stations within the area, and a variety of special investigations to assess specific environmental concerns.

In addition, Beaverlodge Lake is the receiving environment for surface run-off from at least nine other abandoned uranium mine sites and one former uranium mill tailings area (the Lorado Uranium Mining Ltd. mill site), which are managed by the Saskatchewan Research Council (SRC). SRC is managing Project Cleans, which is also responsible for the assessment and reclamation of the Gunnar uranium mine and mill site and over 30 abandoned satellite mines in the Uranium City area.

The Cluff Lake Project, owned by Orano Canada Inc., is a decommissioned uranium mine and mill site located approximately 75 km south of Lake Athabasca. The Cluff Lake ore deposits were first discovered in the mid-1960s. Uranium mining and milling operations commenced in 1980 and ceased in 2002. Detailed planning for the decommissioning of the Cluff Lake Project began in 1998 and the majority of the physical decommissioning was completed in 2006. The Cluff Lake site moved into post-decommissioning monitoring in 2006 with a transition to campaign monitoring in 2013. Following the Canadian Nuclear Safety Commission's (CNSC) public hearing on March 1, 2023, the CNSC approved Orano's application to revoke the Cluff Lake Project's mine and mill operating licence to allow for the site to be transferred to the Province of Saskatchewan under its Institutional Control Program.



## 3.0 RATIONALE FOR STUDYING COUNTRY FOODS

The uranium mining and milling operations in northern Saskatchewan complete extensive environmental monitoring that routinely test the air, soil, vegetation, water, sediment, benthic invertebrates, and fish in their local study areas. However, these monitoring programs do not answer the question of whether country foods that are fished, hunted, or gathered near communities located downstream of multiple uranium operations are safe to eat. Since country foods, such as fish, berries, and wild game are important food sources in northern communities, the EARMP community program was developed to conduct an extensive and long-term regional sampling program testing these foods. The following section further discusses some of the uses and benefits of traditional country foods by northern residents.

### 3.1 Traditional Use of Country Foods

Studies conducted across Canada have documented that harvesting, sharing, and preparing traditional country foods is an important part of the Indigenous lifestyle (Wein et al. 1991; Wein and Freeman 1995; Kuhnlein and Receveur 1996; Receveur et al. 1997; AFN 2007). Traditional country food studies conducted in Hatchet Lake and Uranium City established that fish, berries, and wild game are important food sources for communities located in northern Saskatchewan (CanNorth 1999, 2011).

While fish is important to all of the communities, the relative importance of other meat sources varies. Studies have indicated that Hatchet Lake residents have a strong dependence on barren-ground caribou meat (especially during the winter months) whereas Uranium City residents rely more on moose and birds (CanNorth 1999, 2011). Uranium City residents have comparable meat/bird (grams per day) consumption values to the residents from similar regions such as Fort Smith, Northwest Territories and Fort Chipewyan, Alberta (CanNorth 2011). The more frequent caribou meat consumption in Hatchet Lake may be explained by availability, cultural differences, and/or preference of Hatchet Lake residents for caribou. A number of factors play a role in the differences in consumption patterns such as population size, road access, proximity to animal migration routes, presence of hunters, trappers, or fishermen, age and gender, costs and availability of market foods, and access to transportation with the southern part of the province (Wein et al. 1991; Blanchet et al. 2000; Batal et al. 2005).

### 3.2 Health Benefits of Traditional Country Foods

Harvesting and consuming traditional foods are integral components of good health among Indigenous people, influencing both physical health and social well-being. The act of hunting and gathering traditional foods is an important aspect of physical activity. Hunting, fishing, and berry picking also provides socio-cultural benefits to community members including mental health, cultural identity, and morale (AFN 2007). Gathering and eating traditional country foods can help reduce the risk of diabetes, heart disease, and obesity, especially when the foods are cooked in traditional ways (PHU AHA 2005).

Several health benefits of consuming traditional country foods have been documented across northern Canada. Fish are an important part of a healthy diet containing high-quality protein, Vitamin B, Vitamin D, omega-3 fatty acids, and other essential nutrients (NWT 2011; PHU AHA 2014). Fatty fish, such as lake trout, are especially high in omega 3 fatty acids and are considered important for heart health and brain and eye development. Compared to store-bought chicken breast and ground beef (0.10-0.31g/100g), northern Saskatchewan freshwater fish have much higher contents of omega 3 fatty acids (0.31-1.19g/100g). In addition, northern Saskatchewan fish have substantially lower levels of saturated fat, compared to store-bought chicken and ground beef (PHU AHA 2014). Fish eggs are also an excellent source of protein, Vitamin C, B vitamins, and iron (NWT 2002; NWT 2011). The skin of the fish and soups cooked with fish heads and bones are good sources of calcium (Receveur et al. 1997; NWT 2011).

Wild game meat such as moose and caribou are an important source of vitamins, minerals, and protein and have less saturated fat than store-bought meats (PHU AHA 2005; 2014). The fat content of barren-ground caribou meat is very low (1%) compared to beef, pork, or poultry (12% to 40%) (NWT 2002). Wild game are also high in essential nutrients such as iron, zinc, copper, magnesium, and phosphorous (Kuhnlein et al 1995; Receveur et al. 1997).

Compared to store-bought chicken breast and ground beef, the northern game meats have similar amounts of protein (21.4-25.6 g/100g), between 2- and 7-times higher levels of Iron (3.08-4.1 mg/100g) and fewer calories (98-123 kcal/ 100g). Overall, this indicates that northern Saskatchewan caribou, moose, and rabbit are low-calorie, nutrient dense, healthy servings of meat and meat alternatives (PHU AHA, 2014). Soups and/or stews cooked with bones for broth are high in calcium (Receveur et al. 1997), while many organs including liver contain high levels of iron needed for healthy blood and Vitamin A needed for healthy bones, skin, and teeth (HWC 1987; NWT 2002).

Traditional plants such as cranberries, blueberries, and Labrador tea are often used in both food and medicine (CanNorth 1999, 2011) and potentially offer additional health benefits. Wild plants are excellent sources of Vitamin C, fibre, and carbohydrates (Johnson et al. 1995; NWT 2002). For example, rose hips, consumed by many First Nations in a variety of medicinal and food preparations, are high in Vitamin C and demonstrate antibacterial and antioxidant properties (Yi et al. 2007).

### 3.3 Canada Food Guide – First Nations, Inuit, and Métis

In 2007, Health Canada introduced a newly tailored Canada Food Guide *“Eating Well with Canada's Food Guide - First Nations, Inuit and Métis”* (HC 2007) that includes both traditional country foods and store-bought foods that are generally available and accessible across Canada. This tailored food guide has recommendations for healthy eating based on science and recognizes the importance of traditional/country and store-bought foods for First Nations, Inuit, and Métis today. In addition, the government of Northwest Territories (NWT 2005) has also established a food guide that is tailored towards traditional country foods. Both the Canada Food Guide and the Northwest Territories Food Guide contain recommendations on the number of servings<sup>1</sup> (grams per day) of wild meats, birds, plants, fish, and other staples such as bannock, wild rice, and traditional fats. Choosing the amount and type of food recommended in Canada's Food Guide will help:

- children and teens grow and thrive;
- meet needs for vitamins, minerals, and other nutrients; and,
- lower risk of obesity, type 2 diabetes, heart disease, certain types of cancer, and osteoporosis (weak and brittle bones).

For more information on Canada's Food Guide please visit [www.healthcanada.gc.ca/foodguide](http://www.healthcanada.gc.ca/foodguide) or *“Eating Well with Canada's Food Guide - First Nations, Inuit and Métis”* <http://www.hc-sc.gc.ca/fn-an/pubs/fnim-pnim/index-eng.php>. For more information on the Northwest Territories Food guide please visit <https://www.hss.gov.nt.ca/en/services/nutritional-food-fact-sheet-series>.

---

<sup>1</sup> It should be noted that the food guide serving size for meat and alternatives has decreased over time and each serving size recommended is 75 g, which is likely less than what most people consider a serving size. For this study, actual intake amounts were used from the area to complete the Human Health Risk Assessment.

## 4.0 STUDY DESIGN AND OBJECTIVES

The EARMP community monitoring program objectives are to:

1. determine the safety of traditionally harvested food for local consumption;
2. establish long-term monitoring at community sampling areas to assess variability and potential changes over time;
3. build mutually beneficial relationships and engage and involve community members in the gathering of information for the program; and
4. communicate monitoring results to community members and other stakeholders through reporting, public media, and meetings.

The 2011/2012 and 2012/2013 data were used to establish baseline/current conditions for each species sampled in each community area. Each subsequent monitoring year's data will be compared to this baseline in order to assess potential changes over time or temporal trends in chemical concentrations of country foods routinely eaten by residents of the Eastern Athabasca region.


The study design for the EARMP community program will remain consistent over time, to the extent possible, in order to collect a consistent long-term data set. However, the program is also adaptive and may be refined in response to new information or changes associated with the development in the region. Some things to consider moving forward include:

- Community concerns: the EARMP community program monitors endpoints of highest concern to the communities. Sampling components may be refined or expanded based on the needs of the community members.
- Regional development: the development of additional uranium mining and milling operations in the region may also influence the overall design of the program.
- EARMP Community Program results: changes to the design of the EARMP community program may occur based on results and conclusions from each monitoring year.

A key aspect of a successful community monitoring program is that the sampling locations and media are selected based on their importance to the communities and the sampling is completed by, or with, local residents. It also helps to build trust between the residents of communities and



industrial operators in the region. Traditional Ecological Knowledge (TEK) is an essential part of the program. The approach of the program is summarized in Appendix A, Figure 1.



Appendix A, Figure 1.  
Summary of the EARMP community monitoring program approach.

In addition to community input, chemicals of interest are selected based on those identified through the environmental assessment process and monitoring requirements in the region. Uranium mining and milling operations are subject to the *Canadian Environmental Assessment Act* and the *Impact Assessment Act* and regulated by the Canadian Nuclear Safety Commission, the Saskatchewan Ministry of Environment, and Environment and Climate Change Canada.

## 4.1 Sampling Components

The program is completed annually with the core of the program involving annual sampling of water and fish along with a selected focus traditional food each year. A portion of the budget is set aside to support chemical analyses of additional samples beyond the core samples targeted for that sampling year. When the program was initiated, country foods were selected in consultation with community members and currently include water and fish (lake trout and lake whitefish). Berries (blueberry and bog cranberry), mammals (moose, barren-ground caribou, and snowshoe hare), and birds (spruce grouse) served as additional samples in years when they were abundant. Sampling components are meant to be representative of what community members are consuming; therefore, they vary from time to time throughout the long-term monitoring program to include other components (e.g., game birds, snowshoe hare, and more).

Two dietary surveys have been completed for communities within the region: The Hatchet Lake Dietary Survey (CanNorth 1999) and the Uranium City Country Foods Study (CanNorth 2011). Country foods currently selected for the EARMP community program formed a large percentage of foods identified in these surveys.

## 4.2 Sampling Locations

Near each community, one station was established from which a water quality sample was obtained. The station locations were decided upon by the CanNorth staff member and the community members conducting the sampling and were determined by accessibility, water depth, and proximity to the community. Fish, berry, bird, and mammal samples were obtained from locations that community members routinely fish, gather, and hunt their traditional country foods. This ensures the sampling program is testing the study areas most relevant to the communities.

## 4.3 Sampling Frequency

The EARMP community program was intended to be an annual sampling campaign for the first five years, after which the sampling frequency was re-evaluated as planned. Annual sampling has continued since the program began to maintain the community relationship. To manage long-term costs not all sample media continued to be sampled every year. The program has now standardized to the collection of water and fish each year with an extra focal component (e.g., berries, moose/caribou, snowshoe hare, spruce grouse, increased fish sampling) added each year. This approach has proven to be the most efficient means of ensuring the collection of

traditional foods across all the communities with adequate replication within a single sample year for the primary media of interest (water, fish, berries, meat). The target sample size is generally five samples from each community of each media type. However, some sampling components are harder to obtain, such as moose and barren-ground caribou; thus, sample sizes may be smaller at some communities in some years. The sampling begins in the early fall and continues into late winter.

Additionally, each year a portion of the budget is set aside to allow the program the flexibility to respond to a limited number of “community request” samples. Community request samples can range from additional core samples in the event of an especially abundant harvest, may include uniquely harvested species or specimens not historically a part of the program, or may involve samples which have generated some community concern or interest (e.g., visible abnormalities or indicators of poor health).

#### 4.4 Laboratory Analysis

All samples are analyzed by the SRC in Saskatoon. The SRC Analytical Laboratories are certified and accredited by the Canadian Association for Laboratory Accreditation Inc. (CALA). Accreditation ensures that procedures, facilities, and methods conform to ISO/IEC 17025, which is an internationally recognized standard. SRC has an extensive Quality Assurance/Quality Control (QA/QC) program to ensure reliable analytical results. With each set of samples run, SRC tests reference materials, duplicates, and spiked samples. Data results provided by SRC include full QA/QC reports for each sample submission.

Sample analyses completed by SRC included a full suite of parameters for each media type and are described Appendix A, Table 1.

Metals and trace elements analysis are completed by ICP-MS because it is a fast, multi-elemental technique similar to ICP-AES, but with better detection limits. For most elements, ICP-MS is able to achieve detection limits similar to or lower than Graphite Furnace AAS (Wolf 2005). The analysis of metals and trace elements with ICP-MS also meets Metal and Diamond Mining Effluent Regulations (MDMER) requirements (EC 2012). However, it should be noted that even with the use of ICP-MS, concentrations of many metals and trace elements in the EARMP sampling media are at levels below the Reporting Detection Limit (RDL). In addition, RDL for radionuclides tend to vary based on the mass of the sample. For values that were below the RDL, it is not possible to determine the actual concentration; therefore, all values were set equal to the RDL for computing

averages and standard deviations. This is a conservative approach as the actual concentrations could be substantially lower than the RDL.

### Appendix A, Table 1

List of chemicals and supportive parameters measured in traditional foods for the EARMP community program.

Parameter		Water	Berries	Fish	Mammals	Birds
Inorganic Ions	Bicarbonate, Calcium, Carbonate, Chloride, Magnesium, Potassium, Sodium, Sulphate, Hydroxide	x				
Metals and Trace Elements	Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Chromium, Cobalt, Copper, Fluoride Iron, Lead, Manganese, Mercury*, Molybdenum, Nickel, Selenium, Silver, Strontium, Thallium, Tin, Titanium, Uranium, Vanadium, Zinc	x	x	x	x	x
Nutrients	Ammonia as N**, Nitrate, Total Nitrogen, Total Kjeldahl Nitrogen, Total Organic Carbon, Phosphorus	x				
Radionuclides	Lead-210, Polonium-210, Throium-230, Radium-226	x	x	x	x	x
Physical Properties	pH, Specific Conductance, Sum of Ions, Total Alkalinity, Total Dissolved Solids, Total Hardness, Total Suspended Solids, Turbidity	x				
	% Moisture		x	x	x	x

\*Water and fish only.

\*\*Water only.

## 4.5 Data Assessment Approach

### 4.5.1 Endpoints

Although a full suite of chemical parameters were measured for each sample, this report focuses on a smaller list of chemicals, which have been identified as the chemicals of most interest for uranium operations by regulatory agencies, environmental assessments, as well as other monitoring programs. Appendix A, Table 2 summarizes the endpoints assessed for the EARMP Community Program. Supporting endpoints for the water quality assessment also included organic carbon, specific conductivity, total hardness, and pH.

While mercury is included in Appendix A, Table 2, it is not associated with uranium mining and milling operations. Monitoring programs completed in each mine site's local study area have repeatedly shown that mercury concentrations in the treated effluent are below the MDMER criteria for monitoring<sup>2</sup> (EcoMetrix 2010a, 2010b; SENES 2010, 2012; AREVA 2012). Mercury

<sup>2</sup> If the concentrations of total mercury is less than 0.1 µg/L in 12 consecutive treated effluent samples, monitoring is not required (MDMER, Schedule 5, subsection 4(3)).



occurs naturally in the environment and can be found at low levels in most soils and rocks. In northern Saskatchewan, natural deposits associated with lead, zinc, copper, silver, and gold are likely the cause of higher levels of mercury in fish in some lakes (SE 2011). Since mercury has been identified as a concern to community members in the Athabasca Region, it has been included in the assessment.

**Appendix A, Table 2**  
Chemical endpoints selected for the EARMP.

Reduced List of Chemicals	
Aluminum	Molybdenum
Ammonia as N*	Nickel
Arsenic	Polonium-210
Cadmium	Radium-226
Cobalt	Selenium
Copper	Thorium-230
Iron	Uranium
Lead	Vanadium
Lead-210	Zinc
Mercury**	

\*For water only.

\*\*Mercury is not associated with the uranium mining and milling process.

#### 4.5.2 Comparison Criteria

To evaluate the community data, concentrations of the reduced list of chemicals are compared to:

- available guidelines;
- available regional reference data; and
- available literature and/or Human Health Risk Assessments.

The above comparison criteria are used for each media type to establish if the country foods sampled in each community are within the expected background concentrations for the region, are below guidelines, and are considered safe to eat based on a Human Health Risk Assessment. As additional monitoring phases are completed, assessing changes in potential chemical concentrations over time will be an important component of the program. Data sources for the information used are described below.

### 4.5.3 Data Sources

#### 4.5.3.1 Guidelines

Federal and provincial guidelines are available for some media types assessed in the EARMP community program. Water chemistry results are compared to the Canadian Drinking Water Quality Guidelines (CDWQGs; HC 2022) and the Saskatchewan Environmental Quality Guidelines (SEQG) for the protection of freshwater aquatic life (GS 2023). In some instances when no SEQG was available the Federal Environmental Quality Guidelines (FEQGs; ECCC 2021) was used. For those chemicals where the values depend on hardness, the hardness concentration from each location was used to establish the guideline. Appendix A, Table 3 summarizes the guidelines used in water for the comparison to the EARMP community data.

**Appendix A, Table 3**

Chemistry guidelines used for comparison to EARMP community data.

Chemical	Guideline	
	CDWQG	SEQG
	(Drinking Water)	(Environmental)
Aluminum	0.1 mg/L	0.05 <sup>1</sup> mg/L
Ammonia as nitrogen	-	0.86 to 84 <sup>2</sup> mg/L
Arsenic	10 µg/L	5 µg/L
Cadmium	0.007 mg/L	0.00004-0.0001 <sup>3</sup> mg/L
Cobalt	-	0.00078-0.0018 <sup>34</sup> mg/L
Copper	2.0 mg/L	0.007 mg/L
Iron	0.3 mg/L	0.3 mg/L
Lead	0.005 mg/L	0.001 <sup>3</sup> mg/L
Mercury	1 µg/L	0.005 µg/L
Molybdenum	-	31 mg/L
Nickel	-	0.025 <sup>3</sup> mg/L
Selenium	0.05 mg/L	0.002 mg/L
Uranium	20 µg/L	15 µg/L
Vanadium	-	0.120 <sup>4</sup> mg/L
Zinc	5.0 mg/L	0.03 mg/L
pH	7.0 to 10.5	6.5 to 9.0
Thorium-230	0.6 Bq/L	-
Radium-226	0.5 Bq/L	0.11 Bq/L
Lead-210	0.2 Bq/L	-
Polonium-210	0.1 Bq/L	-

<sup>1</sup>Adjusted to a pH > 6.5.

<sup>2</sup>Adjusted according to water temperature and pH of each waterbody.

<sup>3</sup>Adjusted to water hardness in each waterbody.

<sup>4</sup>No SEQG exists, therefore, the guideline is based on the FEQG.

#### 4.5.3.2 Regional Reference Data

Regional reference data are available from a number of sources. Reference water and fish chemistry data are available from CanNorth's database. Water and fish chemistry data from several lakes north of Points North sampled between 2005 and 2014 were utilized to generate the regional reference values (Appendix A, Table 4). This included 249 water samples, 69 lake whitefish samples, and 35 lake trout samples. In 2015, additional lake trout (24 samples) were also collected from reference areas (McKenzie Lake, Henday Lake, and Riou Lake) to improve the regional reference data set to 59 samples for this species. Water samples spanned a total of 39 lakes, while lake trout data spanned 6 lakes, and lake whitefish data spanned 12 lakes. As more data become available, the regional reference data set will become more robust, particularly for the lake trout data set.

Historical data (2008 to 2011) available from the Athabasca Working Group (AWG) Environment Monitoring Program and the Uranium City Country Foods Program (CanNorth and SENES 2012) were utilized to generate the regional reference values for the berry data. Data from the AWG program were also used to establish regional reference ranges for the moose and barren-ground caribou data. In most cases, data from 2000 to 2010 were included in order to have adequate samples sizes; however, there were some situations where obvious and consistent changes in reporting detection limits (RDLs) precluded earlier data from being included (Appendix A, Table 5).

**Appendix A, Table 4**

EARMP regional reference range data sources for water and fish chemistry.

Factor	Water		Lake Trout Flesh	Lake Whitefish Flesh
Years <sup>1</sup>	2006 to 2014		2005 <sup>2</sup> , 2010 to 2012 and 2015 <sup>3</sup>	2006 to 2014
Areas <sup>1</sup>	Agent Lake Alsask Lake Bobby's Lake Brayden Lake Carys Lake Colette Lake Cree Lake David Lake East Spur Lake Fredette Lake Kapesin Lake Kazz Lake Lac Philip Lake B Lake C2 Lake C3 Lake C4 Lake C5 Lake C6 Lake C7	Lower Read Lake Mad Dog Lake McGowan Lake Milliken Lake Moon Lake Pasfield Lake Read Lake Reference 2 Reference 3 Reference 4 Reference 5 Riou Lake Ryan Lake Shallow Lake Slush Lake Wapata Lake West Spur Lake White Lake Yeoung Lake	Cree Lake Henday Lake Milliken Lake McKenzie Lake Pasfield Lake Riou Lake	Alsask Lake Cree Lake Fredette Lake Henday Lake Lac Philip Mallen Lake Milliken Lake Pasfield Lake Riou Lake Ryan Lake Wapata Lake West Spur Lake

<sup>1</sup>Not all areas were sampled all years.

<sup>2</sup>Five additional lake trout from 2005 from Henday Lake were added to improve sample sizes (n) for parameters that were less than the reporting detection limit (<RDL), namely arsenic, copper, iron, selenium, and zinc. These additional lake trout samples could not be used for other parameters because of large differences in RDLs in 2005 compared to later years.

<sup>3</sup>An additional 24 samples from Cree Lake, Henday Lake, McKenzie Lake, and Riou Lake were later included in 2015.

**Appendix A, Table 5**

EARMP regional reference range data sources for berry and mammal chemistry.

Factor	Blueberries	Cranberries	Caribou Flesh	Moose Flesh	Snowshoe Hare Flesh
Years <sup>1</sup>	2000 to 2011	2000 to 2011	2000 to 2011	2000 to 2011	2011
Areas <sup>1</sup>	Black Lake Camsell Portage Fond Du Lac Stony Lake Stony Rapids Uranium City Wollaston Lake	Black Lake Bushell Bay Camsell Portage Fond Du Lac Stony Lake Stony Rapids Uranium City Wollaston Lake	Black Lake Camsell Portage Fond Du Lac Stony Rapids Uranium City Wollaston Lake	Black Lake Camsell Portage Fond Du Lac Stony Rapids Uranium City Wollaston Lake	Camsell Portage

<sup>1</sup>Not all areas were sampled all years.



#### 4.5.3.4 Human Health Risk Assessment


Human Health Risk Assessment is a scientific procedure that is used to assess the potential for adverse health effects to humans caused by a selected group of chemicals that are a concern. Risk assessments involve the application of a staged, formal, and reproducible process that incorporates procedures accepted by regulatory authorities. Through the completion of a Human Health Risk Assessment, it is possible to answer one of the primary questions of the EARMP community program: are country foods safe to eat?

The most recent Human Health Risk Assessment was completed in 2018 utilizing the 2011 to 2018 EARMP data and determined that the country foods were safe to eat in all communities assessed (CanNorth 2018). In subsequent monitoring phases, if the levels of chemicals remain within the range of those measured during the baseline conditions, the Human Health Risk Assessment can be used as a basis for concluding if the country foods remain safe to eat. As more data become available, and potentially new types of country foods assessed, it may be necessary to complete a new Human Health Risk Assessment.

#### 4.5.4 Data Presentation

The EARMP community data is presented using both summary tables and figures. Summary tables and figures are presented in Appendix B. Descriptive statistics (average and standard deviation) are calculated and reported for each chemical, media, and study area. A graphical presentation of the data is used to compare chemical concentrations to guidelines, the regional reference range, and baseline levels. Data are only graphed if >50% of the values are above the RDL.

The regional reference range has been re-assessed as the range between the 2.5% to 97.5% of the regional reference distribution (where 95% of the regional reference data are expected to fall), since it was determined the majority of the chemistry data is not normally distributed. The highest and lowest 2.5% of the reference data were identified using regression analysis of the cumulative percent frequencies of the observed reference concentrations. After identification, the highest and lowest 2.5% of the data were excluded and the remainder were used as the reference ranges representative of natural conditions. As more regional reference data becomes available, the ranges will be further refined.



Appendix A, Figure 2.

Example of how the EARMP community program results are presented graphically.

Appendix A, Figure 2 shows the type of figure that is used to assess levels of chemicals in country foods. This figure provides information on guideline values, the regional reference range, and temporal changes in a single image for each chemical in each sampling component. The blue dotted line represents a guideline concentration (e.g., drinking water guidelines). The turquoise shaded area represents the regional reference range (i.e., reference average  $\pm$  2 standard deviations). The average concentration in the EARMP community sample is shown as a circle for the sampling years. The graph is a very useful visual tool for assessing the EARMP community data against the comparison criteria at a glance. It also allows for a qualitative assessment of increasing or decreasing concentrations of individual chemicals over time in each community.

## 5.0 REPORTING AND COMMUNICATION PLAN

A report will be completed to assess the EARMP community data following each monitoring year. The report will be structured so that the most relevant information is presented in the main document, with the detailed analysis presented in appendices. This will allow all potential audiences access to the information most relevant to them. The report, along with the raw data, will be available for download from the EARMP website: [www.earmp.ca](http://www.earmp.ca)

In addition to the report, community visits may be completed to present the results of the monitoring program. Community visits may include presentations, distribution of summary brochures/calendars, school visits, and/or ads. The community visits will be an opportunity to receive feedback on the program and encourage to further involvement from community members. Feedback on the program can also be provided through the EARMP website. Since

2012, the EARMP has taken the opportunity to engage communities at least annually about their environment while also distributing information about the project.

## 6.0 LITERATURE CITED

- Aboriginal Affairs and Northern Development Canada (AANDC). 2012. Website: <http://www.aadnc-aandc.gc.ca/>. Accessed October 2012.
- AREVA Resources Canada Inc. (AREVA). 2012. McClean Lake Operation technical information document environmental performance.
- Assembly of First Nations Environmental Stewardship Unit (AFN). 2007. Traditional foods are they safe for consumption? Website: <http://www.afn.ca/index.php/en/honoring-earth#6>. Accessed November 16th, 2013.
- Black Lake First Nation (BLFN). 2023. Website: <https://blacklakefirstnation.ca/>. Accessed June 2023.
- Batal M., K. Gray-Donald, and H.V. Kuhnlein. 2005. Estimation of traditional food intake in indigenous communities in Denendeh and the Yukon. *International Journal of Circumpolar Health*. 64:46-54.
- Blanchet, C., E. Dewailly, R. Ayotte, S. Bruneau, O. Receveur, and B. Holub. 2000. Contribution of selected traditional and market foods to the diet of Nunavik Inuit women. *Canadian Journal of Dietetic Practice and Research*. 61(2):50-59.
- Canada North Environmental Services (CanNorth). 1999. Hatchet Lake dietary study. Prepared for the Atomic Energy Control Board, Ottawa, ON.
- Canada North Environmental Services (CanNorth). 2011. Traditional foods study Uranium City, Saskatchewan. Year 1. Prepared for Cameco Corporation, Saskatoon, SK.
- Canada North Environmental Services (CanNorth). 2018. Human Health Risk Assessment for the Eastern Athabasca Basin. Prepared for the Government of Saskatchewan and Canadian Nuclear Safety Commission. October 2018.
- CCME (Canadian Council of Ministers of the Environment). 2023. Canadian Environmental Quality Guidelines summary table. Website: <https://ccme.ca/en/summary-table>.
- EcoMetrix Incorporated (EcoMetrix). 2010a. Key Lake Operation – Status of the Environment Report 2005 to 2009. Prepared for Cameco Corporation, Saskatoon, Saskatchewan.
- EcoMetrix Incorporated (EcoMetrix). 2010b. McArthur River Operation: Status of the Environment Report 2005 to 2009. Prepared for Cameco Corporation, Saskatoon, Saskatchewan.
- Environment Canada (EC). 2012. Metal mining technical guidance for Environmental Effects Monitoring. National EEM Office, Science Policy and Environmental Quality Branch, Ottawa, Ontario.

- ECCC (Environment and Climate Change Canada). 2021. Federal environmental quality guidelines summary table. Website: <https://www.canada.ca/en/environment-climate-change/services/evaluating-existing-substances/federal-environmental-quality-guidelines-summary-table.html>.
- Fond du Lac Denesuline First Nation (DFDN). 2023. Website: [https://www.fonddulac.ca/pages/about\\_us.html](https://www.fonddulac.ca/pages/about_us.html). Accessed June 2023.
- GS (Government of Saskatchewan). 2023. Saskatchewan environmental quality guidelines. Website: <https://envrbrportal.crm.saskatchewan.ca/seqg-search/>.
- Health Canada (HC). 2007. Canada food guide *“Eating Well with Canada's Food Guide - First Nations, Inuit and Métis”*. Publications Health Canada. Ottawa, Ontario.
- HC (Health Canada). 2022. Guidelines for Canadian drinking water quality - summary tables. Water and Air Quality Bureau, Healthy Environments and Consumer Safety Branch, Health Canada, Ottawa, Ontario. Website: [https://www.canada.ca/content/dam/hc-sc/migration/hc-sc/ewh-semt/alt\\_formats/pdf/pubs/water-eau/sum\\_guide-res\\_recom/summary-tables-sept-2022-eng.pdf](https://www.canada.ca/content/dam/hc-sc/migration/hc-sc/ewh-semt/alt_formats/pdf/pubs/water-eau/sum_guide-res_recom/summary-tables-sept-2022-eng.pdf).
- Kuhnlein H.V., O. Receveur, N.E. Morrison, D.M. Appavoo, R. Soueida, and P. Pierrot. 1995. Dietary nutrients of Sahtú Dene/Métis vary by food source, season and age. *Ecol. of Food and Nutr.* 34(3): 183-95.
- Kuhnlein, H.V. and O. Receveur. 1996. Dietary change and traditional food systems of Indigenous Peoples. *Annu. Rev. Nutr.* 16: 417–442.
- North West Territories Health and Social Services (NWT). 2002. Northwest Territories Food Guide Traditional Foods. Website: <http://www.hss.gov.nt.ca/publications/reports/northwest-territories-traditional-food-fact-sheets-series>. Accessed November 13th, 2013.
- North West Territories Health and Social Services (NWT). 2005. Northwest Territories Food Guide. Website: <http://www.hss.gov.nt.ca/publications/posters-flyers/nwt-food-guide>. Accessed November 13th, 2013.
- North West Territories Health and Social Services (NWT). 2011. Health benefits of fish. Website: <http://www.hss.gov.nt.ca/publications/brochures-fact-sheets/health-benefits-fish>. Accessed November 13th, 2013.
- Population Health Unit-Athabasca Health Authority (PHU AHA). 2005. Moose and safe choice in traditional food. Special supplement to Opportunity North, Spring, 2005.
- Population Health Unit-Athabasca Health Authority (PHU AHA). 2014. Nutritional analysis of northern Saskatchewan wild foods. May 2014.
- Prince Albert Grand Council (PAGC). 2008. Website: E-culture: <http://eculture.pagc.sk.ca/eculture.php?pid=COMMUNITIES&tp=lnk&language=&ver=>. Accessed December 5th, 2012.



- Prince Albert Grand Council (PAGC). 2012. Website: <http://www.pagc.sk.ca/>. Accessed December 2012.
- Receveur O., M. Boulay, H.V. Kuhnlein. 1997. Decreasing traditional food use affects diet quality for adult Dene/Metis in 16 communities of the Canadian Northwest Territories. *Journal of Nutrition*. 127:2179–2186.
- Saskatchewan Ministry of Municipal Affairs. (SMMA). 2012. Website: <http://www.municipal.gov.sk.ca/Programs-Services/Municipal-Directory>.
- SENES Consultants Limited (SENES). 2010. Rabbit Lake Operation integrated environmental risk assessment and state of the environment report 2005 to 2009. Prepared for Cameco Corporation, Saskatoon, Saskatchewan.
- SENES Consultants Limited (SENES). 2012. Risk evaluation for Uranium City country foods study. Prepared for Cameco Corporation, Saskatoon, Saskatchewan.
- Statistics Canada. (SC) 2021. Website: <https://www12.statcan.gc.ca/census-recensement/index-eng.cfm>. Accessed June 2021.
- Wein, E.E., J.H. Sabry, and F.T. Evers. 1991. Food consumption patterns and use of country foods by native Canadians near Wood Buffalo National Park, Canada. *Arctic*. 44:196–205.
- Wein, E.E., and M.M.R. Freeman. 1995. Frequency of traditional food use by three Yukon First Nations living in four communities. *Arctic*. 48:161-171.
- Wolf, R.E. 2005. Introduction to ICP-MS. United States Geological Survey/Central-Region/Crustal Imaging & Characterization Team, March 2005.
- Yi, O., E.M. Jovel, G.H. Towers, T.R. Wahbe, and D. Cho. 2007. Antioxidant and antimicrobial activities of Native Rosa Sp. from British Columbia, Canada. *International Journal of Food Sciences and Nutrition*. 58(3): 178-189.

APPENDIX B

---

DETAILED DATA ANALYSIS

---

# APPENDIX B: DETAILED DATA ANALYSIS

## 1.0 WATER QUALITY

The 2022 water quality data were assessed as per the data assessment approach described in detail in the EARMP community program framework (see Appendix A). Concentrations of the reduced chemical list were compared to:

1. Canadian Drinking Water Quality Guidelines (CDWQG; HC 2022) and the Saskatchewan Environmental Quality Guidelines (SEQG) for the protection of freshwater aquatic life (GS 2023);
2. regional reference data; and
3. previous monitoring phases.

Summaries of available guidelines, regional reference data, and the 2011 to 2022 EARMP community data are presented in Appendix B, Figure 1 and Appendix B, Table 1. Data were graphed if concentrations of a certain chemical were above the RDL in at least one community. If available, the CDWQG are presented on the graphs, since the EARMP community program is most concerned with human health. If CDWQG are not available for a certain chemical, then the SEQG were included on the graph. The detailed water chemistry results are presented in Appendix C, Table 1.

In 2022, concentrations of most chemicals were very low and in the case of the following chemicals the concentrations were at or below the lowest concentrations the laboratory can measure:

- Cobalt,
- Mercury,
- Polonium-210,
- Selenium,
- Thorium-230,
- Vanadium, and
- Zinc.

All chemical concentrations measured near the communities were below available CDWQG or SEQG (Appendix B, Figure 1 and Appendix B, Table 1). The pH levels at all

locations were within the guideline ranges. In addition, all chemicals were within the expected range for the region or similar to those measured during the baseline years with the only exceptions being nickel in the Camsell Portage and Wollaston/Hatchett Lake samples which were slightly higher in 2022 than previous years, but lower than the CDWQG and SEQG.

Some metals in the 2021 Fond du Lac sample (i.e., aluminum, copper, iron, lead, and zinc) had higher concentrations when compared to previous years. These metal concentrations decreased in 2022 and were similar to concentrations in prior to 2021.

Apart from the aforementioned slight increase in nickel concentrations in the Camsell Portage and Wollaston/Hatchett Lake samples in 2022, there have been no apparent increases in the concentrations of the chemicals assessed in the community water samples since the baseline sampling years. These levels remained well below available drinking water and environmental guidelines. Overall, chemicals in water were found to be within available guidelines and comparable to levels assessed in the last Human Health Risk Assessment (CanNorth 2018) that determined indicated there was no risk to human health associated with the EARMP community water quality.

## 2.0 FISH CHEMISTRY

To evaluate the EARMP community fish chemistry data, concentrations of the reduced chemical list were compared to:

1. regional reference data; and
2. previous monitoring phases.

The data assessment followed the approach developed as part of the EARMP community framework (see Appendix A).

In 2022, five lake trout and five lake whitefish samples were targeted for collection and received from each community. A summary of fish descriptive statistics (length, weight, and age) is provided in Appendix B, Figure 2 and Appendix B, Figure 3. Summaries of available chemical concentrations measured in regional reference data, baseline data, and the 2014 to 2022 EARMP community data are presented in Appendix B, Table 2. Data were graphed if >50% of the concentrations for a certain chemical were above the RDL in

at least one community (Appendix B, Figure 4 and Appendix B, Figure 5). The detailed fish chemistry results are presented in Appendix C, Table 2.

Chemical concentrations in the community fish samples from 2022 were often so low that the laboratory could not measure the level. This was the case for aluminum, cadmium, lead, molybdenum, nickel, uranium, vanadium, lead-210, polonium-210, radium-226, and thorium-230, in over half of the lake trout and lake whitefish samples assessed in all of the communities.

In lake trout, of those chemicals that were above the RDL, all were within the regional reference range and similar to concentrations measured during previous monitoring years, except mercury from Black Lake, which measured slightly higher than the reference range. Concentrations of mercury in Black Lake were lower in 2022 compared to concentrations in 2021 and within the range of values measured in previous years in other communities.

In lake whitefish, all chemicals above the RDL were within the reference range and similar to previous years, except arsenic in Camsell Portage, Fond du Lac, Uranium City, and Wollaston/Hatchett Lake and selenium in Uranium City. For arsenic, the 2022 levels in Fond du Lac were higher than all previous monitoring years. Arsenic concentrations in Camsell Portage, Uranium City, and Wollaston/Hatchett Lake have fluctuated over time and 2022 concentrations were within the range of concentrations measured during previous years including those assessed in the 2018 Human Health Risk Assessment that determined EARMP community fish were safe to eat. Arsenic concentrations in lake whitefish samples from Fond du Lac were higher in 2022 compared to all other sampling years; however, arsenic levels were similar to levels found in freshwater fish from other studies. Health Canada measures concentrations in grocery store food items as part of the Total Diet Study (HC 2018). They report that arsenic in freshwater fish is typically 0.4 ug/g wet weight (ranging from 0.12 to 1.1 ug/g). The First Nation Food, Nutrition and Environment study (Chan et al. 2021) measured concentrations of metals and trace elements in country foods. They report that arsenic in freshwater fish is typically 0.34 ug/g wet weight (ranging from 0.02 to 0.83 ug/g). The average arsenic concentration found in lake whitefish in Fond du Lac in 2022 was 0.35 µg/g wet weight.

Selenium in lake whitefish from Uranium City was the highest recorded in 2022 and greater than all other communities as well as the reference range. Levels remain well



below the United States Environmental Protection Agency (U.S. EPA) selenium criterion for fish muscle tissue of 11.3 µg/g dry weight (U.S. EPA 2021) and the more recent Canadian fish whole-body environmental quality guideline of 6.7 µg/g dry weight. When converted to a dry weight basis for comparison to the guidelines, the 2022 Uranium City lake whitefish fish flesh selenium levels average 3.19 µg/g. While continuing to be below guidelines, results over the last few years appear to be increasing, particularly since 2019. Selenium levels in lake whitefish will continue to be monitored in future programs. From a human health perspective, levels remain well below any concerns. Based on the information in the last Human Health Risk Assessment (HHRA; CanNorth 2018), the average adult could eat approximately 0.6 kg (1.2 pounds) of lake whitefish daily, with no concerns.

According to available guidelines and results from the last HHRA, there is no risk or concerns associated with the 2022 EARMP community fish quality. Mercury in lake trout from Black Lake, arsenic in lake whitefish from Camsell Portage, Fond du Lac, Uranium City and Wollaston/Hatchet Lake, and selenium in lake whitefish from Uranium City will be monitored again in 2022/2023 along with all chemicals in all communities.

## 3.0 BERRY CHEMISTRY

To evaluate the EARMP community berry chemistry data, concentrations of the reduced chemical list were compared to:

1. regional reference data; and
2. previous monitoring phases.

Summaries of available blueberry and bog cranberry chemical concentrations data are presented in Appendix B, Table 3 and Table 4. In 2022, blueberry samples from Black Lake (n = 3), Camsell Portage (n = 3), Fond du Lac (n = 3), Stony Rapids (n = 3), and Hatchet Wollaston/Hatchett Lake (n = 3) were submitted for chemical analysis. In addition, bog cranberry samples from Camsell Portage (n = 3), and Fond du Lac (n = 2), we also submitted. Data were graphed if >50% of the concentrations for a certain chemical were above the RDL in at least one community (Appendix B, Figure 6 and Figure 7). The raw chemistry results are presented in Appendix C, Table 8 and Table 9.

Levels of chemicals in the blueberries were often too low for the laboratory to measure. This included levels of arsenic, cadmium, cobalt, lead, mercury, molybdenum, selenium, uranium, vanadium, lead-210, polonium-210, and thorium-230, which were below measurable levels in more than half of the samples from 2022. Those chemicals that could be measured were at levels within the regional reference range, except lead from Fond du Lac and molybdenum from Wollaston/Hatchett Lake, which measured higher than the reference range. All concentrations were similar to levels measured during previous monitoring periods. Overall, the levels of chemicals of interest were considered safe in the blueberries from all of the EARMP communities as levels were similar to those assessed in the 2018 Human Health Risk Assessment.

Similar to blueberry data, bog cranberries contained low levels of chemicals with most of the chemicals of interest measured at levels too low for the laboratory to measure in more than half the samples. This included arsenic, cadmium, iron, mercury, molybdenum, selenium, uranium, vanadium, and thorium-230. Those chemicals that could be measured were at levels within the regional reference range, except lead and molybdenum from Fond du Lac, which measured higher than the reference range. Chemicals that were measurable were similar to levels observed in previous monitoring years and the levels assessed in the 2018 Human Health Risk Assessment. Overall, the levels of chemicals of interest are not considered a concern in the bog cranberries.


## 4.0 LITERATURE CITED

- Canada North Environmental Services (CanNorth). 2018. Human Health Risk Assessment for the Eastern Athabasca Basin. Prepared for the Government of Saskatchewan and Canadian Nuclear Safety Commission. October 2018.
- Chan, H.M., K. Fediuk, M. Batal, T. Sadik, C. Tikhonov, A. Ing and L. Barwin. 2021. The First Nations Food, Nutrition and Environment Study (2008–2018)—rationale, design, methods and lessons learned. *Canadian Journal of Public Health* 112, supplement S8 – S19. <https://doi.org/10.17269/s41997-021-00480-0>
- Gamberg, M. 2005. Contaminants in Yukon moose and caribou — 2004. Gamberg Consulting. Whitehorse, Yukon.
- Government of Saskatchewan (GS). 2020. Saskatchewan environmental quality guidelines for freshwater aquatic life. Website: <https://envrbrportal.crm.saskatchewan.ca/seqg-search/>.

- Health Canada. (HC). 2017. Guidelines for Canadian drinking water quality summary table. February 2017.
- Health Canada. (HC). 2018. Canadian Total Diet Study Website: [https://www.fnfnes.ca/docs/FNFNES\\_Supplemental\\_Data\\_Report\\_2022-02-25.pdf](https://www.fnfnes.ca/docs/FNFNES_Supplemental_Data_Report_2022-02-25.pdf).
- Iqbal, S, W. Blumenthal, C. Kennedy, F.Y. Yip, S. Pickard, W.D. Flanders, K. Loring, K. Kruger, K.L. Caldwell, and M.J. Brown. 2009. Hunting with lead: association between blood lead levels and wild game consumption. *Environmental Research* 109 (2009) 952–959.
- Pain D.J., R.L. Cromie, J. Newth, M.J. Brown, E. Crutcher, P. Hardman, L. Hurst, R. Mateo, A.A. Meharg, A.C. Moran, A. Raab, M.A. Taggart, and R.E. Green. 2010. Potential hazard to human health from exposure to fragments of lead bullets and shot in the tissues of game animals. *PLoS ONE* 5(4): e10315. doi:10.1371/journal.pone.0010315.
- Tsuji, L.J.S., Wainman, B.C., Martin, I.D., Sutherland, C., Weber, J.P., Dumas, P., and Nieboer, E. 2008. The identification of lead ammunition as a source of lead exposure in First Nations: the use of lead isotope ratios. *Science of the Total Environment*, 393: 291-298.
- U.S. EPA (United States Environmental Protection Agency). 2021. Technical Support for Fish Tissue Monitoring for Implementation of EPA’s 2016 Selenium Criterion Draft.


# LIST OF FIGURES

- Appendix B, Figure 1      Chemicals in water from the EARMP community study area, 2011 to 2022.
- Appendix B, Figure 2      Length, weight, and age of lake trout assessed by EARMP, 2011 to 2022.
- Appendix B, Figure 3      Length, weight, and age of lake whitefish assessed by EARMP, 2011 to 2022.
- Appendix B, Figure 4      Chemicals in lake trout from the EARMP community study areas, 2011 to 2022.
- Appendix B, Figure 5      Chemicals in lake whitefish from the EARMP community study areas, 2011 to 2022.
- Appendix B, Figure 6      Chemicals in blueberries from the EARMP community study areas, 2011 to 2022.
- Appendix B, Figure 7      Chemicals in bog cranberries from the EARMP community study areas, 2011 to 2022.




Appendix B, Figure 1  
 Chemicals in water from the EARMP community study area, 2011 to 2022.







Appendix B, Figure 1  
 Chemicals in water from the EARMP community study area, 2011 to 2022.




Appendix B, Figure 1  
 Chemicals in water from the EARMP community study area, 2011 to 2022.




Appendix B, Figure 1  
 Chemicals in water from the EARMP community study area, 2011 to 2022.



Appendix B, Figure 2  
 Length, weight, and age of lake trout assessed by EARMP, 2011 to 2022.




Appendix B, Figure 3  
 Length, weight, and age of lake whitefish assessed by EARMF, 2011 to 2022.




Appendix B, Figure 4  
 Chemicals in lake trout from the EARMP community study areas, 2011 to 2022.







Appendix B, Figure 4  
 Chemicals in lake trout from the EARMP community study areas, 2011 to 2022.




Appendix B, Figure 4  
 Chemicals in lake trout from the EARMP community study areas, 2011 to 2022.




Appendix B, Figure 5  
 Chemicals in lake whitefish from the EARMP community study areas, 2011 to 2022.



Appendix B, Figure 5  
 Chemicals in lake whitefish from the EARMP community study areas, 2011 to 2022.




Appendix B, Figure 5  
 Chemicals in lake whitefish from the EARMP community study areas, 2011 to 2022.




Appendix B, Figure 6  
 Chemicals in blueberries from the EARMP community study areas, 2011 to 2022.







Appendix B, Figure 6  
Chemicals in blueberries from the EARMP community study areas, 2011 to 2022.




Appendix B, Figure 6  
 Chemicals in blueberries from the EARMP community study areas, 2011 to 2022.




Appendix B, Figure 7  
 Chemicals in bog cranberries from the EARMP community study areas, 2011 to 2022.



Appendix B, Figure 7  
 Chemicals in bog cranberries from the EARMP community study areas, 2011 to 2022.



Appendix B, Figure 7  
 Chemicals in bog cranberries from the EARMP community study areas, 2011 to 2022.



Appendix B, Figure 7  
 Chemicals in bog cranberries from the EARMP community study areas, 2011 to 2022.



## LIST OF TABLES

Appendix B, Table 1	Fall water chemistry results for the EARMP community program, 2011 to 2022.
Appendix B, Table 2	Summary fish flesh chemistry results for the EARMP community program, 2011 to 2022.
Appendix B, Table 3	Summary blue berry chemistry results for the EARMP community program, 2011 to 2022.
Appendix B, Table 4	Summary bog cranberry chemistry results for the EARMP community program, 2011 to 2022.

Appendix B, Table 1  
 Fall water chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	SEQG <sup>2</sup>	CDWQ <sup>3</sup>	Black Lake										Camsell Portage								
			Black Lake										Ellis Bay, Lake Athabasca								
			2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2011	2012	2013	2014	2017	2019	2021	2022	
<b>Metals</b>																					
Aluminum <sup>4,5</sup>	0.05	0.1	0.002	0.0026	0.0026	0.0027	0.0061	0.0073	0.0069	0.0066	0.008	0.0059	0.0016	0.001	0.0044	0.0022	0.0027	0.0039	0.0036	0.0056	
Arsenic (µg/L)	5	10	0.1	0.1	0.2	0.2	<0.1	0.2	0.2	0.1	<0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.2	<0.1	0.1	
Cadmium <sup>6</sup>	0.00004 to 0.0001	0.007	0.00001	0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	0.00001	0.00001	<0.00001	<0.00001	0.00001	<0.00001	<0.00001	0.00002	
Cobalt <sup>7,8</sup>	0.00078	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
Copper	0.007	2.0	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	0.0005	<0.0005	<0.0002	0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	0.0002	0.0005	0.0002	0.0004	
Iron	0.3	0.3	0.026	0.013	0.022	0.021	0.022	0.17	0.027	0.065	0.028	0.038	0.0049	0.0044	0.0078	0.0056	0.0054	0.0052	0.01	0.011	
Lead <sup>6</sup>	0.001	0.005	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0002	0.0002	0.0002	
Mercury (µg/L) <sup>9</sup>	0.005	1	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	
Molybdenum	31	-	0.0002	0.0001	0.0001	0.0001	0.0001	<0.0001	0.0001	<0.0001	0.0001	<0.0001	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	<0.0001	0.0002	
Nickel <sup>6</sup>	0.025	-	0.0002	0.0001	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0001	0.0002	0.0001	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0003	
Selenium	0.002	0.05	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
Uranium (µg/L)	15	20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	0.1	0.1	<0.1	0.2	0.2	
Vanadium <sup>7</sup>	0.12	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	
Zinc	0.03	5.0	0.0018	<0.0005	<0.0005	<0.0005	<0.0005	0.0019	0.0007	<0.0005	0.0006	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008	<0.0005	<0.0005	
<b>Nutrients</b>																					
Ammonia as N <sup>10</sup>	0.86 to 84	-	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	0.02	0.02
<b>Physical Properties</b>																					
pH (pH units)	6.5 to 9.0	7.0 to 10.5	7.12	7.18	7.38	6.76	7.34	7.48	7.08	7.05	7.05	7.12	7.46	7.50	7.71	7.26	7.70	7.49	7.58	7.51	
Sp. Cond. (uS/cm)	-	-	40	38	38	43	29	28	31	26	30	34	66	69	69	73	66	63	70	65	
Total Hardness	-	-	14	13	29	14	12	13	12	12	10	11	26	26	47	27	26	26	27	24	
<b>Radionuclides</b>																					
Lead-210 (Bq/L)	-	0.2	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	
Polonium-210 (Bq/L)	-	0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	
Radium-226 (Bq/L)	0.11	0.5	<0.005	0.009	<0.005	0.008	<0.005	<0.005	0.01	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.009	<0.005	0.006	0.006	
Thorium-230 (Bq/L)	-	0.6	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	

Appendix B, Table 1  
Fall water chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	SEQG <sup>2</sup>	CDWQ <sup>3</sup>	Fond du Lac										Stony Rapids									
			Fond du Lac River										Fond du Lac River									
			2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2011	2012	2013	2014	2017	2018	2019	2020	2021	2022
<b>Metals</b>																						
Aluminum <sup>4,5</sup>	0.05	0.1	0.014	0.02	0.011	0.019	0.011	0.011	0.008	0.013	0.035	0.012	0.018	0.0084	0.012	0.012	0.014	0.0099	0.0093	0.017	0.0037	0.01
Arsenic (µg/L)	5	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	<0.1	0.1
Cadmium <sup>6</sup>	0.00004 to 0.0001	0.007	0.00002	<0.00001	0.00001	<0.00001	0.00003	0.00001	<0.00001	<0.00001	0.00002	0.00001	0.00002	<0.00001	0.00001	<0.00001	0.00001	0.00001	<0.00001	<0.00001	<0.00001	<0.00001
Cobalt <sup>7,8</sup>	0.00078	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	0.007	2.0	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	0.0002	0.0003	0.0011	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002
Iron	0.3	0.3	0.023	0.03	0.017	0.023	0.021	0.023	0.016	0.047	0.087	0.088	0.074	0.045	0.037	0.034	0.05	0.06	0.031	0.084	0.016	0.034
Lead <sup>6</sup>	0.001	0.005	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0032	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Mercury (µg/L) <sup>9</sup>	0.005	1	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	31	-	0.0001	0.0001	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0001	0.0002	0.0001	0.0002	0.0002	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	<0.0001
Nickel <sup>6</sup>	0.025	-	0.0002	0.0002	0.0003	0.0002	0.0001	0.0002	0.0002	0.0002	0.0004	0.0002	0.0002	0.0001	0.0002	0.0001	0.0001	0.0002	0.0002	0.0002	0.0002	0.0002
Selenium	0.002	0.05	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Uranium (µg/L)	15	20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium <sup>7</sup>	0.12	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.03	5.0	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0009	<0.0005	<0.0005	0.016	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0006	<0.0005	0.0008	<0.0005	<0.0005	<0.0005
<b>Nutrients</b>																						
Ammonia as N <sup>10</sup>	0.86 to 84	-	<0.01	<0.01	<0.01	0.04	0.02	<0.01	<0.01	<0.01	0.04	0.01	<0.01	<0.01	0.05	0.04	0.01	<0.01	<0.01	<0.01	0.02	0.03
<b>Physical Properties</b>																						
pH (pH units)	6.5 to 9.0	7.0 to 10.5	7.22	7.14	6.86	6.88	7.32	7.48	7.15	7.16	7.28	7.2	7.30	7.30	7.38	6.89	7.39	7.53	7.13	7.08	7.13	7.14
Sp. Cond. (uS/cm)	-	-	39	44	42	44	32	28	32	27	27	38	39	40	36	38	28	25	27	25	36	30
Total Hardness	-	-	14	15	15	15	13	13	13	13	11	14	13	14	31	13	12	12	12	12	11	11
<b>Radionuclides</b>																						
Lead-210 (Bq/L)	-	0.2	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02
Polonium-210 (Bq/L)	-	0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.006	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	0.11	0.5	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005	<0.005	0.008	<0.005	0.01	<0.005	<0.005	<0.005	<0.005	<0.005	0.006	<0.005	0.005
Thorium-230 (Bq/L)	-	0.6	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Appendix B, Table 1  
Fall water chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	SEQG <sup>2</sup>	CDWQ <sup>3</sup>	Uranium City										Wollaston Lake/Hatchet Lake									
			Fredette River										Welcome Bay, Wollaston Lake									
			2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2011	2012	2013	2014	2017	2018	2019	2020	2021	2022
<b>Metals</b>																						
Aluminum <sup>4</sup>	0.05	0.1	0.0051	0.0051	0.0057	0.0033	0.004	0.0033	0.0059	0.0076	0.0068	0.005	0.0047	0.014	0.0074	0.0069	0.0058	0.005	0.0068	0.006	0.0049	0.0045
Arsenic (µg/L)	5	10	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	<0.1	<0.1	0.1	0.1	0.1	<0.1	0.1	<0.1	<0.1	<0.1
Cadmium <sup>5</sup>	0.00004 to 0.0001	0.007	0.00001	0.00001	0.00002	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	0.00001	0.00001	0.00001	<0.00001	<0.00001	<0.00001	0.00014	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
Cobalt <sup>6,7</sup>	0.00078	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	0.007	2.0	<0.0002	<0.0002	0.0006	<0.0002	<0.0002	0.0004	0.0003	0.0003	0.0004	0.0003	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Iron	0.3	0.3	0.031	0.041	0.05	0.027	0.045	0.028	0.029	0.032	0.056	0.041	0.014	0.035	0.043	0.034	0.046	0.013	0.011	0.014	0.014	0.01
Lead <sup>5</sup>	0.001	0.005	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Mercury (µg/L) <sup>8</sup>	0.005	1	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	31	-	0.0004	0.0004	0.0004	0.0004	0.0005	0.0004	0.0004	0.0004	0.0005	0.0004	0.0012	0.0012	0.001	0.0009	0.0008	0.0007	0.0006	0.0006	0.0001	0.0005
Nickel <sup>5</sup>	0.025	-	0.0001	0.0001	0.0002	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0002	0.0002	0.0001	0.0001	0.0001	<0.0001	<0.0001	0.0001	0.0001	<0.0001	0.0001	0.0004
Selenium	0.002	0.05	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Uranium (µg/L)	15	20	3.5	1.3	1.4	1.7	1	1	1	1	0.6	0.7	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium <sup>6</sup>	0.12	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.03	5.0	0.0014	<0.0005	0.0013	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008	<0.0005	0.0007	<0.0005
<b>Nutrients</b>																						
Ammonia as N <sup>9</sup>	0.86 to 84	-	<0.01	0.03	0.05	0.07	0.06	<0.01	0.12	0.04	0.03	0.01	<0.01	<0.01	<0.01	0.04	<0.01	0.08	0.07	<0.01	0.02	<0.01
<b>Physical Properties</b>																						
pH (pH units)	6.5 to 9.0	7.0 to 10.5	7.75	7.72	7.94	7.46	8.00	8.11	7.72	7.72	7.71	7.79	7.1	7.12	7.37	6.91	7.38	7.53	7.11	7.14	7.15	7.1
Sp. Cond. (uS/cm)	-	-	114	112	113	114	102	98	101	92	91	89	34	37	34	36	32	27	30	25	29	30
Total Hardness	-	-	49	52	80	53	49	52	49	49	41	40	13	13	28	12	12	12	12	12	11	10
<b>Radionuclides</b>																						
Lead-210 (Bq/L)	-	0.2	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	-	0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	0.11	0.5	0.008	0.01	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.007	<0.005	<0.005	0.009	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005
Thorium-230 (Bq/L)	-	0.6	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Bolded values indicate values that exceeded applicable guidelines.

<sup>1</sup>All values are in mg/L, unless specified otherwise.

<sup>2</sup>SEQG = Saskatchewan Environmental Quality Guidelines for freshwater aquatic life.

<sup>3</sup>Guidelines for Canadian drinking water quality.

<sup>4</sup>Total aluminum guideline is being re-evaluated in 2023, hence the 2022 guideline is used based on field pH measurements: 0.005 mg/L if pH <6.5 or 0.1 mg/L if pH ≥6.5.

<sup>5</sup>Cadmium, lead, and nickel guidelines were calculated using the site-specific hardness.

<sup>6</sup>No SEQG exists, therefore, the guideline is based on the Federal Environmental Quality Guidelines.

<sup>7</sup>FEQG total cobalt guideline is based on hardness. Guideline is derived using the formula: FEQG=EXP(0.414\*(LN(Hardness))-1.887).

<sup>8</sup>The SEQG for mercury decreased from 0.026 µg/L to 0.005 µg/L in 2023. Detection Limits were improved in 2015, hence data prior appears to be higher than the guideline.

<sup>9</sup>A temperature of 10 °C and lab pH were used to derive guideline.

Sources: ECCC 2021, GS 2022, GS 2023, HC 2022.

Appendix B, Table 2  
 Summary fish flesh chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Regional Reference Range <sup>2,3</sup>							
	Lake Trout				Lake Whitefish			
	Lower Limit	Median	Upper Limit	n	Lower Limit	Median	Upper Limit	n
<b>Metals</b>								
Aluminum	0.05	0.2	0.7	10	<0.01	0.08	0.6	28
Arsenic	0.010	0.030	0.35	59	<0.01	0.034	0.14	69
Cadmium	-	-	-	54	-	-	-	69
Cobalt	<0.002	<0.002	0.005	54	0.002	0.002	0.03	69
Copper	0.15	0.29	0.91	59	0.10	0.20	0.43	69
Iron	1.3	3.5	12	59	0.56	2.4	6.9	69
Lead	<0.002	<0.002	0.01	54	<0.002	<0.002	0.02	69
Mercury	<0.04	0.2	0.5	44	<0.01	0.05	0.3	59
Molybdenum	-	-	-	54	-	-	-	69
Nickel	-	-	-	54	<0.01	<0.01	0.04	69
Selenium	0.14	0.22	0.48	59	0.091	0.27	0.63	69
Uranium	<0.001	<0.001	0.005	54	<0.001	<0.001	0.005	69
Vanadium	-	-	-	54	-	-	-	69
Zinc	2.3	4.2	10	59	2.4	4.2	9.4	69
<b>Radionuclides</b>								
Lead-210 (Bq/g)	<0.001	<0.001	0.03	54	-	-	-	69
Polonium-210 (Bq/g)	-	-	-	44	<0.0002	0.0009	0.007	42
Radium-226 (Bq/g)	0.00005	0.00006	0.0002	44	0.00005	0.00006	0.0001	64
Thorium-230 (Bq/g)	-	-	-	45	-	-	-	47

Appendix B, Table 2  
 Summary fish flesh chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Black Lake (Black Lake)																	
	Lake Trout																	
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>																		
Aluminum	0.5	-	0.5	-	0.5	0.09	0.6	0.1	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.072	0.028	0.048	0.0084	0.064	0.025	0.080	0.017	0.066	0.015	0.056	0.022	0.094	0.030	0.076	0.032	0.05	0.01
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	0.0003	0.002	-	0.004	0.002	0.003	0.001	0.003	0.001	0.002	-	0.003	0.001	0.0024	0.00055	0.004	0.002
Copper	0.37	0.23	0.24	0.016	0.33	0.11	0.25	0.040	0.29	0.094	0.33	0.075	0.40	0.21	0.318	0.138	0.32	0.09
Iron	2.9	1.4	1.8	0.23	2.6	1.0	2.9	0.61	4.1	1.5	3.5	1.5	3.6	1.3	4.06	1.44	2.9	0.98
Lead	0.002	0.0008	0.002	-	0.003	0.002	0.004	0.001	0.002	0	0.002	-	0.003	0.001	0.002	-	0.002	0.0004
Mercury	0.31	0.11	0.40	0.084	0.44	0.073	0.35	0.045	0.44	0.083	0.39	0.061	0.35	0.18	0.566	0.113	0.51	0.082
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	-	0.01	-	0.02	0.01	0.01	0.006	0.01	-	0.01	-	0.01	0.004	0.012	0.0045	0.01	0
Selenium	0.15	0.026	0.14	0.024	0.15	0.019	0.15	0.0058	0.12	0.014	0.11	0.022	0.15	0.025	0.142	0.0164	0.15	0.011
Uranium	0.001	0.0003	0.001	-	0.001	0	0.001	-	0.001	-	0.001	-	0.001	-	0.002	0.001	0.001	-
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.1	1.4	3.4	0.42	3.7	1.3	4.6	1.1	4.0	1.2	4.4	1.0	4.0	0.46	5.68	2.78	4.1	0.94
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	0.001	0.0004	0.001	-	0.001	0	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0002	0	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	0.00004	0.00022	0.000045	0.0002	-
Radium-226 (Bq/g)	0.00006	0.00002	0.00007	0.00002	0.00005	-	0.00006	-	0.00006	0.000005	0.00006	0.000004	0.00006	0.00002	0.00005	-	0.00006	-
Thorium-230 (Bq/g)	0.00011	0.00003	0.0001	0.00004	0.00009	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0.00005	0.0001	-	0.0001	-

Appendix B, Table 2  
 Summary fish flesh chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Black Lake (Black Lake)																	
	Lake Whitefish																	
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>																		
Aluminum	0.5	-	0.5	-	0.5	-	0.5	-	0.5	0	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.18	0.14	0.024	0.0089	0.17	0.056	0.22	0.17	0.14	0.12	0.10	0.05	0.15	0.076	0.066	0.026	0.074	0.055
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.0022	0.00045	0.002	-
Cobalt	0.003	0.0009	0.003	0.001	0.004	0.003	0.003	0.002	0.003	0.001	0.002	0.001	0.004	0.002	0.0036	0.0011	0.011	0.003
Copper	0.19	0.051	0.11	0.088	0.26	0.19	0.14	0.036	0.29	0.19	0.17	0.045	0.16	0.027	0.222	0.0415	0.24	0.032
Iron	2.1	0.93	1.5	0.61	2.3	1.2	3.0	0.87	4.6	2.6	2.3	0.41	2.1	0.6	1.68	0.497	3.1	0.66
Lead	0.002	0.0004	0.002	-	0.002	0.0004	0.003	0.001	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Mercury	0.12	0.059	0.058	0.026	0.10	0.024	0.090	0.030	0.11	0.02	0.12	0.02	0.090	0.028	0.1374	0.07574	0.1	0.028
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0	0.01	-	0.01	0.005	0.02	0.02	0.01	-	0.01	-	0.01	-	0.012	0.0045	0.01	-
Selenium	0.27	0.065	0.22	0.048	0.30	0.047	0.40	0.067	0.21	0.06	0.16	0.033	0.18	0.065	0.188	0.0363	0.2	0.16
Uranium	0.001	0.0003	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.0014	0.00055	0.001	0
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.6	1.1	3.9	0.52	3.8	0.68	4.6	0.35	4.2	0.9	3.3	0.55	4.4	1.1	4.72	1.12	4.1	0.24
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	0.002	0.001	0.001	0	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0004	0.0003	0.0004	0.0002	0.0002	0.00005	0.0005	0.0001	0.0003	0.0001	0.00022	-	0.0005	0.0003	0.00022	0.000045	0.00024	0.00009
Radium-226 (Bq/g)	0.0004	0.0007	0.0002	0.0001	0.00009	0.00006	0.00006	-	0.000054	0.000005	0.00006	0.000005	0.00006	0.000005	0.00006	-	0.000066	-
Thorium-230 (Bq/g)	0.0005	0.0008	0.0001	0.00004	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.00012	-



Appendix B, Table 2  
 Summary fish flesh chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Camsell Portage (Ellis Bay)															
	Lake Trout															
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2019 (n = 5)		2020 (n = 2)		2021 (n = 5)		2022 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>																
Aluminum	0.5	-	0.5	-	0.5	0.09	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.11	0.071	0.076	0.038	0.086	0.032	0.10	0.027	0.11	0.075	0.19	-	0.152	0.123	0.15	0.086
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	0.0004	0.002	0	0.003	0.0008	0.002	0.0006	0.002	-	0.002	-	0.002	-	0.003	0.001
Copper	0.34	0.15	0.28	0.063	0.31	0.083	0.39	0.12	0.26	0.021	0.38	-	0.24	0.082	0.25	0.07
Iron	2.8	1.5	2.1	0.45	3.4	1.2	3.1	0.92	2.5	0.37	4.7	-	2.3	0.41	2.7	0.83
Lead	0.002	-	0.002	-	0.002	0.0009	0.003	0.001	0.002	-	0.002	-	0.0026	0.00089	0.002	-
Mercury	0.15	0.070	0.23	0.12	0.34	0.031	0.14	0.032	0.13	0.067	0.20	-	0.216	0.0619	0.28	0.064
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0.006	0.02	0.02	0.02	0.02	0.01	0.006	0.01	-	0.01	-	0.01	-	0.01	0
Selenium	0.16	0.024	0.16	0.015	0.18	0.023	0.19	0.021	0.14	0.008	0.19	-	0.16	0.020	0.19	0.047
Uranium	0.002	0.004	0.001	-	0.001	0	0.001	0	0.001	-	0.001	-	0.0014	0.00089	0.001	0
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	5.0	3.1	3.3	0.36	4.6	1.4	5.0	1.3	3.9	2.6	5.7	-	4.5	0.72	4.9	1.3
<b>Radionuclides</b>																
Lead-210 (Bq/g)	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0003	0.0002	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-
Radium-226 (Bq/g)	0.0001	0.00005	0.00007	0.00002	0.00005	-	0.00006	-	0.00007	0.000009	0.00006	-	0.00006	-	0.00006	-
Thorium-230 (Bq/g)	0.0001	-	0.00010	0.00001	0.0001	-	0.0001	-	0.00012	-	0.0001	-	0.0001	-	0.0001	-

Appendix B, Table 2  
 Summary fish flesh chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Camsell Portage (Ellis Bay)											
	Lake Whitefish											
	Baseline (n = 7)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2021 (n = 5)		2022 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>												
Aluminum	0.5	-	0.5	-	0.7	0.3	0.5	-	0.5	-	0.5	-
Arsenic	0.30	0.081	0.29	0.14	0.18	0.14	0.13	0.093	0.102	0.0466	0.2	0.03
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	0.0009
Cobalt	0.003	0.002	0.003	0.001	0.006	0.002	0.005	0.001	0.0076	0.0056	0.0036	0.0011
Copper	0.18	0.092	0.17	0.063	0.24	0.068	0.23	0.042	0.188	0.0356	0.26	0.11
Iron	2.2	1.1	2.6	0.75	3.2	0.95	2.4	0.53	1.48	0.691	2.4	0.78
Lead	0.002	0.0004	0.002	-	0.006	0.002	0.002	-	0.0024	0.00089	0.002	-
Mercury	0.050	0.019	0.08	0.058	0.055	0.0070	0.039	0.0038	0.0846	0.0314	0.08	0.015
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0.004	0.01	-	0.04	0.03	0.01	-	0.01	-	0.01	-
Selenium	0.26	0.030	0.26	0.019	0.24	0.026	0.27	0.015	0.256	0.0559	0.29	0.03
Uranium	0.001	0.0004	0.003	0.001	0.002	0.0005	0.001	-	0.001	-	0.002	0.0013
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	3.2	0.55	3.7	1.1	4.5	1.2	4.1	0.9	4.48	0.110	4.8	0.81
<b>Radionuclides</b>												
Lead-210 (Bq/g)	0.001	0.0004	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0002	0.0001	0.0002	-	0.0005	0.0004	0.0004	0.0004	0.00046	0.00038	0.00024	0.00009
Radium-226 (Bq/g)	0.0001	0.00010	0.00010	0.00006	0.00006	-	0.00006	-	0.000066	0.000013	0.00030	-
Thorium-230 (Bq/g)	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.00012	0.000045	0.0001	-

Appendix B, Table 2  
 Summary fish flesh chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Fond du Lac (Fond du Lac River)																	
	Lake Trout																	
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>																		
Aluminum	0.5	-	0.5	-	0.5	0.04	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.1	0.04	0.07	0.03	0.08	0.04	0.06	0.01	0.13	0.06	0.082	0.031	0.13	0.11	0.076	0.059	0.13	0.018
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	-	0.002	-	0.003	0.0005	0.0057	0.0055	0.0022	0.0004	0.002	-	0.003	0.001	0.0028	0.0011	0.002	0.0004
Copper	0.28	0.081	0.30	0.087	0.27	0.10	0.29	0.064	0.38	0.05	0.25	0.094	0.55	0.29	0.242	0.0589	0.41	0.16
Iron	2.4	0.90	1.7	0.43	2.9	0.53	3.4	1.4	4.0	0.8	2.5	0.81	5.5	1.7	2.42	0.838	4.3	2.2
Lead	0.002	0.0007	0.003	0.003	0.004	0.002	0.002	0.0006	0.0026	0.0013	0.002	-	0.002	-	0.0026	0.0013	0.002	0.0004
Mercury	0.22	0.073	0.08	0.030	0.59	0.18	0.18	0.084	0.16	0.031	0.19	0.033	0.25	0.050	0.358	0.172	0.36	0.096
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	-	0.01	0.005	0.02	0.004	0.01	0.006	0.01	-	0.01	-	0.02	0.01	0.01	-	0.01	0
Selenium	0.15	0.019	0.16	0.017	0.11	0.035	0.17	0.012	0.16	0.015	0.11	0.012	0.15	0.022	0.184	0.0152	0.20	0.025
Uranium	0.001	0.0003	0.001	-	0.001	0.0004	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	3.7	0.47	3.3	0.55	3.9	1.6	4.2	1.6	4.6	0.6	2.9	0.43	4.5	1.7	5.02	2.38	7.6	4.5
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	0.001	0.0004	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-
Radium-226 (Bq/g)	0.00006	-	0.00006	0.000004	0.00006	0.00001	0.00006	-	0.00006	0.000007	0.00006	0.000007	0.00006	0.000008	0.00006	0.000005	0.000062	-
Thorium-230 (Bq/g)	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-

Appendix B, Table 2  
 Summary fish flesh chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Fond du Lac (Fond du Lac River)																	
	Lake Whitefish																	
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>																		
Aluminum	0.6	0.3	0.5	-	0.5	0.04	0.5	0.06	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.24	0.14	0.06	0.034	0.11	0.11	0.19	0.14	0.26	0.021	0.09	0.1	0.25	0.045	0.03	0.007	0.35	0.102
Cadmium	0.002	0.001	0.002	0	0.002	-	0.002	-	0.002	0	0.002	0.001	0.002	0.0004	0.002	-	0.002	-
Cobalt	0.0040	0.0039	0.0054	0.0049	0.010	0.0067	0.010	0.0060	0.003	0.001	0.008	0.002	0.005	0.003	0.008	0.002	0.004	0.0012
Copper	0.18	0.057	0.20	0.085	0.16	0.024	0.18	0.080	0.23	0.073	0.17	0.031	0.14	0.023	0.166	0.0207	0.15	0.034
Iron	2.2	1.5	2.4	1.4	2.0	0.64	2.1	0.44	3.2	0.61	2.6	0.79	2.5	1.0	2.26	0.573	2.3	0.73
Lead	0.002	0.0007	0.002	-	0.003	0.003	0.004	0.002	0.003	0.001	0.002	0.001	0.002	-	0.002	-	0.002	-
Mercury	0.090	0.068	0.028	0.0084	0.083	0.035	0.088	0.029	0.071	0.0046	0.10	0.039	0.10	0.015	0.118	0.0130	0.12	0.029
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0.003	0.01	0	0.04	0.04	0.02	0.006	0.01	0	0.01	-	0.01	0.004	0.01	-	0.01	0
Selenium	0.22	0.048	0.20	0.052	0.16	0.052	0.25	0.090	0.26	0.039	0.18	0.067	0.25	0.044	0.216	0.0358	0.29	0.069
Uranium	0.001	0.0007	0.001	-	0.002	0.001	0.001	0.0006	0.001	0.0004	0.001	-	0.001	-	0.0014	0.00089	0.001	0
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	3.9	0.94	4.1	0.74	4.0	0.55	4.3	0.64	3.4	0.3	3.9	0.78	3.2	0.66	5.4	1.8	4.1	0.67
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	0.004	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0
Polonium-210 (Bq/g)	0.0004	0.0003	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.00022	-	0.0002	0.00004	0.0002	-	0.00024	0.00005
Radium-226 (Bq/g)	0.0004	0.0007	0.00007	0.00002	0.00007	0.00001	0.00006	-	0.00006	-	0.00006	0.000004	0.00006	0.000008	0.000086	0.000064	0.000062	-
Thorium-230 (Bq/g)	0.002	-	0.0001	-	0.0001	0.00004	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-

Appendix B, Table 2  
 Summary fish flesh chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Stony Rapids (Fond du Lac River)																	
	Lake Trout																	
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 4)		2021 (n = 5)		2022 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>																		
Aluminum	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.07	0.044	0.13	0.080	0.080	0.044	0.10	0.020	0.13	0.037	0.054	0.033	0.04	0.008	0.08	0.03	0.19	0.065
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	0	0.002	-	0.004	0.002	0.004	0.0006	0.002	-	0.002	-	0.002	-	0.0022	0.00045	0.003	0.0008
Copper	0.29	0.19	0.35	0.068	0.46	0.27	0.59	0.15	0.36	0.053	0.31	0.11	0.33	0.047	0.29	0.057	0.42	0.097
Iron	2.8	2.3	3.8	1.3	5.3	3.9	4.8	1.2	4.3	0.7	3.4	1.2	4.1	1.0	3.84	1.95	4.8	1.1
Lead	0.002	-	0.002	-	0.004	0.004	0.002	-	0.002	0	0.003	0.001	0.002	0.0005	0.002	-	0.002	0.0004
Mercury	0.33	0.16	0.18	0.072	0.20	0.052	0.17	0.031	0.10	0.0057	0.20	0.050	0.24	0.099	0.292	0.0672	0.28	0.088
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0	0.01	0	0.02	0.02	0.01	0.006	0.01	-	0.01	-	0.03	0.03	0.01	-	0.01	-
Selenium	0.14	0.037	0.17	0.018	0.15	0.011	0.17	0.012	0.16	0.018	0.13	0.011	0.18	0.026	0.146	0.0167	0.16	0.018
Uranium	0.001	0.0003	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0.0009	0.001	-	0.001	-	0.001	-
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	3.7	0.86	3.6	0.46	4.0	0.88	3.5	0.30	4.6	0.34	3.7	1.3	5.2	1.3	5.42	2.16	5.6	1.2
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	0.001	0	0.001	0	0.001	-	0.001	-	0.001	0.0004	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0002	0.00007	0.0002	0.00004	0.0002	-	0.0002	-	0.0002	0	0.0002	-	0.0002	-	0.0002	-	0.0002	-
Radium-226 (Bq/g)	0.00006	-	0.00007	0.00002	0.00007	-	0.00006	-	0.00006	0.000004	0.00006	0.000005	0.00005	0.000005	0.00005	-	0.000064	-
Thorium-230 (Bq/g)	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.00012	0.00004

Appendix B, Table 2  
 Summary fish flesh chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Stony Rapids (Fond du Lac River)																	
	Lake Whitefish																	
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>																		
Aluminum	0.5	-	0.50	-	0.5	-	0.5	0.06	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.04	0.02	0.03	0.007	0.03	0.03	0.04	0.02	0.12	0.035	0.02	0.008	0.07	0.09	0.052	0.019	0.046	0.005
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.003	0.001	0.003	0.001	0.002	-	0.002	-	0.002	0
Cobalt	0.0060	0.0031	0.0046	0.00089	0.005	0.0021	0.014	0.0082	0.007	0.005	0.008	0.001	0.004	0.003	0.007	0.004	0.0072	0.0004
Copper	0.20	0.083	0.22	0.064	0.21	0.025	0.16	0.046	0.25	0.050	0.15	0.024	0.21	0.036	0.254	0.050	0.2	0.11
Iron	2.1	0.98	2.5	1.3	1.9	0.22	1.8	0.10	3.4	0.51	2.0	0.34	2.3	0.43	2.84	0.677	2.4	0.96
Lead	0.002	-	0.002	-	0.002	0.001	0.003	0.001	0.002	-	0.002	-	0.002	-	0.002	-	0.003	0.002
Mercury	0.13	0.10	0.06	0.021	0.093	0.027	0.041	0.0062	0.057	0.030	0.068	0.017	0.088	0.040	0.0908	0.0291	0.11	0.019
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0.01	0.01	-	0.01	0.004	0.02	0.02	0.01	-	0.01	-	0.01	-	0.01	-	0.012	0.004
Selenium	0.15	0.049	0.13	0.013	0.12	0.029	0.13	0.036	0.17	0.056	0.10	0.015	0.17	0.083	0.132	0.0409	0.11	0.015
Uranium	0.001	0	0.001	-	0.002	0.003	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0.0004
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.9	1.7	4.3	0.61	3.7	0.53	4.6	0.26	4.6	0.74	3.5	1.5	4.3	0.82	5.24	0.986	4.5	1.0
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0.0004	0.001	-	0.0012	0.0004
Polonium-210 (Bq/g)	0.0003	-	0.0002	0	0.0002	0	0.0002	-	0.0002	0.00009	0.00024	-	0.0002	-	0.0002	-	0.00044	0.00034
Radium-226 (Bq/g)	0.0002	0.0003	0.00007	0.00002	0.00006	-	0.00006	-	0.00006	-	0.00006	0.000004	0.00007	0.00001	0.00006	-	0.000066	-
Thorium-230 (Bq/g)	0.0003	0.0006	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0.00005	0.0001	-	0.00014	-

Appendix B, Table 2  
 Summary fish flesh chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Uranium City (Prospector Bay)																	
	Lake Trout																	
	Baseline (n = 5)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>																		
Aluminum	0.5	-	0.5	-	0.5	-	0.6	0.1	0.5	-	0.5	-	0.5	-	0.5	-	0.52	0.045
Arsenic	0.08	0.03	0.06	0.02	0.084	0.07	0.12	0.061	0.12	0.11	0.094	0.044	0.074	0.039	0.122	0.102	0.12	0.018
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	-	0.002	-	0.002	0	0.003	0.001	0.003	0.001	0.002	-	0.002	-	0.002	-	0.004	0.003
Copper	0.24	0.029	0.22	0.042	0.29	0.027	0.36	0.24	0.30	0.11	0.32	0.078	0.28	0.069	0.236	0.0844	0.29	0.079
Iron	2.8	1.1	3.0	2.6	2.7	0.62	3.4	2.6	2.7	1.3	2.3	0.36	1.8	0.46	1.92	1.19	3.0	0.82
Lead	0.002	-	0.003	0.002	0.002	0.0005	0.002	0	0.002	-	0.002	-	0.003	0.0009	0.002	-	0.003	0.0009
Mercury	0.20	0.046	0.14	0.056	0.17	0.069	0.15	0.031	0.17	0.080	0.14	0.037	0.15	0.042	0.164	0.0241	0.22	0.076
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	-	0.01	0.004	0.01	0.004	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.012	0.0045
Selenium	0.17	0.005	0.15	0.019	0.15	0.0055	0.15	0.036	0.18	0.0089	0.16	0.012	0.18	0.019	0.268	0.209	0.18	0.016
Uranium	0.001	-	0.001	-	0.002	0.002	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.3	0.65	3.0	0.48	4.8	2.0	4.2	1.7	4.1	1.6	3.5	0.53	3.9	0.91	4.66	2.04	4.6	1.0
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.0016	0.0005
Polonium-210 (Bq/g)	0.0002	-	0.0002	0	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-
Radium-226 (Bq/g)	0.00006	0.000004	0.00009	0.000061	0.00006	0.00001	0.00006	-	0.00006	0.00001	0.00006	0.000007	0.00007	0.00001	0.00006	0.00001	0.000066	-
Thorium-230 (Bq/g)	0.0001	-	0.0001	0.00004	0.0001	-	0.0001	-	0.00012	0.00004	0.0001	-	0.0001	0.00005	0.0001	-	0.00012	0.00004



Appendix B, Table 2  
 Summary fish flesh chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Uranium City (Prospector Bay)																	
	Lake Whitefish																	
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 3)		2021 (n = 5)		2022 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>																		
Aluminum	0.5	-	0.5	-	0.5	0.04	0.5	0	0.5	-	0.5	-	0.5	-	0.52	0.045	0.5	-
Arsenic	0.07	0.029	0.19	0.026	0.10	0.075	0.070	0.044	0.076	0.049	0.080	0.035	0.080	0.061	0.158	0.0593	0.18	0.071
Cadmium	0.002	-	0.002	0	0.002	0	0.002	-	0.002	-	0.002	-	0.002	-	0.0022	0.00045	0.002	-
Cobalt	0.006	0.005	0.009	0.006	0.008	0.005	0.004	0.001	0.005	0.001	0.003	0.001	0.01	0.003	0.0024	0.00055	0.0064	0.0071
Copper	0.15	0.026	0.26	0.11	0.29	0.11	0.20	0.032	0.26	0.055	0.16	0.025	0.32	0.09	0.224	0.0783	0.18	0.034
Iron	1.6	0.38	2.3	0.55	3.0	1.3	1.8	0.23	2.2	0.5	1.8	0.87	3.2	1.3	2.34	1.17	1.8	0.72
Lead	0.002	-	0.002	0.0006	0.005	0.004	0.003	0.002	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Mercury	0.090	0.036	0.03	0.017	0.039	0.012	0.058	0.019	0.036	0.0080	0.066	0.023	0.027	0.0010	0.0454	0.0137	0.07	0.021
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	-	0.01	0	0.02	0.02	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.014	0.009
Selenium	0.26	0.040	0.25	0.012	0.24	0.031	0.27	0.036	0.59	0.73	0.29	0.046	0.7	0.62	0.7824	0.6931	0.81	0.59
Uranium	0.001	-	0.001	-	0.002	0.0009	0.001	-	0.001	0.0004	0.001	-	0.004	0.005	0.0014	0.00055	0.002	0.0005
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.8	1.6	4.3	1.7	4.6	0.74	4.6	1.5	5.1	0.7	3.6	0.29	4.4	0.25	5.46	1.37	4.4	0.77
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.0012	0.0004
Polonium-210 (Bq/g)	0.0003	0.0002	0.0002	0.00006	0.0007	0.0003	0.0002	0.0001	0.0005	0.0003	0.00044	-	0.0007	0.0005	0.00062	0.00030	0.00052	0.00023
Radium-226 (Bq/g)	0.00006	-	0.00006	0	0.00008	0.00002	0.00006	-	0.00006	-	0.00006	-	0.00006	0.000006	0.00006	-	0.000078	-
Thorium-230 (Bq/g)	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0	0.0001	-	0.0001	-	0.0001	-	0.00018	0.00004

Appendix B, Table 2  
 Summary fish flesh chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Wollaston Lake/Hatchet Lake (Wollaston Lake)																	
	Lake Trout																	
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2021 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>																		
Aluminum	0.5	-	0.50	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.04	0.02	0.03	0.02	0.03	0.01	0.05	0.04	0.08	0.03	0.074	0.061	0.032	0.016	0.05	0.02	0.092	0.028
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	-	0.002	-	0.003	0.002	0.003	0.001	0.002	-	0.002	0.001	0.002	0.0004	0.002	-	0.003	0.003
Copper	0.45	0.15	0.34	0.030	0.31	0.077	0.28	0.072	0.42	0.16	0.30	0.18	0.33	0.088	0.24	0.032	0.44	0.20
Iron	3.0	1.3	2.4	0.36	2.0	0.43	2.7	1.1	3.5	1.1	2.3	1.4	2.4	1.0	1.86	0.416	3.6	1.5
Lead	0.002	-	0.003	0.001	0.002	0.0009	0.002	-	0.002	0.0009	0.002	-	0.002	-	0.002	-	0.002	-
Mercury	0.16	0.035	0.12	0.038	0.24	0.083	0.20	0.035	0.15	0.041	0.15	0.043	0.16	0.047	0.16	0.091	0.17	0.045
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0.003	0.01	-	0.02	0.02	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-
Selenium	0.21	0.036	0.20	0.011	0.19	0.019	0.23	0.017	0.20	0.056	0.24	0.11	0.23	0.014	0.214	0.0467	0.19	0.028
Uranium	0.001	-	0.001	0.0004	0.001	0	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.4	1.3	4.4	0.83	3.2	0.83	3.0	0.85	4.9	1.0	3.9	1.2	4.4	1.6	4.08	0.476	4.9	1.1
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	0.001	0	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0
Polonium-210 (Bq/g)	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0004	0.0004	0.0002	-	0.0002	-	0.0002	-
Radium-226 (Bq/g)	0.00009	0.00008	0.00009	0.00006	0.00005	-	0.00006	-	0.00006	0.000004	0.00006	0.000004	0.00006	0.000009	0.00006	-	0.00007	-
Thorium-230 (Bq/g)	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0.00004	0.0001	-	0.00014	-

Appendix B, Table 2  
 Summary fish flesh chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Wollaston Lake/Hatchet Lake (Wollaston Lake)																	
	Lake Whitefish																	
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>																		
Aluminum	0.5	-	0.5	-	0.5	-	0.5	0	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.16	0.042	0.15	0.035	0.11	0.035	0.11	0.076	0.11	0.034	0.080	0.037	0.14	0.099	0.206	0.0397	0.18	0.082
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.003	0.002	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	0.0010	0.002	0	0.003	0.001	0.003	0.0006	0.003	0.001	0.002	0.001	0.003	0.001	0.0032	0.0011	0.0028	0.0013
Copper	0.16	0.045	0.14	0.015	0.15	0.016	0.26	0.16	0.24	0.048	0.23	0.064	0.22	0.11	0.176	0.0358	0.19	0.091
Iron	1.7	0.79	2.1	0.59	1.9	0.57	3.8	1.9	4.2	1.5	2.4	0.58	2.2	0.72	2.22	0.602	2.4	0.55
Lead	0.002	0	0.002	0	0.003	0.001	0.002	-	0.005	0.002	0.002	-	0.002	-	0.002	-	0.002	0.0009
Mercury	0.050	0.019	0.040	0.023	0.088	0.015	0.081	0.034	0.083	0.014	0.090	0.045	0.092	0.072	0.0752	0.0147	0.09	0.022
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	-	0.01	0.004	0.01	0.004	0.01	0	0.01	0.004	0.01	-	0.01	-	0.01	-	0.01	-
Selenium	0.45	0.10	0.36	0.046	0.38	0.039	0.55	0.40	0.42	0.032	0.49	0.23	0.40	0.12	0.466	0.0907	0.37	0.096
Uranium	0.001	-	0.001	-	0.001	0	0.001	-	0.002	0.0009	0.001	-	0.001	-	0.001	-	0.001	-
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.1	0.67	4.0	0.88	3.6	0.89	4.9	2.4	5.0	1.7	3.4	0.32	4.3	0.69	4.04	0.792	4.3	0.91
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	0.002	-	0.0009	0.0003	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0005	0.0004	0.0004	0.0004	0.0003	0.0001	0.0004	0.0003	0.0007	0.0002	0.0006	0.0005	0.0002	0.0001	0.00032	0.00011	0.00026	0.00009
Radium-226 (Bq/g)	0.0005	0.0008	0.0003	0.0004	0.00007	0.00002	0.00006	-	0.00006	0.000005	0.00006	0.000007	0.00006	0.00001	0.00005	0.00001	6.2E-05	-
Thorium-230 (Bq/g)	0.0007	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0.00004	0.0001	-	0.00012	-

<sup>1</sup>All concentrations are reported on a µg/g wet weight basis, except when specified otherwise.

<sup>2</sup>Regional reference data are from reference lakes north of Point's North sampled between 2006 and 2014. The median corresponds to the 50<sup>th</sup> percentile, while the lower and upper limits are the 2.5<sup>th</sup> and 97.5<sup>th</sup> percentiles that delimit the 95% range of the reference data.

<sup>3</sup>Regional reference ranges could not be computed when all or nearly all values were lower than the reported detection limit (RDL).

<sup>4</sup>Insufficient sample material available for one of the samples to be analysed for Thorium-230, thus n = 3 for this parameter.

S.D. = standard deviation; standard deviations of 0 signify "no variance between samples", not "a very small variance"; while "-" indicates insufficient data to calculate S.D.

Values less than the RDL were set equal to the RDL when calculating summary statistics.

Appendix B, Table 3

Summary blueberry chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Regional Reference Range <sup>2,3</sup>			
	Lower Limit	Median	Upper Limit	n
<b>Metals</b>				
Aluminum	4.9	12.1	97.7	43
Arsenic	-	-	-	22
Cadmium	-	-	-	22
Cobalt	<0.01	0.01	0.03	22
Copper	2.1	3.6	6.9	43
Iron	7.9	15.3	68.6	43
Lead	<0.01	0.01	0.05	22
Molybdenum	<0.1	0.1	0.3	43
Nickel	0.1	0.57	1.12	43
Selenium	-	-	-	22
Uranium	<0.002	0.003	0.017	21
Vanadium	-	-	-	22
Zinc	3.6	6.9	10.6	43
<b>Radionuclides</b>				
Lead-210 (Bq/g)	<0.001	0.004	0.02	19
Polonium-210 (Bq/g)	<0.002	0.003	0.014	8
Radium-226 (Bq/g)	0.001	0.003	0.009	30
Thorium-230 (Bq/g)	-	-	-	8

Appendix B, Table 3  
 Summary blueberry chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Black Lake												Camsell Portage							
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2015 (n = 3)		2016 (n = 3)		2022 (n = 3)		Baseline (n = 5)		2013 (n = 5)		2014 (n = 3)		2022 (n = 3)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>																				
Aluminum	7.9	2.1	9.2	1.8	14	3.2	23	20	9.2	3.4	54	8.0	7.0	0.57	7.1	0.39	11	2.2	5.2	0.15
Arsenic	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-
Cadmium	0.01	-	0.01	0.004	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-
Cobalt	0.01	0.01	0.01	0	0.01	0.005	0.02	0.01	0.02	0.006	0.02	0	0.01	0.004	0.01	-	0.01	0	0.01	-
Copper	3.2	0.46	2.0	0.65	3.8	0.20	3.4	0.060	3.0	0.55	2.6	0.20	3.2	0.39	2.2	0.089	3.7	0.17	2.8	0.058
Iron	11	3.5	7.4	1.9	21	5.8	28	21	13	2.6	39	3.2	12	3.7	10	1.9	16	1.0	11	2
Lead	0.027	0.024	0.016	0.0055	0.022	0.0084	0.010	0.0058	0.053	0.067	0.017	0.0058	0.016	0.013	0.022	0.0084	0.013	0.0058	0.01	-
Molybdenum	0.1	0.05	0.1	0.04	0.2	0.05	0.1	0.06	0.2	0.06	0.1	-	0.1	0.05	0.2	0.04	0.2	0	0.1	-
Nickel	0.55	0.12	0.42	0.095	0.62	0.13	0.52	0.22	0.54	0.12	0.78	0.083	0.53	0.17	0.15	0.019	0.37	0.017	0.33	0.031
Selenium	0.05	0.01	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-
Uranium	0.01	-	0.01	0	0.02	0.008	0.01	-	0.01	-	0.01	-	0.02	0.03	0.01	-	0.01	0	0.01	-
Vanadium	0.1	-	0.1	-	0.1	-	0.1	-	0.1	-	0.1	-	0.1	-	0.1	-	0.1	-	0.1	-
Zinc	5.3	0.90	5.9	1.3	6.7	1.3	5.2	0.40	6.3	0.46	5.6	0.95	8.5	2.8	6.6	1.1	7.4	0.47	5.9	0.12
<b>Radionuclides</b>																				
Lead-210 (Bq/g)	0.005	0.004	0.001	0.0005	0.001	0.0004	0.002	0.001	0.001	0.0006	0.001	0	0.002	0.001	0.007	0.004	0.002	0	0.001	0
Polonium-210 (Bq/g)	0.0015	0.00053	0.0007	0.0001	0.0007	0.0002	0.0015	0.00017	0.0007	0.0001	0.0003	0.0001	0.0014	0.00027	0.0010	0	0.0014	0.00032	0.0002	0
Radium-226 (Bq/g)	0.002	0.001	0.003	0.0008	0.001	0.0006	0.005	0.002	0.002	0.0006	0.0007	0.0004	0.003	0.001	0.003	0.0008	0.003	0.0006	0.002	0.0003
Thorium-230 (Bq/g)	0.002	0.0005	0.002	-	0.001	-	0.001	0.0002	0.001	-	0.001	-	0.001	-	0.002	-	0.001	-	0.0008	-

Appendix B, Table 3  
 Summary blueberry chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Fond du Lac															
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2015 (n = 3)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2022 (n = 3)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>																
Aluminum	9.4	4.9	15	4.0	25	12	29	16	20	12	11	3.0	6.9	0.90	10	1.2
Arsenic	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-
Cadmium	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-
Cobalt	0.01	0.005	0.02	0.005	0.04	0.01	0.02	0.006	0.02	0.01	0.01	0	0.02	0.004	0.02	0
Copper	3.3	0.49	2.2	0.43	5.3	0.27	3.6	0.44	4.2	0.45	2.4	0.21	2.6	0.36	2.8	0.058
Iron	12	3.9	15	5.5	35	12	31	20	21	8.1	10	0.48	8.8	1.4	23	3.2
Lead	0.02	0.008	0.02	0.01	0.08	0.07	0.03	0.02	0.02	0.006	0.03	0.02	0.01	0.004	0.08	0.11
Molybdenum	0.26	0.13	0.26	0.055	0.52	0.084	0.30	0.060	0.97	0.51	0.1	-	0.2	0.1	0.2	0
Nickel	0.66	0.16	0.55	0.12	1.7	0.72	0.90	0.33	1.3	0.38	0.59	0.10	0.91	0.10	1	0
Selenium	0.06	0.01	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-
Uranium	0.01	0.003	0.01	-	0.01	0	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-
Vanadium	0.1	-	0.1	-	0.1	-	0.1	-	0.1	-	0.1	-	0.1	-	0.1	-
Zinc	6.4	1.6	7.0	0.87	7.7	0.79	6.9	0.46	7.4	0.81	5.6	0.34	5.4	0.42	9.6	0.39
<b>Radionuclides</b>																
Lead-210 (Bq/g)	0.004	0.004	0.004	0.003	0.001	0	0.004	0.0006	0.001	0.0006	0.001	0	0.004	0.003	0.001	0
Polonium-210 (Bq/g)	0.0016	0.00092	0.0023	0.0025	0.0011	0.00043	0.0021	0.0011	0.00080	0.00040	0.0014	0.00034	0.00086	0.000089	0.0002	0
Radium-226 (Bq/g)	0.003	0.001	0.004	0.001	0.002	0.001	0.003	0.0008	0.003	0.001	0.004	0.001	0.005	0.001	0.007	0.0009
Thorium-230 (Bq/g)	0.001	-	0.002	-	0.001	-	0.001	0.00	0.001	-	0.001	-	0.0005	-	0.002	-

Appendix B, Table 3  
 Summary blueberry chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Stony Rapids												Uranium City								
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2015 (n = 3)		2016 (n = 3)		2019 (n = 1)	2022 (n = 3)		Baseline (n = 5)		2014 (n = 3)		2018 (n = 3)		2019 (n = 2)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Value	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>																					
Aluminum	15	10	244	43	8.9	0.86	17	6.4	16	2.5	6.8	1.6	0.55	5.9	1.6	9.3	1.7	4.5	0.31	7.0	-
Arsenic	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-
Cadmium	0.01	0.003	0.01	-	0.01	-	0.01	-	0.01	-	0.01	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-
Cobalt	0.02	0.02	0.01	-	0.03	0.04	0.01	-	0.01	-	0.01	0.01	-	0.01	0.004	0.03	0.03	0.01	0.01	0.02	-
Copper	2.5	0.49	2.4	0.25	4.3	0.19	3.4	0.21	3.3	0.23	2.9	0.93	0.30	3.5	0.4	4.1	-	3.3	0.058	3.3	-
Iron	15	7.2	11	0.91	14	0.84	17	3.5	19	2.6	9.1	0.5	-	10	1.3	14	-	9.2	0.20	11	-
Lead	0.03	0.03	0.01	0.004	0.01	0.004	0.1	0.1	0.03	0.03	0.01	0.01	-	0.01	0.004	0.03	0.03	0.03	0.03	0.01	-
Molybdenum	0.2	0.1	0.1	0.04	0.2	0	0.1	-	0.1	-	0.2	0.1	-	0.2	0.1	0.2	-	0.3	0.06	0.3	-
Nickel	0.59	0.19	0.33	0.073	1.0	0.31	0.70	0.080	0.61	0.064	0.58	0.27	0.093	0.51	0.055	0.43	0.067	0.31	0.012	0.40	-
Selenium	0.05	0	0.05	-	0.05	-	0.05	-	0.05	-	0.05	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-
Uranium	0.01	0.004	0.01	-	0.01	0.009	0.01	-	0.01	-	0.01	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-
Vanadium	0.1	-	0.1	-	0.1	-	0.1	-	0.1	-	0.1	0.1	-	0.1	-	0.1	-	0.1	-	0.1	-
Zinc	4.7	1.0	6.3	0.75	5.5	0.38	5.4	0.20	6.3	0.67	6.4	0.5	-	5.8	0.9	6.5	0.15	4.9	0.20	4.6	-
<b>Radionuclides</b>																					
Lead-210 (Bq/g)	0.008	0.003	0.005	0.001	0.001	-	0.002	0.0006	0.002	0.0006	0.004	0.003	0.003	0.006	0.008	0.003	0.002	0.001	-	0.002	-
Polonium-210 (Bq/g)	0.0016	0.00070	0.0010	-	0.0006	0.0002	0.0013	0.00012	0.0010	0.00010	0.0012	0.0007	0.0008	0.00276	0.0014	0.0030	0.00015	0.0009	0.0001	0.0015	-
Radium-226 (Bq/g)	0.003	0.002	0.014	0.0015	0.004	0.005	0.003	0.001	0.002	0.0006	0.0016	0.0018	0.00038	0.022	0.044	0.002	0.001	0.0003	-	0.0004	-
Thorium-230 (Bq/g)	0.002	-	0.002	-	0.001	-	0.001	0.0001	0.001	-	0.0007	-	-	0.0012	0.0004	0.001	-	0.001	-	0.0005	-



Appendix B, Table 3  
 Summary blueberry chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Wollaston Lake/Hatchet Lake											
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2015 (n = 3)		2016 (n = 3)		2022 (n = 3)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>												
Aluminum	12	7.77	7.0	0.32	11	0.84	19	7.9	13	2.5	7.5	0.45
Arsenic	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-
Cadmium	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-
Cobalt	0.01	0.003	0.01	0	0.08	0.09	0.02	0.01	0.01	0.006	0.01	0
Copper	2.8	0.51	1.8	0.21	4.5	0.15	3.5	0.15	3.5	0.36	3.4	0.15
Iron	13	5.5	9.4	0.55	17	0.55	20	7.6	13	1.2	11	1.1
Lead	0.02	0.01	0.02	0.009	0.02	0.005	0.02	0.006	0.03	0.02	0.02	0.017
Molybdenum	0.1	0.07	0.1	0.04	0.4	0.05	0.1	0.06	0.2	0.06	0.4	0
Nickel	0.56	0.13	0.22	0.026	1.2	0.22	1.1	0.42	0.61	0.068	0.72	0.0058
Selenium	0.05	0	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-
Uranium	0.01	0.003	0.01	-	0.01	0.009	0.01	-	0.01	-	0.01	-
Vanadium	0.1	-	0.1	-	0.1	-	0.1	-	0.1	-	0.1	-
Zinc	5.7	1.5	5.9	0.45	7.5	0.33	6.6	0.53	5.6	0.29	5.0	0.72
<b>Radionuclides</b>												
Lead-210 (Bq/g)	0.005	0.004	0.006	0.004	0.001	0	0.002	0	0.004	0.0006	0.001	-
Polonium-210 (Bq/g)	0.0022	0.0013	0.0012	0.00045	0.0007	0.00019	0.0013	0.00031	0.0015	0.00040	0.0003	-
Radium-226 (Bq/g)	0.003	0.002	0.006	0.002	0.004	0.0011	0.005	0.0008	0.002	0.001	0.003	0.0003
Thorium-230 (Bq/g)	0.002	-	0.002	-	0.001	-	0.001	-	0.001	-	-	-

<sup>1</sup>All concentrations are in µg/g on a dry weight basis, unless specified otherwise.

<sup>2</sup>Regional reference data are from the AWG program (2000 to 2010) and the Uranium City Country Foods program (2011). Data are not available from all communities in all years. The median corresponds to the 50<sup>th</sup> percentile, while the lower and upper limits are the 2.5<sup>th</sup> and 97.5<sup>th</sup> percentiles that delimit the 95% range of the reference data.

<sup>3</sup>Regional reference ranges could not be computed when all or nearly all values were lower than the reported detection limit (RDL).

S.D. = Standard deviation; S.D. of 0 signify "no variance between samples"; "-" indicates insufficient data to calculate S.D.

<RDL = less than the laboratory reported detection limit.

Values less than the RDL were set equal to the RDL when calculating summary statistics.

Appendix B, Table 4

Summary bog cranberry chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Regional Reference Range <sup>2,3</sup>			
	Lower Limit	Median	Upper Limit	n
<b>Metals</b>				
Aluminum	6.5	21.1	79.9	18
Arsenic	-	-	-	55
Cadmium	<0.01	<0.01	0.03	18
Cobalt	<0.01	<0.01	0.02	18
Copper	2.4	3.7	5.7	55
Iron	8.4	12.1	87.6	55
Lead	<0.01	0.02	0.05	18
Molybdenum	<0.1	<0.1	0.2	55
Nickel	<0.1	0.35	0.79	55
Selenium	-	-	-	55
Uranium	0.001	0.003	0.029	37
Vanadium	-	-	-	55
Zinc	4.9	7.2	10.5	55
<b>Radionuclides</b>				
Lead-210 (Bq/g)	<0.0003	0.0015	0.0045	17
Polonium-210 (Bq/g)	-	-	-	0
Radium-226 (Bq/g)	<0.0003	0.0018	0.01	55
Thorium-230 (Bq/g)	-	-	-	0

Appendix B, Table 5  
Summary bog cranberry chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Camsell Portage											
	Baseline (n = 5)		2014 (n = 2)		2015 (n = 3)		2016 (n = 3)		2018 (n = 3)		2022 (n = 3)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>												
Aluminum	18	1.3	17	-	19	2.5	22	0.58	22	2.5	17	0.58
Arsenic	0.05	0	0.05	-	0.05	-	0.05	-	0.1	-	0.05	-
Cadmium	0.01	0	0.01	-	0.01	0	0.01	-	0.01	0.01	0.01	-
Cobalt	0.01	0	0.01	-	0.02	0	0.01	0	0.01	-	0.017	0.0058
Copper	4.4	0.52	4.2	-	4.3	0.50	3.6	0.058	3.3	0.15	4.0	0.058
Iron	10	0.54	15	-	14	2.1	9.0	0.25	9.1	0.46	11	0
Lead	0.01	0.004	0.02	-	0.02	0.01	0.01	0.006	0.02	0.02	0.01	-
Molybdenum	0.1	0.05	0.1	-	0.2	0	0.1	-	0.1	-	0.1	-
Nickel	0.49	0.10	0.53	-	0.38	0.029	0.27	0.045	0.34	0.025	0.43	0.032
Selenium	0.05	0	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-
Uranium	0.01	0.004	0.01	-	0.02	0	0.01	-	0.0	-	0.02	0.017
Vanadium	0.1	0	0.1	-	0.1	-	0.1	-	0.1	-	0.1	-
Zinc	6.3	0.57	6.2	-	7.9	0.12	7.0	0.15	6.7	0.40	7.8	0.52
<b>Radionuclides</b>												
Lead-210 (Bq/g)	0.013	0.006	0.001	-	0.002	0	0.003	0.001	0.001	0.0006	0.0017	0.00058
Polonium-210 (Bq/g)	0.0022	0.00084	0.0011	-	0.001	0	0.0010	0.00010	0.0021	0.00025	0.0005	0.00025
Radium-226 (Bq/g)	0.004	0.002	0.0007	-	0.001	0.0006	0.002	0	0.0013	0.00036	0.0014	0.00084
Thorium-230 (Bq/g)	0.002	0	0.001	-	0.001	-	0.001	-	0.0007	-	0.0007	-

Appendix B, Table 6  
Summary bog cranberry chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Black Lake		Fond du Lac				Stony Rapids			
	2019 (n = 2)		2018 (n = 3)		2022 (n = 2)		2018 (n = 3)		2019 (n = 4)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
<b>Metals</b>										
Aluminum	72	-	25	0	51	11	91	5.1	67	29
Arsenic	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-
Cadmium	0.02	-	0.01	-	0.01	-	0.03	0.01	0.01	-
Cobalt	0.02	-	0.02	-	0.02	0	0.02	0.01	0.02	0.01
Copper	3.6	-	2.9	-	3.0	0.28	3.1	0.1	3.0	0.2
Iron	42	-	13	0.58	30	7.1	46	1.2	40	18.2
Lead	0.04	-	0.02	0.01	0.09	0.014	0.1	0.02	0.0	0.01
Molybdenum	0.3	-	0.1	-	0.3	0	0.1	0	0.2	0.1
Nickel	0.42	-	0.23	0.0058	0.58	0.021	0.53	0.10	0.37	0.093
Selenium	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-
Uranium	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-
Vanadium	0.1	-	0.1	-	0.1	-	0.1	0	0.1	-
Zinc	6.3	-	6.9	0.25	6.4	0.85	7.0	0.20	6.6	0.57
<b>Radionuclides</b>										
Lead-210 (Bq/g)	0.006	-	0.001	-	0.0025	0.00071	0.003	0.002	0.004	0.001
Polonium-210 (Bq/g)	0.0030	-	0.0012	0.00036	0.00085	0.00021	0.0033	0.0017	0.0024	0.00049
Radium-226 (Bq/g)	0.0062	-	0.0011	0.00021	0.005	0.0006	0.0017	0.00025	0.0066	0.0028
Thorium-230 (Bq/g)	0.0005	-	0.0007	-	-	-	0.0007	-	0.00055	0.0001

Appendix B, Table 7  
Summary bog cranberry chemistry results for the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Wollaston Lake				Uranium City									
	2018 (n = 2)		2019 (n = 4)		Baseline (n = 5)		2013 (n = 5)		2014 (n = 2)		2015 (n = 1)	2016 (n = 3)		2019 (n = 1)
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Value	Average	S.D.	Value
<b>Metals</b>														
Aluminum	56	-	34	1.8	22	5.8	40	15	23	-	20	20	4.4	9.9
Arsenic	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	0.05	-	0.05
Cadmium	0.05	-	0.03	0.01	0.01	-	0.02	0.004	0.01	-	0.01	0.01	-	0.01
Cobalt	0.02	-	0.01	-	0.04	0.05	0.02	0.004	0.05	-	0.01	0.02	0.006	0.01
Copper	3.4	-	3.7	0.41	3.6	1.4	2.5	0.42	6.0	-	3.4	4.6	0.69	2.7
Iron	27	-	15	1.0	15	3.9	18	7.2	13	-	12	12	2.1	7.3
Lead	0.04	-	0.02	0.01	0.01	0.004	0.06	0.08	0.04	-	0.02	0.053	0.051	0.01
Molybdenum	0.1	-	0.1	-	0.1	-	0.1	0	0.2	-	0.1	0.5	0.3	0.1
Nickel	0.5	-	0.68	0.21	0.62	0.33	0.34	0.11	0.59	-	0.74	0.48	0.21	0.21
Selenium	0.05	-	0.05	-	0.05	-	0.05	-	0.05	-	0.05	0.05	-	0.05
Uranium	0.01	-	0.01	-	0.01	0.004	0.01	0.009	0.02	-	0.01	0.01	-	0.01
Vanadium	0.1	-	0.1	-	0.1	-	0.1	-	0.1	-	0.1	0.1	-	0.1
Zinc	8.5	-	5.8	0.54	6.8	1.5	7.5	0.80	6.7	-	5.3	7.0	0.55	4.5
<b>Radionuclides</b>														
Lead-210 (Bq/g)	0.004	-	0.003	0.001	0.010	0.006	0.007	0.005	0.004	-	0.003	0.003	0.002	0.004
Polonium-210 (Bq/g)	0.0029	-	0.0023	0.0011	0.0052	0.0045	0.0012	0.00045	0.0038	-	0.0027	0.0017	0.00060	0.0012
Radium-226 (Bq/g)	0.0026	-	0.0018	0.00059	0.002	0.003	0.002	0.0008	0.003	-	0.003	0.0008	0.0001	0.0013
Thorium-230 (Bq/g)	0.0007	-	0.0006	0.0001	0.002	-	0.002	-	0.001	-	0.001	0.001	-	0.0007

<sup>1</sup>All concentrations are in µg/g on a dry weight basis, unless specified otherwise.

<sup>2</sup>Regional reference data are from the AWG program (2000 to 2010) and the Uranium City Country Foods program (2011). Data are not available from all communities in all years. The median corresponds to the 50<sup>th</sup> percentile, while the lower and upper limits are the 2.5<sup>th</sup> and 97.5<sup>th</sup> percentiles that delimit the 95% range of the reference data.

<sup>3</sup>Regional reference ranges could not be computed when all or nearly all values were lower than the reported detection limit (RDL).

S.D. = Standard deviation; S.D. of 0 signify "no variance between samples"; "-" indicates insufficient data to calculate S.D.

<RDL = less than the laboratory reported detection limit.

Values less than the RDL were set equal to the RDL when calculating summary statistics.

APPENDIX C

---

DETAILED DATA

# LIST OF TABLES

Appendix C, Table 1	Fall water chemistry results for the EARMP community program, 2011 to 2022.
Appendix C, Table 2	Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2022.
Appendix C, Table 3	Detailed fish flesh chemistry data from the EARMP community program (Camsell Portage), 2011 to 2022.
Appendix C, Table 4	Detailed fish flesh chemistry data from the EARMP community program (Fond du Lac), 2011 to 2022.
Appendix C, Table 5	Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2022.
Appendix C, Table 6	Detailed fish flesh chemistry data from the EARMP community program (Uranium City), 2011 to 2022.
Appendix C, Table 7	Detailed fish flesh chemistry data from the EARMP community program (Wollaston Lake/Hatchet Lake), 2011 to 2022.
Appendix C, Table 8	Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.
Appendix C, Table 9	Detailed bog cranberry chemistry results from the EARMP community program, 2011 to 2022.
Appendix C, Table 10	Detailed barren-ground caribou flesh chemistry results from the EARMP community program, 2012 to 2020.
Appendix C, Table 11	Detailed moose flesh chemistry results from the EARMP community program, 2011 to 2020.
Appendix C, Table 12	Detailed barren-ground caribou and moose organ chemistry results from the EARMP community program, 2014 to 2020.
Appendix C, Table 13	Detailed snowshoe hare flesh chemistry results from the EARMP community program, 2011 to 2021.
Appendix C, Table 14	Detailed spruce grouse flesh chemistry results from the EARMP community program, 2017 to 2021.

**APPENDIX C, TABLE 1**

Fall water chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Black Lake									
	Black Lake									
	2011	2012	2013	2014	2017	2018	2019	2020	2021	2022
<b>Inorganic Ions</b>										
Bicarbonate	20	26	16	15	28	16	18	15	16	17
Calcium	3.5	3.3	3.4	3.4	2.7	3.1	3.1	2.9	2.5	2.8
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	3.6	2	4	4.2	1.8	3.2	3.6	3.2	0.3	2.7
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Magnesium	1.3	1.2	1.3	1.3	1.2	1.2	1.1	1.1	1	1
Potassium	0.8	0.7	0.8	0.6	0.8	0.7	0.7	0.6	0.6	0.7
Sodium	1.8	1.5	1.7	1.8	1.4	1.6	1.6	1.6	1	1.5
Sulphate	1.4	1	1.2	1.1	1.3	1.1	1.1	0.9	1.4	1.1
<b>Metals</b>										
Aluminum	0.002	0.0026	0.0026	0.0027	0.0061	0.0073	0.0069	0.0066	0.008	0.0059
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic (µg/L)	0.1	0.1	0.2	0.2	<0.1	0.2	0.2	0.1	<0.1	0.2
Barium	0.0044	0.0044	0.0043	0.0043	0.0048	0.0038	0.0046	0.0048	0.0044	0.0043
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	0.01	<0.01	<0.01	0.01	<0.01	0.02	<0.0001	0.01	<0.01	<0.01
Cadmium	0.00001	0.00001	<0.00001	<0.00001	<0.00001	<0.00001	0.01	<0.00001	<0.00001	<0.00001
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.00001	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	0.0005	<0.0005	<0.0002	0.0002	<0.0002
Fluoride	0.04	0.07	0.07	0.06	0.03	0.07	0.05	0.065	0.07	0.06
Iron	0.026	0.013	0.022	0.021	0.022	0.17	0.027	0.02	0.028	0.038
Lead	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Manganese	0.036	0.0068	0.021	0.017	0.017	0.032	0.016	0.023	0.0042	0.013
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	0.0002	0.0001	0.0001	0.0001	0.0001	<0.0001	0.0001	<0.0001	0.0001	<0.0001
Nickel	0.0002	0.0001	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0001	0.0002	0.0001
Selenium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.047	0.033	0.049	0.058	0.031	0.066	0.043	0.041	0.015	0.042
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0004	<0.0002	<0.0002	<0.0002	<0.0002
Uranium (µg/L)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.0018	<0.0005	<0.0005	<0.0005	<0.0005	0.0019	0.0007	<0.0005	0.0006	<0.0005
<b>Nutrients</b>										
Ammonia as nitrogen	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Nitrate	-	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	0.04	0.09	<0.04
Nitrate+Nitrite as nitrogen	-	-	-	-	<0.01	<0.01	<0.01	0.01	0.02	<0.01
Organic carbon	2.5	3.8	2.9	3	3.6	3.6	3	3.8	4	3.7
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.24	<0.01	<0.01
Total Kjeldahl nitrogen	0.27	0.2	0.26	0.22	0.19	0.31	0.24	0.23	0.2	0.2
Total nitrogen	0.27	0.2	0.26	0.22	0.19	0.31	0.24	<0.01	0.22	0.2
<b>Physical Properties</b>										
P. alkalinity	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
pH (pH units)	7.12	7.18	7.38	6.76	7.34	7.48	7.08	7.05	7.05	7.12
Specific conductivity (µS/cm)	40	38	38	43	29	28	31	26	30	34
Sum of ions	32	36	28	28	37	27	29	25	23	27
Total alkalinity	16	21	13	12	23	13	15	12	13	14
Total dissolved solids	30	30	14	31	26	32	30	29	21	32
Total hardness	14	13	29	14	12	13	12	12	10	11
Total suspended solids	<1	1	2	1	<1	2	<1	1	1	4
Turbidity (NTU)	0.6	0.7	0.7	0.7	0.5	0.5	0.6	0.9	0.4	0.7
<b>Radionuclides</b>										
Lead-210 (Bq/L)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	<0.005	0.009	<0.005	0.008	<0.005	<0.005	0.01	<0.005	<0.005	<0.005
Thorium-230 (Bq/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01



**APPENDIX C, TABLE 1**

Fall water chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Camsell Portage							
	Ellis Bay, Lake Athabasca							
	2011	2012	2013	2014	2017	2019	2021	2022
<b>Inorganic Ions</b>								
Bicarbonate	35	30	34	38	35	37	32	33
Calcium	6.9	7.1	7.4	7.3	7	7.1	7.2	6.5
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	3.1	2.9	3.4	3	3.1	3.6	2.8	2.6
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1
Magnesium	2.1	2.1	2.1	2.2	2.1	2	2.2	1.9
Potassium	0.9	0.9	0.8	0.7	1	0.8	0.9	0.8
Sodium	2.5	2.5	2.6	2.6	2.7	2.6	2.6	2.4
Sulphate	3.6	3.3	3.7	3.8	3.7	3.7	3.4	3.2
<b>Metals</b>								
Aluminum	0.0016	0.001	0.0044	0.0022	0.0027	0.0039	0.0036	0.0056
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic (µg/L)	0.1	0.2	0.2	0.2	0.2	0.2	<0.1	0.1
Barium	0.01	0.01	0.011	0.011	0.011	0.011	0.011	0.011
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	<0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
Cadmium	0.00001	0.00001	<0.00001	<0.00001	0.00001	<0.00001	<0.00001	0.00002
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	0.0002	<0.0002	<0.0002	0.0002	0.0005	0.0002	0.0004
Fluoride	0.06	0.07	0.08	0.07	0.04	0.07	0.07	0.07
Iron	0.0049	0.0044	0.0078	0.0056	0.0054	0.0052	0.01	0.011
Lead	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0002	0.0002	0.0002
Manganese	0.0008	0.0008	0.0006	0.0006	0.0008	0.0007	0.0008	0.0006
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001
Molybdenum	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	<0.0001	0.0002
Nickel	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0003
Selenium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.051	0.05	0.054	0.059	0.052	0.053	0.054	0.052
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	<0.0002	<0.0002	0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Uranium (µg/L)	<0.1	<0.1	0.1	0.1	0.1	<0.1	0.2	0.2
Vanadium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008	<0.0005	<0.0005
<b>Nutrients</b>								
Ammonia as nitrogen	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	0.02	0.02
Nitrate	<0.04	0.09	<0.04	<0.04	<0.04	<0.04	<0.04	0.26
Nitrate+Nitrite as nitrogen	-	-	-	-	<0.01	<0.01	<0.01	0.06
Organic carbon	2.8	3.5	3.2	3.4	3.3	3.1	4.8	3.7
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Total Kjeldahl nitrogen	0.23	0.21	0.22	0.19	0.17	0.14	0.28	0.18
Total nitrogen	0.23	0.23	0.22	0.19	0.17	0.14	0.28	0.24
<b>Physical Properties</b>								
P. alkalinity	<1	<1	<1	<1	<1	<1	-	<1
pH (pH units)	7.46	7.5	7.71	7.26	7.7	7.49	7.58	7.51
Specific conductivity (µS/cm)	66	69	69	73	66	63	70	65
Sum of ions	54	49	54	58	55	57	51	51
Total alkalinity	29	25	28	31	29	30	26	27
Total dissolved solids	40	44	27	46	41	44	-	50
Total hardness	26	26	47	27	26	26	27	24
Total suspended solids	<1	<1	<1	1	<1	<1	<3	3
Turbidity (NTU)	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.3
<b>Radionuclides</b>								
Lead-210 (Bq/L)	<0.02	<0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	<0.005	<0.005	<0.005	<0.005	0.009	<0.005	0.006	0.006
Thorium-230 (Bq/L)	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

APPENDIX C, TABLE 1

Fall water chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Fond du Lac									
	Fond du Lac River									
	2011	2012	2013	2014	2017	2018	2019	2020	2021	2022
<b>Inorganic Ions</b>										
Bicarbonate	18	27	28	17	8	8	20	12	15	21
Calcium	3.7	3.9	3.8	3.7	3.1	3.2	3.4	3.2	2.9	3.5
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	2.8	2.8	2.9	2.9	2.2	2.1	3	2.1	1.7	2.1
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Magnesium	1.3	1.4	1.4	1.4	1.2	1.2	1.2	1.2	1	1.2
Potassium	0.8	0.8	0.8	0.6	0.8	0.8	0.7	0.7	0.6	0.8
Sodium	1.6	1.7	1.7	1.6	1.5	1.5	1.6	1.4	1.4	1.5
Sulphate	1.5	1.5	1	1.4	1.3	1.3	1.4	1.3	1.3	1.5
<b>Metals</b>										
Aluminum	0.014	0.02	0.011	0.019	0.011	0.011	0.008	0.013	0.035	0.012
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic (µg/L)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1
Barium	0.0051	0.0055	0.0052	0.0053	0.0046	0.0045	0.0045	0.0049	0.0065	0.0054
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01
Cadmium	0.00002	<0.00001	0.00001	<0.00001	0.00003	0.00001	<0.00001	<0.00001	0.00002	0.00001
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	0.0002	0.0003	0.0011	0.0002
Fluoride	0.05	0.07	0.05	0.06	0.06	0.07	0.06	0.047	0.05	0.06
Iron	0.023	0.03	0.017	0.023	0.021	0.023	0.016	0.05	0.087	0.03
Lead	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0032	<0.0001
Manganese	0.003	0.0027	0.0034	0.0037	0.0036	0.003	0.0032	0.0049	0.006	0.0042
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Molybdenum	0.0001	0.0001	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0001	0.0002	0.0001
Nickel	0.0002	0.0002	0.0003	0.0002	0.0001	0.0002	0.0002	0.0002	0.0004	0.0002
Selenium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.043	0.04	0.042	0.045	0.034	0.032	0.038	0.03	0.029	0.035
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	0.0008	0.0008	0.0004	0.0016	0.0008	0.0004	0.0003	0.0006	0.0018	0.0003
Uranium (µg/L)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0009	<0.0005	<0.0005	0.016	<0.0005
<b>Nutrients</b>										
Ammonia as nitrogen	<0.01	<0.01	<0.01	0.04	0.02	<0.01	<0.01	<0.01	0.04	0.01
Nitrate	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	0.09	0.35
Nitrate+Nitrite as nitrogen	-	-	-	-	<0.01	<0.01	<0.01	<0.01	0.02	0.08
Organic carbon	2.7	1.9	3.2	3.4	3.6	4	3.3	4.4	5.3	3.9
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.24	0.03	<0.01
Total Kjeldahl nitrogen	0.26	0.22	0.21	0.13	0.18	0.22	0.12	0.24	0.25	0.2
Total nitrogen	0.26	0.22	0.21	0.13	0.18	0.22	0.12	<0.01	0.27	0.28
<b>Physical Properties</b>										
P. alkalinity	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
pH (pH units)	7.22	7.14	6.86	6.88	7.32	7.48	7.15	7.16	7.28	7.2
Specific conductivity (µS/cm)	39	44	42	44	32	28	32	27	27	38
Sum of ions	30	39	40	29	18	18	31	22	24	32
Total alkalinity	15	22	23	14	7	7	16	10	12	17
Total dissolved solids	28	32	34	33	25	29	35	28	33	38
Total hardness	14	15	15	15	13	13	13	13	11	14
Total suspended solids	<1	2	1	2	<1	1	<1	1	1	3
Turbidity (NTU)	1	1.1	0.8	1.1	0.6	0.4	0.7	0.9	0.5	0.7
<b>Radionuclides</b>										
Lead-210 (Bq/L)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005	<0.005	0.008
Thorium-230 (Bq/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

**APPENDIX C, TABLE 1**

Fall water chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Stony Rapids									
	Fond du Lac River									
	2011	2012	2013	2014	2017	2018	2019	2020	2021	2022
<b>Inorganic Ions</b>										
Bicarbonate	21	20	16	16	12	15	17	15	13	13
Calcium	3.4	3.4	3.3	3.2	2.9	3	3	3	2.8	2.7
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	3.2	2.8	2.8	2.4	1.5	1.6	2	2.5	1.5	1.2
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Magnesium	1.1	1.3	1.2	1.2	1.1	1.2	1	1.1	1	1
Potassium	0.8	0.7	0.8	0.6	0.7	0.7	0.6	0.6	0.6	0.7
Sodium	1.7	1.6	1.6	1.5	1.3	1.4	1.4	1.5	1.2	1.1
Sulfate	1.4	1.2	1.4	1.3	1.2	1.2	1.3	1	1	1.2
<b>Metals</b>										
Aluminum	0.018	0.0084	0.012	0.012	0.014	0.0099	0.0093	0.017	0.0037	0.01
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic (µg/L)	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	<0.1	0.1
Barium	0.0046	0.0043	0.0044	0.0043	0.0045	0.0041	0.0044	0.0048	0.0044	0.0044
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
Cadmium	0.00002	<0.00001	0.00001	<0.00001	0.00001	0.00001	<0.00001	<0.00001	<0.00001	<0.00001
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002
Fluoride	0.04	0.06	0.08	0.06	0.03	0.07	0.06	0.084	0.05	0.06
Iron	0.074	0.045	0.037	0.034	0.05	0.06	0.031	0.03	0.016	0.034
Lead	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Manganese	0.027	0.013	0.014	0.01	0.015	0.014	0.012	0.017	<0.0005	0.0088
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	0.0002	0.0002	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	<0.0001
Nickel	0.0002	0.0001	0.0002	0.0001	0.0001	0.0002	0.0002	0.0002	0.0001	0.0002
Selenium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.044	0.04	0.039	0.04	0.027	0.028	0.03	0.034	0.029	0.026
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	0.0016	0.0007	0.0012	0.0006	0.0006	0.0005	<0.0002	0.0007	<0.0002	0.0004
Uranium (µg/L)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	<0.0005	<0.0005	<0.0005	<0.0005	0.0006	<0.0005	0.0008	<0.0005	<0.0005	<0.0005
<b>Nutrients</b>										
Ammonia as nitrogen	<0.01	<0.01	0.05	0.04	0.01	<0.01	<0.01	<0.01	0.02	0.03
Nitrate	<0.04	<0.04	<0.04	0.09	0.04	<0.04	<0.04	<0.04	<0.04	<0.04
Nitrate+Nitrite as nitrogen	-	-	-	-	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Organic carbon	2.7	3.8	4.1	3.4	3.8	4.2	3.5	4.2	5.2	4.1
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.22	<0.01	<0.01
Total Kjeldahl nitrogen	0.28	0.23	0.49	0.18	0.21	0.22	0.24	0.22	0.3	0.19
Total nitrogen	0.28	0.23	0.49	0.2	0.22	0.22	0.24	<0.01	0.3	0.19
<b>Physical Properties</b>										
P. alkalinity	<1	<1	<1	<1	<1	<1	<1	<1	-	<1
pH (pH units)	7.3	7.3	7.38	6.89	7.39	7.53	7.13	7.08	7.13	7.14
Specific conductivity (µS/cm)	39	40	36	38	28	25	27	25	36	30
Sum of ions	33	31	27	26	21	24	26	25	21	21
Total alkalinity	17	16	13	13	10	12	14	12	11	11
Total dissolved solids	32	33	13	28	21	34	31	31	-	34
Total hardness	13	14	31	13	12	12	12	12	11	11
Total suspended solids	5	2	2	2	2	2	<1	2	<3	3
Turbidity (NTU)	1.3	1.2	1	0.7	0.6	0.5	0.7	1.3	0.7	0.7
<b>Radionuclides</b>										
Lead-210 (Bq/L)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02
Polonium-210 (Bq/L)	<0.006	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	<0.005	0.01	<0.005	<0.005	<0.005	<0.005	<0.005	0.006	<0.005	0.005
Thorium-230 (Bq/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

**APPENDIX C, TABLE 1**

Fall water chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Uranium City									
	Fredette River									
	2011	2012	2013	2014	2017	2018	2019	2020	2021	2022
<b>Inorganic Ions</b>										
Bicarbonate	63	60	63	65	61	57	60	55	49	51
Calcium	15	16	17	16	15	16	15	15	12	12
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	1.5	1.2	2.3	1.2	1.1	1.2	1.6	1.2	0.8	0.9
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Magnesium	2.9	3	3.2	3.2	2.9	3	2.8	2.8	2.6	2.4
Potassium	0.9	1	1.1	0.9	1.1	1	0.9	0.9	0.8	0.9
Sodium	1.9	1.6	1.8	1.7	1.6	1.6	1.6	1.6	1.3	1.3
Sulfate	4.5	3.8	4.1	5.5	4.3	4.2	4.1	3.9	3	3.2
<b>Metals</b>										
Aluminum	0.0051	0.0051	0.0057	0.0033	0.004	0.0033	0.0059	0.0076	0.0068	0.005
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic (µg/L)	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1
Barium	0.032	0.031	0.032	0.028	0.03	0.026	0.029	0.029	0.025	0.023
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Cadmium	0.00001	0.00001	0.00002	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	0.00001	0.00001
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	<0.0002	0.0006	<0.0002	<0.0002	0.0004	0.0003	0.0003	0.0004	0.0003
Fluoride	0.1	0.13	0.12	0.12	0.09	0.14	0.12	0.032	0.1	0.11
Iron	0.031	0.041	0.05	0.027	0.045	0.028	0.029	0.09	0.056	0.041
Lead	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Manganese	0.014	0.024	0.026	0.017	0.023	0.012	0.015	0.01	0.023	0.017
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Molybdenum	0.0004	0.0004	0.0004	0.0004	0.0005	0.0004	0.0004	0.0004	0.0005	0.0004
Nickel	0.0001	0.0001	0.0002	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0002	0.0002
Selenium	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.049	0.045	0.047	0.049	0.043	0.042	0.045	0.041	0.037	0.038
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	0.0003	<0.0002	0.0003	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Uranium (µg/L)	3.5	1.3	1.4	1.7	1	1	1	1	0.6	0.7
Vanadium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.0014	<0.0005	0.0013	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0005	<0.0005
<b>Nutrients</b>										
Ammonia as nitrogen	<0.01	0.03	0.05	0.07	0.06	<0.01	0.12	0.04	0.03	0.01
Nitrate	<0.04	<0.04	0.13	0.18	0.04	<0.04	<0.04	<0.04	0.04	<0.04
Nitrate+Nitrite as nitrogen	-	-	-	-	0.01	<0.01	<0.01	<0.01	0.01	<0.01
Organic carbon	7.4	9.9	7.6	7.7	7.4	2.8	7.4	8.4	8.9	7.9
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.33	<0.01	<0.01
Total Kjeldahl nitrogen	0.41	0.37	0.43	0.32	0.29	0.15	0.4	0.33	0.44	0.3
Total nitrogen	0.41	0.37	0.46	0.36	0.3	0.15	0.4	<0.01	0.45	0.3
<b>Physical Properties</b>										
P. alkalinity	<1	<1	<1	<1	<1	<1	<1	<1	-	<1
pH (pH units)	7.75	7.72	7.94	7.46	8	8.11	7.72	7.72	7.71	7.79
Specific conductivity (µS/cm)	114	112	113	114	102	98	101	92	91	89
Sum of ions	90	87	93	94	87	84	86	80	70	72
Total alkalinity	52	49	52	53	50	47	49	45	40	42
Total dissolved solids	72	76	56	83	67	81	84	71	-	66
Total hardness	49	52	80	53	49	52	49	49	41	40
Total suspended solids	2	1	<1	<1	<1	1	<1	<1	<3	3
Turbidity (NTU)	0.3	0.6	0.4	0.3	0.5	0.3	0.4	0.8	0.6	0.5
<b>Radionuclides</b>										
Lead-210 (Bq/L)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	0.008	0.01	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.007	<0.005
Thorium-230 (Bq/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

**APPENDIX C, TABLE 1**

Fall water chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Wollaston Lake/Hatchet Lake									
	Welcome Bay, Wollaston Lake									
	2011	2012	2013	2014	2017	2018	2019	2020	2021	2022
<b>Inorganic Ions</b>										
Bicarbonate	17	20	15	15	17	10	21	15	15	18
Calcium	3.4	3.5	3.5	3.3	3.3	3.3	3.2	3.2	2.9	2.8
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	0.4	0.5	0.4	0.3	0.4	0.3	0.5	0.3	0.3	0.2
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Magnesium	1.1	1.1	1	1	0.9	1	0.9	1	0.9	0.8
Potassium	0.7	0.6	0.7	0.5	0.7	0.6	0.6	0.6	0.6	0.7
Sodium	1.4	1.4	1.4	1.3	1.4	1.3	1.3	1.3	1.3	1.2
Sulfate	4	4	3.9	4	4	4	3.5	3.4	2.8	2.8
<b>Metals</b>										
Aluminum	0.0047	0.014	0.0074	0.0069	0.0058	0.005	0.0068	0.006	0.0049	0.0045
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic (µg/L)	<0.1	<0.1	0.1	0.1	0.1	<0.1	0.1	<0.1	<0.1	<0.1
Barium	0.0041	0.0042	0.0042	0.0039	0.0043	0.004	0.0039	0.0042	0.0038	0.0037
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Cadmium	0.00001	<0.00001	<0.00001	<0.00001	0.00014	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Fluoride	0.05	0.07	0.08	0.07	0.03	0.08	0.06	0.014	0.06	0.06
Iron	0.014	0.035	0.043	0.034	0.046	0.013	0.011	0.05	0.014	0.01
Lead	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Manganese	0.0047	0.0087	0.0066	0.0053	0.0068	0.0047	0.0037	0.0041	0.0032	0.0028
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Molybdenum	0.0012	0.0012	0.001	0.0009	0.0008	0.0007	0.0006	0.0006	0.0001	0.0005
Nickel	0.0001	0.0001	0.0001	<0.0001	<0.0001	0.0001	0.0001	<0.0001	0.0001	0.0004
Selenium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.012	0.012	0.012	0.013	0.012	0.012	0.012	0.011	0.011	0.011
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Uranium (µg/L)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008	<0.0005	0.0007	<0.0005
<b>Nutrients</b>										
Ammonia as nitrogen	<0.01	<0.01	<0.01	0.04	<0.01	0.08	0.07	<0.01	0.02	<0.01
Nitrate	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04
Nitrate+Nitrite as nitrogen	-	-	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Organic carbon	2.5	3	2.8	2.8	2.8	8.1	2.8	2.9	3.3	3.3
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.17	<0.01	<0.01
Total Kjeldahl nitrogen	0.28	0.21	0.2	0.17	0.33	0.31	0.12	0.17	0.26	0.14
Total nitrogen	0.28	0.21	0.2	0.17	0.33	0.31	0.12	<0.01	0.26	0.14
<b>Physical Properties</b>										
P. alkalinity	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
pH (pH units)	7.1	7.12	7.37	6.91	7.38	7.53	7.11	7.14	7.15	7.1
Specific conductivity (µS/cm)	34	37	34	36	32	27	30	25	29	30
Sum of ions	28	31	26	25	28	21	31	25	24	26
Total alkalinity	14	16	12	12	14	8	17	12	12	15
Total dissolved solids	24	28	13	25	24	33	21	21	34	26
Total hardness	13	13	28	12	12	12	12	12	11	10
Total suspended solids	<1	2	2	1	<1	2	<1	<1	<1	<1
Turbidity (NTU)	0.3	0.8	0.7	0.4	0.3	0.3	0.4	0.9	0.3	0.4
<b>Radionuclides</b>										
Lead-210 (Bq/L)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	<0.005	0.009	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005
Thorium-230 (Bq/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

<sup>1</sup>All values are in mg/L (total), unless specified otherwise.

**APPENDIX C, TABLE 2**

Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2022.

Chemical <sup>1</sup>	Black Lake (Black Lake)																			
	Lake Trout																			
	2011					2012					2013					2014				
	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05
<b>Metals</b>																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.05	0.06	0.07	0.05	0.1	0.06	0.14	0.07	0.06	0.06	0.05	0.04	0.04	0.05	0.06	0.07	0.1	0.04	0.04	0.07
Barium	0.02	0.03	0.01	<0.01	0.03	<0.01	0.01	0.01	0.02	0.01	0.01	<0.01	<0.01	0.01	0.02	0.01	0.03	0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	0.002	0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.005	0.003	0.002	0.006	<0.002
Copper	0.27	0.41	0.31	0.22	1	0.31	0.31	0.43	0.18	0.25	0.22	0.24	0.26	0.25	0.23	0.42	0.35	0.19	0.45	0.23
Iron	1.9	3.3	2	4.5	6	2.2	2	2.6	1.5	2.9	1.7	2	2	1.6	1.5	3.9	3.3	1.4	2.8	1.8
Lead	<0.002	0.004	<0.002	<0.002	<0.002	0.002	<0.002	0.002	<0.002	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	0.007	<0.002	<0.002	<0.002
Manganese	0.06	0.08	0.08	0.08	0.09	0.08	0.06	0.05	0.07	0.1	0.08	0.06	0.09	0.09	0.06	0.1	0.12	0.07	0.08	0.09
Mercury	0.45	0.41	0.37	0.33	0.37	0.16	0.16	0.18	0.36	0.35	0.42	0.5	0.45	0.37	0.28	0.37	0.53	0.37	0.45	0.5
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.04	0.01	<0.01	<0.01
Selenium	0.11	0.15	0.15	0.11	0.13	0.15	0.18	0.17	0.18	0.16	0.13	0.11	0.13	0.17	0.16	0.18	0.14	0.13	0.15	0.16
Silver	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.1	0.07	0.09	0.05	0.13	0.07	0.21	0.27	0.2	0.8	0.05	0.03	0.23	0.27	0.07	0.15	0.12	0.08	0.3	0.06
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.09	0.08	0.07	0.08	0.07	0.07	0.08	0.07	0.08	0.01	0.01	0.01	0.02	0.01	0.09	0.09	0.08	0.07	0.08
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	0.001	0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	2.9	4.7	2.5	2.2	5.9	3.6	4.7	4.4	3.6	6.3	3	3.2	4.1	3.5	3.3	5.5	4.1	2.5	4	2.5
<b>Physical Properties</b>																				
Moisture (%)	77.19	77.72	73.93	76.78	77.42	73.79	71.07	77.81	77.02	76.28	75.03	76.50	74.42	74.85	72.40	73.77	75.34	76.29	75.02	73.38
Length (cm)	44.9	51.2	48.7	48.3	50.5	51.3	52.7	51.2	62.5	65.2	54	56	53.2	54.8	49.6	52.6	53.2	53.5	50.5	54
Weight (g)	1730	1710	1480	1450	1740	1360	1740	1180	2060	2410	1940	2200	1720	1880	1760	1920	2240	1965	1900	2190
Sex	F	M	M	F	M	F	M	M	F	M	F	F	M	M	M	M	F	F	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	12	10	7	10	10	7	7	6	27	19	12	17	13	13	13	14	14	9	14	14
<b>Radionuclides</b>																				
Lead-210 (Bq/g)	0.002	<0.001	0.002	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00004	<0.00006	<0.00007	<0.00005	<0.00006	<0.00006	<0.0001	<0.00005	0.00005	<0.00006	<0.00006	0.0001	<0.00008	<0.00006	<0.00006	<0.00006	<0.00004	<0.00005	<0.00003	<0.00005
Thorium-230 (Bq/g)	<0.00009	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.00009	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.00007	<0.0001	<0.00007	<0.0001

**APPENDIX C, TABLE 2**

Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2022.

Chemical <sup>1</sup>	Black Lake (Black Lake)																	
	Lake Trout																	
	2016			2018					2019					2020				
	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05	GN1-1 LT06	GN1-1 LT07	GN1-1 LT08	GN1-1 LT09	GN1-1 LT10
<b>Metals</b>																		
Aluminum	0.7	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.1	0.07	0.07	0.07	0.06	0.06	0.09	0.05	0.06	0.02	0.06	0.08	0.06	0.12	0.07	0.13	0.09	0.06
Barium	0.04	0.16	0.18	0.04	0.09	<0.01	0.05	0.04	0.01	0.03	0.01	0.02	0.02	0.02	<0.01	0.02	0.02	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	0.3	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.004	<0.002	0.003	0.002	<0.002	0.003	0.003	<0.002	0.002	0.002	0.003	<0.002	0.004	0.002	0.002	0.003	0.005
Copper	0.29	0.24	0.21	0.35	0.39	0.24	0.3	0.15	0.39	0.28	0.25	0.43	0.32	0.4	0.21	0.31	0.76	0.34
Iron	3.6	2.8	2.4	3.1	6.1	2.3	4.4	4.4	2.4	3.9	2.3	5.9	2.9	5.7	2.3	2.8	3.8	3.4
Lead	0.003	0.004	0.005	<0.002	<0.002	<0.002	0.002	<0.002	0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.005
Manganese	0.12	0.14	0.08	0.09	0.1	0.09	0.1	0.09	0.09	0.09	0.1	0.12	0.09	0.09	0.08	0.07	0.08	0.08
Mercury	0.4	0.31	0.35	0.48	0.37	0.56	0.36	0.43	0.3	0.45	0.44	0.37	0.37	0.22	0.59	0.44	0.15	0.37
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.02	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01
Selenium	0.15	0.16	0.15	0.1	0.12	0.12	0.12	0.14	0.09	0.09	0.1	0.14	0.12	0.19	0.15	0.13	0.14	0.13
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.19	0.68	0.1	0.44	0.11	0.07	0.2	0.07	0.19	0.26	0.26	0.28	0.32	0.37	0.23	0.27	0.34	0.18
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.01	0.03	0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	0.02	0.01	0.01	<0.01	0.06	0.06	0.04	0.05	0.04
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	5.8	4.2	3.7	4.5	5.4	2.6	4.5	2.9	4	4.6	3.5	6.1	3.7	4.3	3.6	4	4.6	3.5
<b>Physical Properties</b>																		
Moisture (%)	76.61	69.74	66.98	80.57	78.50	79.94	79.39	76.88	77.98	81.02	79.47	79.31	76.58	74.34	79.34	77.52	74.80	80.15
Length (cm)	48	52.4	50.5	53.3	51.2	55	56.5	59.5	49.1	51.4	50.9	54.4	52.7	46.0	54.2	49.7	41.7	48.5
Weight (g)	1580	1920	1580	1610	1680	1640	1590	2250	1600	1500	1900	2040	1880	1210	1980	1650	1010	1360
Sex	M	M	M	F	M	F	F	M	M	M	F	M	M	M	F	F	M	F
Maturity	A	A	A	A	A	A	A	U	A	A	A	A	A	A	A	A	A	A
Age (years)	15	14	16	12	18	19	23	22	10	17	15	19	19	6	25	11	6	9
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00007	<0.00005	<0.00006	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006	<0.00006	<0.00007	<0.00007	0.00008	<0.00004
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.00009

**APPENDIX C, TABLE 2**

Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2022.

Chemical <sup>1</sup>	Black Lake (Black Lake)									
	Lake Trout									
	2021					2022				
	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05
<b>Metals</b>										
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.08	0.04	0.09	0.12	0.05	0.06	0.06	0.04	0.05	0.04
Barium	0.01	< 0.01	0.10	0.02	0.04	<0.01	<0.01	<0.01	<0.01	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	0.003	<0.002	0.003	<0.002	0.005	0.005	0.002	0.005
Copper	0.43	0.33	0.46	0.12	0.25	0.35	0.45	0.25	0.31	0.22
Iron	3.2	5.6	5.2	2.1	4.2	1.9	4	2.3	2.4	3.9
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002
Manganese	0.06	0.07	0.11	0.08	0.11	0.1	0.08	0.06	0.06	0.08
Mercury	0.53	0.51	0.47	0.76	0.56	0.5	0.43	0.44	0.63	0.54
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
Selenium	0.12	0.13	0.16	0.15	0.15	0.17	0.15	0.14	0.15	0.15
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.23	0.13	0.36	0.06	0.15	0.21	0.2	0.16	0.15	0.16
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
Uranium	<0.001	<0.001	0.002	0.002	0.004	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.1	4.4	9.9	3.0	7.0	3.5	4.8	2.7	4.8	4.6
<b>Physical Properties</b>										
Moisture (%)	76.99	81.82	78.38	82.50	79.22	72.40	75.60	78.60	73.90	79.90
Length (cm)	54.6	55.5	57.4	54.1	57.5	45.8	50.8	51.8	49.4	52.2
Weight (g)	1920	1860	2310	1850	2290	1110	1710	1540	1440	1590
Sex	F	M	F	M	F	M	F	F	F	M
Maturity	A	A	A	A	A	A	A	A	A	A
Age (years)	22	21	21	19	19	7	11	12	10	18
<b>Radionuclides</b>										
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00005	<0.00006	<0.00006	<0.00005	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001



**APPENDIX C, TABLE 2**

Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2022.

Chemical <sup>1</sup>	Black Lake (Black Lake)																			
	Lake Whitefish																			
	2011					2012					2013					2014				
	GN1-1 LW06	GN1-1 LW07	GN1-1 LW08	GN1-1 LW09	GN1-1 LW10	GN1-1 LW06	GN1-1 LW07	GN1-1 LW08	GN1-1 LW09	GN1-1 LW10	GN1-1 LW06	GN1-1 LW07	GN1-1 LW08	GN1-1 LW09	GN1-1 LW10	GN1-1 LW06	GN1-1 LW07	GN1-1 LW08	GN1-1 LW09	GN1-1 LW10
<b>Metals</b>																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.25	0.27	0.4	0.14	0.37	0.04	0.05	0.08	0.14	0.04	0.01	0.03	0.03	0.03	0.02	0.2	0.16	0.2	0.07	0.2
Barium	0.06	0.13	0.09	<0.01	0.02	0.02	0.01	0.02	<0.01	0.02	0.02	0.02	0.02	0.01	0.01	<0.01	0.02	<0.01	<0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.005	<0.002	0.003	0.003	<0.002	0.002	<0.002	<0.002	0.003	<0.002	0.002	<0.002	0.005	0.002	<0.002	<0.002	0.005	0.003	0.009
Copper	0.24	0.21	0.12	0.17	0.14	0.16	0.19	0.25	0.28	0.18	0.06	0.27	0.09	0.08	0.07	0.14	0.12	0.58	0.27	0.21
Iron	2.3	2.9	2.5	1.4	1.5	1	2	2.7	4	1.1	1.8	2.5	1.2	1.1	1.1	1.1	1.3	4	2.8	2.4
Lead	<0.002	0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.003	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003
Manganese	0.18	0.39	0.22	0.06	0.09	0.06	0.07	0.11	0.06	0.06	0.08	0.07	0.07	0.05	0.04	0.08	0.11	0.09	0.09	0.1
Mercury	0.16	0.13	0.14	0.06	0.21	0.13	0.16	0.15	0.02	0.05	0.05	0.09	0.03	0.04	0.08	0.097	0.13	0.068	0.1	0.12
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.02
Selenium	0.3	0.35	0.25	0.36	0.31	0.28	0.24	0.26	0.15	0.2	0.2	0.23	0.3	0.18	0.19	0.27	0.34	0.29	0.25	0.36
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.79	0.24	1.2	0.28	0.22	0.27	0.31	0.25	0.16	0.17	0.55	0.45	0.47	0.47	0.42	0.27	0.49	0.25	0.21	0.28
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.09	0.08	0.08	0.08	0.07	0.08	0.09	0.08	0.08	0.02	0.01	0.02	0.01	<0.01	0.07	0.08	0.07	0.09	0.08
Uranium	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.9	4.6	3.5	4.7	3.3	6.7	6.2	4.6	4.4	4.4	3.4	4.7	4	3.5	4	3.6	3.1	4.9	3.5	3.7
<b>Physical Properties</b>																				
Moisture (%)	75.22	76.01	76.93	75.27	75.79	74.30	72.89	75.74	78.39	76.90	79.98	78.50	79.92	79.20	78.64	75.64	76.94	77.68	75.67	75.10
Length (cm)	38.3	41.8	45.5	48	45.2	46	45.7	45.5	40.2	46.2	43.9	41.5	38	43.2	45.6	39.5	42.4	38	41	40.7
Weight (g)	840	1060	1360	890	1450	980	1020	920	760	1140	1200	920	660	1100	1320	950	1060	805	895	950
Sex	F	M	M	F	F	M	M	M	M	F	M	M	F	F	F	F	F	M	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	21	21	26	10	27	9	15	15	7	10	12	10	10	11	15	15	16	10	14	15
<b>Radionuclides</b>																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.004	<0.004	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0002	<0.0002	0.0005	0.0007	<0.0002	<0.0002	<0.0002	<0.001	<0.001	<0.0002	0.0004	0.0006	0.0003	0.0003	0.0002	0.0003	<0.0002	0.0003	<0.0002	0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	0.00009	<0.00007	<0.00006	<0.00006	<0.00006	0.001	0.002	<0.00006	0.0002	<0.00007	0.0004	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	0.0002
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	<0.002	<0.002	<0.0001	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**APPENDIX C, TABLE 2**

Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2022.

Chemical <sup>1</sup>	Black Lake (Black Lake)																	
	Lake Whitefish																	
	2016			2018					2019					2020				
	GN1-1 LW01	GN1-1 LW02	GN1-1 LW03	GN1-1 LW01	GN1-1 LW02	GN1-1 LW03	GN1-1 LW04	GN1-1 LW05	GN1-1 LW01	GN1-1 LW02	GN1-1 LW03	GN1-1 LW04	GN1-1 LW05	GN1-1 LW01	GN1-1 LW02	GN1-1 LW03	GN1-1 LW04	GN1-1 LW05
<b>Metals</b>																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.04	0.38	0.24	0.02	0.17	0.33	0.06	0.12	0.03	0.17	0.11	0.1	0.1	0.13	0.12	0.22	0.22	0.04
Barium	0.06	0.06	0.01	0.04	0.02	0.04	0.24	0.14	0.02	0.06	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.006	0.002	0.002	<0.002	0.003	0.004	0.003	0.004	0.002	<0.002	<0.002	0.002	0.004	0.008	0.003	0.003	0.004	<0.002
Copper	0.1	0.17	0.15	0.36	0.18	0.59	0.17	0.14	0.16	0.21	0.22	0.12	0.13	0.19	0.12	0.17	0.18	0.16
Iron	2.4	4	2.6	7	2.9	7.6	3.3	2	1.8	2.3	2.9	2.5	2.1	2.9	1.5	2.4	2.2	1.6
Lead	0.002	0.004	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.1	0.17	0.13	0.14	0.1	0.13	0.12	0.1	0.07	0.11	0.08	0.08	0.12	0.09	0.1	0.1	0.08	0.09
Mercury	0.061	0.12	0.088	0.11	0.14	0.1	0.1	0.1	0.12	0.12	0.1	0.1	0.15	0.06	0.12	0.1	0.11	0.06
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	0.02	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.32	0.44	0.43	0.13	0.26	0.2	0.17	0.28	0.13	0.2	0.19	0.17	0.13	0.09	0.18	0.24	0.24	0.14
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.69	0.15	0.31	0.27	0.15	0.12	0.15	0.22	0.28	0.3	0.17	0.16	0.13	0.23	0.4	0.16	0.22	0.24
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.02	<0.01	0.01	<0.01	<0.01	0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.06	0.06	0.04	0.05	0.04
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.8	4.2	4.8	4.5	4.8	5.2	3	3.6	3.4	3.2	3.9	2.4	3.4	6.1	3.2	4.2	4.9	3.8
<b>Physical Properties</b>																		
Moisture (%)	75.55	80.28	76.47	76.92	82.85	80.16	80.48	80.51	77.49	78.97	77.39	76.72	78.46	78.90	78.96	79.76	79.07	76.91
Length (cm)	50.6	47.1	39.9	47	44.5	39	42.2	45.7	49.5	45	38.8	43.6	47.6	43.3	42.5	40.4	41.7	46.0
Weight (g)	1580	1280	940	1420	1170	720	1000	1140	1920	1420	880	1140	2080	1240	1040	900	890	1520
Sex	F	F	M	F	M	M	F	F	F	F	F	F	F	F	F	F	F	F
Maturity	A	A	A	A	U	U	U	U	A	A	A	A	A	A	A	A	A	A
Age (years)	16	27	16	18	18	21	11	18	20	31	20	19	31	8	24	18	25	10
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001
Polonium-210 (Bq/g)	0.0004	0.0004	0.0006	<0.0002	0.0004	0.0002	0.0004	0.0002	<0.0002	0.0002	0.0003	<0.0002	<0.0002	0.0002	0.0002	0.0003	0.0009	0.0008
Radium-226 (Bq/g)	<0.00006	<0.00005	<0.00006	<0.00006	<0.00005	<0.00005	<0.00006	<0.00005	<0.00006	<0.00006	<0.00007	<0.00006	<0.00007	<0.00006	<0.00006	<0.00007	<0.00007	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**APPENDIX C, TABLE 2**

Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2022.

Chemical <sup>1</sup>	Black Lake (Black Lake)									
	Lake Whitefish									
	2021					2022				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	
<b>Metals</b>										
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.08	0.08	0.07	0.02	0.08	0.05	0.04	0.07	0.17	0.04
Barium	0.02	0.02	0.02	< 0.01	0.01	<0.01	<0.01	<0.01	0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.004	0.005	0.003	<0.002	0.004	0.012	0.006	0.012	0.01	0.015
Copper	0.28	0.2	0.2	0.25	0.18	0.28	0.26	0.24	0.2	0.22
Iron	1.3	1.4	2	2.4	1.3	3.4	2.2	3.3	3.9	2.7
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.1	0.1	0.08	0.08	0.12	0.11	0.1	0.1	0.17	0.13
Mercury	0.1	0.086	0.25	0.18	0.071	0.088	0.14	0.12	0.068	0.1
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.18	0.18	0.24	0.14	0.2	0.12	0.13	0.12	0.48	0.15
Silver	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.45	0.25	0.29	0.12	0.23	0.45	0.42	0.26	0.66	0.32
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01
Uranium	<0.001	0.002	0.002	<0.001	0.001	<0.001	<0.001	<0.001	0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	6.1	3.8	5.4	3.4	4.9	4.3	3.8	4.4	4	4.2
<b>Physical Properties</b>										
Moisture (%)	75.04	76.70	76.90	77.66	75.49	78.60	78.90	76.80	75.00	79.80
Length (cm)	45.8	47.7	47.6	42.3	47.5	40.3	48.2	49.2	37.4	45.3
Weight (g)	1430	1710	1710	1160	1600	1100	1480	1600	840	1490
Sex	F	F	F	F	F	F	M	F	M	F
Maturity	A	A	A	A	A	A	A	A	A	A
Age (years)	10	10	14	9	8	6	10	12	20	7
<b>Radionuclides</b>										
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	0.0003	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0004	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00008	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001

<sup>1</sup>All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.  
 GN = gill net; LT = lake trout; LW = lake whitefish; M = male; F = female; A = adult, U = unknown.

**APPENDIX C, TABLE 3**

Detailed fish flesh chemistry data from the EARMP community program (Camsell Portage), 2011 to 2022.

Chemical <sup>1</sup>	Camsell Portage (Ellis Bay)																	
	Lake Trout																	
	2011					2012					2013					2014		
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT03	LT04	LT05	
<b>Metals</b>																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.12	0.08	0.12	0.08	0.12	0.06	0.14	0.04	0.06	0.29	0.07	0.12	0.11	0.05	0.03	0.13	0.11	0.06
Barium	0.04	0.01	<0.01	<0.01	<0.01	0.05	0.08	0.02	0.04	0.02	<0.01	0.01	<0.01	0.22	0.04	0.04	0.02	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.003	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	0.004
Copper	0.52	0.52	0.11	0.32	0.28	0.24	0.28	0.33	0.58	0.21	0.22	0.28	0.38	0.23	0.28	0.39	0.29	0.4
Iron	4.5	3	1	2.2	2	1.5	2.7	3.5	5.8	1.6	1.4	2.1	2.1	2.6	2.4	3	3.8	4
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.004
Manganese	0.1	0.09	0.09	0.07	0.08	0.06	0.09	0.6	0.08	0.06	0.09	0.06	0.08	0.08	0.09	0.07	0.08	0.07
Mercury	0.13	0.2	0.28	0.07	0.18	0.17	0.08	0.06	0.21	0.14	0.19	0.24	0.09	0.41	0.24	0.32	0.37	0.3
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.03	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	0.03	<0.01	0.06
Selenium	0.14	0.18	0.15	0.16	0.18	0.15	0.16	0.15	0.18	0.1	0.17	0.14	0.16	0.17	0.18	0.19	0.21	0.17
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.3	0.19	0.26	0.2	0.15	0.06	0.13	0.07	0.68	0.65	0.1	0.09	0.21	0.09	0.12	0.15	0.31	0.14
Thallium	<0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.15	0.06	0.07	0.06	0.01	0.02	0.02	0.01	<0.01	0.03	0.08	0.06	0.04	0.05	0.08	0.09	0.09
Uranium	0.014	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	11	3.8	2.9	3.8	3.5	2.6	3.2	2.6	10	6.3	3	2.8	3.6	3.3	3.6	5	5.1	6.3
<b>Physical Properties</b>																		
Moisture (%)	73.73	71.70	74.10	70.34	67.36	73.93	76.07	75.33	76.29	72.60	69.45	68.65	72.36	78.67	79.54	75.37	77.41	77.04
Length (cm)	49.8	48.6	53.9	48.5	55.6	62.2	69.1	53	60.3	63.5	55	56.1	55.2	55.9	55.6	51.5	52.2	59.1
Weight (g)	1490	1480	1920	1420	2480	3640	2920	1420	1760	2560	2200	1920	1720	1920	1740	1750	1450	2360
Sex	M	M	F	F	F	F	M	M	M	F	M	F	M	M	M	M	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	12	8	23	8	11	19	13	9	20	18	15	15	10	25	17	13	14	17
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0007	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00007	<0.00006	0.0002	0.00009	0.0001	<0.00007	<0.00007	<0.00006	<0.00005	<0.00004	0.0001	<0.00004	<0.00006	<0.00006	0.00009	<0.00003	<0.00005	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.00008	<0.0001	<0.0001	<0.0001	<0.00006	<0.0001	<0.0001

**APPENDIX C, TABLE 3**

Detailed fish flesh chemistry data from the EARMP community program (Camsell Portage), 2011 to 2022.

Chemical <sup>1</sup>	Camsell Portage (Ellis Bay)																				
	Lake Trout																				
	2016			2019					2020		2021					2022					
	AN1-1	AN1-1	AN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	
LT01	LT02	LT03	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT01	LT02	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05
<b>Metals</b>																					
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	
Arsenic	0.11	0.07	0.12	0.13	0.07	0.23	0.05	0.06	0.24	0.13	0.11	0.08	0.09	0.37	0.11	0.1	0.26	0.08	0.22	0.08	
Barium	0.02	0.03	0.04	0.02	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.04	0.03	0.01	<0.01	<0.01	0.03	0.01	<0.01	0.01	0.01	
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
Cobalt	0.002	<0.002	0.003	0.002	<0.002	<0.002	<0.002	<0.002	0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	0.003	<0.002	<0.002	
Copper	0.49	0.26	0.42	0.26	0.27	0.28	0.28	0.23	0.43	0.32	0.24	0.38	0.18	0.18	0.22	0.36	0.22	0.2	0.29	0.2	
Iron	2.6	2.6	4.2	2.8	2.3	2.9	2	2.6	3	6.4	1.9	2.6	2.3	1.9	2.8	3.7	2.8	1.6	3.1	2.1	
Lead	<0.002	0.004	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	
Manganese	0.07	0.13	0.07	0.1	0.07	0.07	0.07	0.07	0.11	0.12	0.08	0.06	0.08	0.05	0.05	0.12	0.11	0.08	0.08	0.08	
Mercury	0.12	0.13	0.18	0.08	0.086	0.078	0.16	0.23	0.15	0.24	0.24	0.16	0.27	0.14	0.27	0.32	0.3	0.2	0.24	0.36	
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	
Nickel	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	
Selenium	0.21	0.17	0.2	0.15	0.13	0.14	0.14	0.13	0.18	0.2	0.17	0.18	0.15	0.17	0.13	0.26	0.16	0.21	0.14	0.2	
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	
Strontium	0.18	0.43	0.26	0.2	0.05	0.27	0.21	0.12	0.28	0.19	0.27	0.16	0.30	0.15	0.08	0.57	0.46	0.12	0.28	0.09	
Thallium	0.01	0.01	0.02	0.01	0.01	<0.01	0.01	<0.01	<0.01	0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Titanium	<0.01	<0.01	0.01	0.04	<0.01	<0.01	<0.01	<0.01	0.04	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Uranium	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	
Zinc	3.7	5.2	6.2	2.8	2.3	8.6	2.5	3.5	4.7	6.6	4.0	3.8	5.6	4.3	4.8	6.4	5.8	3.4	5.2	3.6	
<b>Physical Properties</b>																					
Moisture (%)	71.70	72.13	74.82	75.97	72.58	74.83	76.43	78.91	75.34	78.21	76.61	75.40	78.23	72.62	77.18	76.2	77.6	78.3	75	77.7	
Length (cm)	56.2	49.8	56.1	52.8	52.5	49.7	54.7	57.3	47.2	57.0	53.8	54.5	56.7	58.7	55.5	63.4	53.5	52	52.9	55.8	
Weight (g)	2120	1660	1960	1840	2040	1580	2020	2460	1400	2140	1740	2040	2460	2680	2550	2950	2540	2120	2790	2520	
Sex	M	M	M	M	M	M	M	F	M	M	M	F	F	F	F	M	F	M	F	M	
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
Age (years)	12	12	16	11	11	10	16	26	12	24	12	13	18	19	24	17	20	16	-	23	
<b>Radionuclides</b>																					
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00007	<0.00008	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00007	
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	

**APPENDIX C, TABLE 3**

Detailed fish flesh chemistry data from the EARMP community program (Camsell Portage), 2011 to 2022.

Chemical <sup>1</sup>	Camsell Portage (Ellis Bay)																
	Lake Whitefish																
	2011					2012		2013					2014				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
LW06	LW07	LW08	LW09	LW10	LW06	LW07	LW06	LW07	LW08	LW09	LW10	LW06	LW07	LW08	LW09	LW10	LW10
<b>Metals</b>																	
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	0.5	1.1	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.38	0.24	0.36	0.31	0.17	0.37	0.24	0.14	0.31	0.34	0.17	0.48	0.25	0.26	0.33	0.03	0.05
Barium	<0.01	0.04	0.06	<0.01	<0.01	0.03	0.02	0.04	0.05	0.05	0.02	0.02	0.09	0.02	0.04	0.02	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	0.007	0.002	0.002	<0.002	0.003	0.004	0.005	0.002	<0.002	<0.002	0.006	0.004	0.007	0.008	0.003
Copper	0.12	0.15	0.38	0.11	0.15	0.18	0.18	0.27	0.14	0.13	0.18	0.11	0.36	0.23	0.19	0.21	0.22
Iron	1.5	1.2	3.6	1.1	2.2	1.8	3.9	2.9	2.5	3.6	1.6	2.2	4.5	2.3	3.8	2.4	2.9
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	0.008	0.005	0.008	0.006	<0.002
Manganese	0.12	0.19	0.13	0.12	0.1	0.11	0.11	0.17	0.32	0.14	0.1	0.13	0.16	0.07	0.1	0.07	0.08
Mercury	0.07	0.06	0.03	0.03	0.02	0.05	0.06	0.17	0.07	0.04	0.02	0.08	0.051	0.06	0.06	0.044	0.058
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.05	0.03	0.08	0.02	<0.01
Selenium	0.29	0.25	0.25	0.22	0.25	0.31	0.25	0.27	0.26	0.24	0.29	0.25	0.25	0.23	0.27	0.2	0.24
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002
Strontium	0.15	0.74	1	0.18	0.24	0.15	0.23	0.51	0.64	0.43	0.2	0.25	0.92	0.24	0.28	0.71	0.21
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.07	0.06	0.06	0.07	0.02	<0.01	0.04	0.03	0.04	0.04	0.05	0.11	0.11	0.16	0.1	0.12
Uranium	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	0.004	0.003	0.002	<0.001	0.003	0.002	0.002	0.002	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3	2.8	4.4	3.3	3.1	2.8	3.2	5.5	3.3	2.5	3.9	3.3	4.9	3.6	6.4	3.8	4
<b>Physical Properties</b>																	
Moisture (%)	74.81	78.24	73.86	77.91	76.16	74.12	74.97	77.14	77.18	76.99	75.03	77.45	75.83	74.78	76.26	77.59	74.18
Length (cm)	32	43.2	40	39.5	38.6	49.1	48.5	40.2	44.8	37.9	37.4	44.6	41.3	44	47.6	38.2	43.5
Weight (g)	1250	1260	1380	1120	880	1180	1120	840	1120	820	720	1380	980	1280	1460	880	1400
Sex	M	M	F	F	F	M	M	F	F	F	M	M	F	F	F	F	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	31	27	22	18	11	30	33	30	25	25	9	28	14	14	14	8	14
<b>Radionuclides</b>																	
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0005	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	0.0002	0.0007	0.0012
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.0002	<0.00006	0.0003	<0.00007	<0.00006	0.0001	<0.00006	<0.00006	<0.00008	0.0002	<0.00006	<0.00007	<0.00006	<0.00005	<0.00005
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0003	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**APPENDIX C, TABLE 3**

Detailed fish flesh chemistry data from the EARMP community program (Camsell Portage), 2011 to 2022.

Chemical <sup>1</sup>	Camsell Portage (Ellis Bay)																	
	Lake Whitefish												Northern Pike					
	2016			2021					2022				2012					
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	AN1-1	AN1-1	AN1-1	AN1-1	AN1-1
LW06	LW07	LW08	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	NP01	NP02	NP03	NP04	NP05	
<b>Metals</b>																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.24	0.09	0.07	0.03	0.14	0.13	0.08	0.13	0.23	0.2	0.23	0.17	0.17	0.09	0.15	0.09	0.12	0.1
Barium	0.02	0.01	0.03	<0.01	0.04	<0.01	<0.01	0.02	<0.01	0.05	<0.01	0.01	0.01	0.02	0.02	0.02	0.02	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.006	0.004	0.004	0.007	0.002	0.005	0.017	0.007	0.004	<0.002	0.005	0.004	0.003	0.003	0.003	<0.002	<0.002	0.003
Copper	0.26	0.24	0.18	0.22	0.21	0.16	0.14	0.21	0.22	0.22	0.21	0.19	0.46	0.39	0.45	0.16	0.17	0.28
Iron	2.8	2.6	1.8	2.6	1.4	1.4	0.7	1.3	1.8	3.2	1.5	2.4	3.2	2.8	3.2	1.3	0.6	3.2
Lead	<0.002	<0.002	<0.002	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.11	0.09	0.07	0.11	0.09	0.10	0.13	0.08	0.07	0.1	0.1	0.12	0.07	0.08	0.09	0.08	0.08	0.08
Mercury	0.037	0.043	0.036	0.099	0.060	0.052	0.13	0.082	0.06	0.082	0.071	0.08	0.1	0.19	0.13	0.08	0.17	0.24
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.28	0.27	0.25	0.20	0.27	0.21	0.34	0.26	0.25	0.32	0.32	0.28	0.28	0.2	0.17	0.22	0.18	0.19
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.24	0.22	0.27	0.23	0.38	0.19	0.16	0.56	0.29	0.22	0.25	0.3	0.29	0.16	0.2	0.18	0.11	0.14
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.02	0.02	0.01	0.01
Uranium	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	0.004	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.9	3.3	5.1	4.4	4.4	4.4	4.6	4.6	3.9	4	5.2	5.8	4.9	4.2	9.8	5.4	4.9	6.5
<b>Physical Properties</b>																		
Moisture (%)	72.23	74.17	76.38	75.71	73.83	76.50	78.26	72.88	71.7	74.9	75	78	74.1	76.89	77.35	76.06	77.29	79.91
Length (cm)	45.4	45	49.6	45.8	39.8	39.5	52.4	43	43.9	41.1	39.7	39.4	42.5	76	67.7	67.8	72.3	89.5
Weight (g)	1560	1540	1880	1660	1080	1070	2380	1880	1590	1300	1060	1060	1360	2800	2760	1660	2760	4860
Sex	M	M	F	M	M	U	M	F	F	F	F	F	F	F	M	F	F	F
Maturity	A	A	A	A	A	U	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	15	15	11	7	10	9	15	12	11	7	8	8	15	6	9	5	7	16
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	0.0009	0.0002	0.0003	<0.0002	0.0005	<0.0002	0.0011	<0.0002	<0.0002	0.0002	0.0004	<0.0002	0.0002	0.0004	0.0008	0.0003	0.0003
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00009	<0.00006	<0.00006	<0.00007	<0.0006	<0.0007	<0.00006	<0.00007	<0.00008	<0.00006	0.00008
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0003

<sup>1</sup>All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.  
GN = gill net, AN = angling; LT = lake trout; LW = lake whitefish, NP = northern pike; M = male; F = female; A = adult.

**APPENDIX C, TABLE 4**

Detailed fish flesh chemistry data from the EARMP community program (Fond du Lac), 2011 to 2022.

Chemical <sup>1</sup>	Fond du Lac (Fond du Lac River)														
	Lake Trout														
	2011					2012					2013				
	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05	GN1-1 LT06	GN1-1 LT07	GN1-1 LT08	GN1-1 LT09	GN1-1 LT10	GN1-1 LT06	GN1-1 LT07	GN1-1 LT08	GN1-1 LT09	GN1-1 LT10
<b>Metals</b>															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.17	0.08	0.1	0.05	0.12	0.05	0.06	0.1	0.14	0.08	0.05	0.04	0.08	0.11	0.06
Barium	<0.01	0.02	0.01	0.66	0.01	0.02	0.02	0.02	<0.01	<0.01	<0.01	0.01	0.01	<0.01	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Copper	0.17	0.31	0.4	0.19	0.4	0.31	0.26	0.23	0.28	0.21	0.36	0.25	0.24	0.43	0.24
Iron	2.1	2.1	3.2	1.8	2.8	3.4	1.8	1.4	4	1.4	2.2	1.3	1.6	2.1	1.3
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	0.008	<0.002	<0.002
Manganese	0.09	0.08	0.09	0.1	0.08	0.07	0.04	0.07	0.06	0.08	0.05	0.06	0.07	0.07	0.05
Mercury	0.26	0.3	0.24	0.1	0.23	0.17	0.14	0.14	0.26	0.31	0.09	0.11	0.09	0.05	0.04
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.02	<0.01	<0.01
Selenium	0.17	0.12	0.16	0.16	0.13	0.16	0.14	0.18	0.15	0.13	0.18	0.14	0.14	0.16	0.16
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.11	0.16	0.18	0.2	0.18	0.12	0.09	0.21	0.16	0.15	0.1	0.09	0.11	0.04	0.08
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	0.01	0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.09	0.09	0.1	0.08	0.08	0.07	0.08	0.08	0.08	0.01	<0.01	0.01	0.01	<0.01
Uranium	<0.001	0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3	3.7	4.2	3.2	3.9	4.2	3.4	3.8	4.4	3.4	4.2	3.3	2.9	3.3	2.8
<b>Physical Properties</b>															
Moisture (%)	76.91	76.77	74.35	75.75	71.88	77.01	75.50	69.03	77.64	68.66	74.35	74.57	75.49	72.33	73.93
Length (cm)	49.6	46.4	53.9	49.1	49.2	60.5	55.6	61.2	63.4	63.5	48.5	52.7	56.8	51.5	50.1
Weight (g)	1430	1310	2020	1230	1530	1680	1420	1940	1840	2280	1520	1940	2200	1640	1620
Sex	M	F	F	F	M	M	M	F	F	F	M	M	M	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	12	10	15	9	8	17	11	15	-	14	9	11	12	9	8
<b>Radionuclides</b>															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001



**APPENDIX C, TABLE 4**

Detailed fish flesh chemistry data from the EARMF community program (Fond du Lac), 2011 to 2022.

Chemical <sup>1</sup>	Fond du Lac (Fond du Lac River)																	
	Lake Trout																	
	2014					2016			2018					2019				
	GN1-1 LT06	GN1-1 LT07	GN1-1 LT08	GN1-1 LT09	GN1-1 LT10	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05
<b>Metals</b>																		
Aluminum	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.07	0.04	0.11	0.13	0.05	0.05	0.05	0.07	0.16	0.1	0.12	0.21	0.05	0.09	0.05	0.06	0.08	0.13
Barium	0.01	<0.01	0.01	0.01	0.04	0.03	0.06	0.07	0.61	0.36	0.22	0.25	0.44	<0.01	<0.01	<0.01	<0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	<0.002	0.003	0.002	0.003	<0.002	0.003	0.012	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	0.002	<0.002	<0.002
Copper	0.2	0.17	0.4	0.22	0.36	0.22	0.33	0.33	0.41	0.34	0.45	0.35	0.33	0.22	0.22	0.2	0.42	0.2
Iron	2.6	2.3	3.3	2.8	3.6	3	2.2	5	4	3	4.4	3.5	5	2	1.5	2.3	3.6	2.9
Lead	0.003	<0.002	0.002	0.004	0.007	0.002	0.002	0.003	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.09	0.04	0.12	0.14	0.1	0.07	0.08	0.08	0.07	0.09	0.1	0.08	0.09	0.08	0.05	0.07	0.07	0.06
Mercury	0.83	0.46	0.49	0.74	0.44	0.19	0.085	0.25	0.15	0.19	0.11	0.16	0.18	0.21	0.17	0.22	0.14	0.2
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.02	<0.01	0.02	0.02	0.02	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.13	0.07	0.16	0.09	0.12	0.16	0.18	0.16	0.17	0.14	0.16	0.14	0.17	0.1	0.11	0.1	0.13	0.11
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.19	0.05	0.13	0.15	0.13	0.08	0.14	0.09	0.57	0.33	0.28	0.47	0.51	0.16	0.09	0.08	0.06	0.36
Thallium	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.09	0.04	0.1	0.08	0.09	<0.01	<0.01	0.01	0.01	0.01	0.01	<0.01	0.01	<0.01	0.01	0.02	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.8	1.8	3.6	6.3	3.8	6.1	3	3.6	5.6	4.3	4.1	4.9	4.3	2.8	2.2	2.8	3.2	3.3
<b>Physical Properties</b>																		
Moisture (%)	81.13	73.27	76.95	79.64	74.40	77.54	71.06	72.59	73.29	74.63	77.43	64.88	76.64	74.46	73.12	74.54	76.15	75.12
Length (cm)	54.5	57.1	60.2	55.7	58.5	58.9	57.6	54	55.9	58.2	51.1	59.3	58	58.5	52.7	55.3	52.4	57.2
Weight (g)	1405	2205	2860	1670	2410	2160	2060	1740	1790	1950	1150	2300	2190	2240	1440	1900	1580	2300
Sex	F	M	F	F	F	F	F	M	M	F	M	F	M	F	M	F	M	F
Maturity	A	A	A	A	A	A	A	A	U	A	U	U	U	A	A	A	A	A
Age (years)	29	20	16	21	13	18	11	21	15	17	11	15	21	20	9	22	15	25
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00004	0.00007	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00007	<0.00006	<0.00007	<0.00006	<0.00006	<0.00005
Thorium-230 (Bq/g)	<0.0001	<0.00008	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**APPENDIX C, TABLE 4**

Detailed fish flesh chemistry data from the EARMP community program (Fond du Lac), 2011 to 2022.

Chemical <sup>1</sup>	Fond du Lac (Fond du Lac River)														
	Lake Trout														
	2020					2021					2022				
	GN1-1 LT06	GN1-1 LT07	GN1-1 LT08	GN1-1 LT09	GN1-1 LT10	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05
<b>Metals</b>															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.06	0.02	0.09	0.2	0.28	0.04	0.10	0.17	0.03	0.04	0.12	0.11	0.15	0.15	0.13
Barium	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.02	0.02	<0.01	0.02	<0.01	0.03
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	0.004	0.004	0.002	<0.002	0.004	0.002	0.002	0.004	0.002	<0.002	0.002	0.002	0.002	0.003
Copper	0.27	0.36	0.65	1	0.45	0.31	0.27	0.24	0.24	0.15	0.34	0.28	0.6	0.26	0.57
Iron	3.8	5.9	6	7.9	4	3.2	2.6	2.5	2.8	1.0	4.4	3.6	3.7	1.8	7.8
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	0.003	<0.002	<0.002
Manganese	0.07	0.06	0.1	0.11	0.1	0.09	0.10	0.07	0.06	0.08	0.09	0.08	0.14	0.07	0.07
Mercury	0.32	0.28	0.2	0.24	0.21	0.59	0.20	0.18	0.38	0.44	0.34	0.32	0.38	0.25	0.51
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	0.04	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01
Selenium	0.12	0.15	0.18	0.16	0.15	0.20	0.19	0.16	0.19	0.18	0.18	0.18	0.19	0.24	0.19
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.12	0.08	0.25	0.38	0.14	0.29	0.16	0.18	0.09	0.09	0.47	0.16	0.32	0.07	0.87
Thallium	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.03	0.04	0.06	0.04	0.04	<0.01	0.09	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.2	4.3	3.9	7.5	3.8	9.2	3.9	4.2	3.3	4.5	12	4.4	4.9	3.9	13
<b>Physical Properties</b>															
Moisture (%)	77.69	81.82	71.29	79.87	75.50	79.52	77.78	74.53	81.51	79.85	79.6	79.4	78.6	76.8	80.7
Length (cm)	59.5	56.0	59.8	56.7	57.5	45.6	56.7	2000	52.8	50.8	57.4	54.2	55.4	60	57.6
Weight (g)	1900	1740	2500	2040	2340	980	48.5	1420	1620	1630	2120	2010	2180	2630	2120
Sex	U	M	U	M	M	F	F	F	M	F	M	M	F	M	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	12	24	13	11	16	12	12	9	12	13	26	22	11	15	25
<b>Radionuclides</b>															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00005	<0.00007	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00005	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**APPENDIX C, TABLE 4**

Detailed fish flesh chemistry data from the EARMP community program (Fond du Lac), 2011 to 2022.

Chemical <sup>1</sup>	Fond du Lac (Fond du Lac River)														
	Lake Whitefish														
	2011					2012					2013				
	GN1-1 LW06	GN1-1 LW07	GN1-1 LW08	GN1-1 LW09	GN1-1 LW10	GN1-1 LW01	GN1-1 LW02	GN1-1 LW03	GN1-1 LW04	GN1-1 LW05	GN1-1 LW01	GN1-1 LW02	GN1-1 LW03	GN1-1 LW04	GN1-1 LW05
<b>Metals</b>															
Aluminum	<0.5	<0.5	<0.5	<0.5	1.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.4	0.19	0.2	0.52	0.29	0.02	0.22	0.22	0.18	0.19	0.04	0.04	0.11	0.08	0.03
Barium	0.06	0.04	0.02	<0.01	0.03	0.02	0.04	0.01	0.07	0.02	0.01	<0.01	0.02	0.03	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.002	<0.002	<0.002	<0.002	0.006	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.005	0.003	0.003	0.015	0.003	0.002	0.003	0.003	<0.002	0.004	0.014	0.003	0.004	<0.002
Copper	0.14	0.18	0.12	0.22	0.28	0.27	0.16	0.16	0.15	0.13	0.22	0.16	0.15	0.34	0.13
Iron	1.7	2.9	1.3	2.6	6	2	1	1.4	1.4	1.3	2.1	3.1	1.3	4.4	1.1
Lead	<0.002	0.002	<0.002	<0.002	<0.002	0.003	0.004	0.003	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.17	0.13	0.07	0.14	0.08	0.05	0.08	0.14	0.19	0.08	0.08	0.09	0.06	0.1	0.07
Mercury	0.14	0.12	0.14	0.18	0.18	0.02	0.05	0.02	0.02	0.03	0.03	0.02	0.02	0.03	0.04
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
Selenium	0.25	0.15	0.22	0.2	0.29	0.17	0.28	0.2	0.16	0.23	0.22	0.13	0.27	0.21	0.18
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	1	0.88	0.55	0.15	0.36	0.51	0.24	0.27	1.6	0.2	0.19	0.26	0.19	0.61	0.15
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.08	0.09	0.07	0.1	0.07	0.08	0.07	0.08	0.07	0.02	0.01	0.02	0.02	0.02
Uranium	0.002	<0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3	4.2	3.2	3	4.2	6.2	3.8	3.5	4	3.4	3.8	4	3.9	5.4	3.5
<b>Physical Properties</b>															
Moisture (%)	73.98	78.34	76.86	75.56	75.69	75.73	71.01	74.93	73.77	76.15	75.67	78.03	73.18	76.28	78.04
Length (cm)	38.5	44.9	36.4	41.1	42.2	44.4	43.8	46.6	42.8	36.5	46.5	43.4	40.5	40.1	42.3
Weight (g)	900	1340	805	1100	1120	940	1040	1100	860	520	1420	1120	980	820	1000
Sex	M	M	F	F	M	M	F	M	F	M	F	M	F	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	30	26	31	33	38	7	27	20	15	27	14	12	13	13	8
<b>Radionuclides</b>															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.004	<0.004	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.001	<0.001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00008	<0.00006	<0.00006	<0.00006	<0.00007	<0.00007	<0.00008	<0.00009	<0.001	0.002	<0.00009	0.0001	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.002	<0.002	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001

**APPENDIX C, TABLE 4**

Detailed fish flesh chemistry data from the EARMF community program (Fond du Lac), 2011 to 2022.

Chemical <sup>1</sup>	Fond du Lac (Fond du Lac River)																	
	Lake Whitefish																	
	2014					2016				2018					2019			
	GN1-1 LW01	GN1-1 LW02	GN1-1 LW03	GN1-1 LW04	GN1-1 LW05	GN1-1 LW04	GN1-1 LW05	GN1-1 LW06	GN1-1 LW01	GN1-1 LW02	GN1-1 LW03	GN1-1 LW04	GN1-1 LW05	GN1-1 LW01	GN1-1 LW02	GN1-1 LW03	GN1-1 LW04	GN1-1 LW05
<b>Metals</b>																		
Aluminum	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.16	0.02	0.04	0.28	0.04	0.03	0.29	0.26	0.16	0.1	0.12	0.21	0.05	0.02	0.02	0.24	0.02	0.16
Barium	0.14	<0.01	0.04	0.06	0.05	0.06	0.21	0.01	0.61	0.36	0.22	0.25	0.44	<0.01	0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.003	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.007	0.006	0.02	0.003	0.012	0.016	0.011	0.004	<0.002	<0.002	<0.002	0.003	<0.002	0.005	0.011	0.007	0.01	0.008
Copper	0.13	0.14	0.19	0.16	0.17	0.19	0.1	0.26	0.41	0.34	0.45	0.35	0.33	0.19	0.2	0.13	0.18	0.14
Iron	1.8	1.4	3.1	1.8	2	1.8	1.9	2.6	4	3	4.4	3.5	5	3	3.4	3	2.3	1.4
Lead	0.002	<0.002	0.008	<0.002	<0.002	0.004	0.005	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	0.004	<0.002	<0.002
Manganese	0.21	0.07	0.19	0.1	0.1	0.08	0.22	0.09	0.07	0.09	0.1	0.08	0.09	0.05	0.12	0.08	0.14	0.19
Mercury	0.086	0.14	0.051	0.081	0.059	0.079	0.12	0.065	0.15	0.19	0.11	0.16	0.18	0.15	0.11	0.095	0.046	0.075
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.02	0.02	0.04	<0.01	0.1	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01
Selenium	0.15	0.11	0.12	0.24	0.17	0.34	0.24	0.16	0.17	0.14	0.16	0.14	0.17	0.12	0.14	0.24	0.15	0.27
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	2.2	0.33	1.2	0.68	0.33	0.21	1.4	0.31	0.57	0.33	0.28	0.47	0.51	0.3	0.36	0.25	0.24	0.26
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.1	0.09	0.1	0.07	0.09	0.02	0.01	<0.01	0.01	0.01	0.01	<0.01	0.01	0.07	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	0.004	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.3	4.6	4.4	4.2	3.6	5	4	3.8	5.6	4.3	4.1	4.9	4.3	3.5	4.8	3.1	4.6	3.3
<b>Physical Properties</b>																		
Moisture (%)	78.86	77.96	76.51	77.23	76.57	74.60	81.27	73.88	73.29	74.63	77.43	64.88	76.64	78.08	79.05	79.37	76.69	77.22
Length (cm)	42.5	45	41.3	41.9	39.4	47	38.6	47.4	38	40.6	39.3	37	38.3	49.3	44.5	40	45.4	43.5
Weight (g)	965	1240	910	965	875	1540	840	1360	840	1110	850	800	760	1460	1260	1140	1480	1340
Sex	F	F	M	F	M	F	M	F	M	M	M	M	M	F	F	M	M	M
Maturity	A	A	A	A	A	A	A	A	U	U	U	U	U	A	A	A	A	A
Age (years)	19	9	15	17	11	11	33	16	25	30	23	37	26	16	11	34	9	12
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	0.00008	<0.00006	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00007	<0.00006	<0.00006	<0.00005	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**APPENDIX C, TABLE 4**

Detailed fish flesh chemistry data from the EARMP community program (Fond du Lac), 2011 to 2022.

Chemical <sup>1</sup>	Fond du Lac (Fond du Lac River)														
	Lake Whitefish														
	2020					2021					2022				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	
<b>Metals</b>															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.24	0.26	0.2	0.23	0.32	0.04	0.03	0.03	0.03	0.02	0.45	0.36	0.27	0.44	0.22
Barium	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	0.01	0.01	0.02	0.04	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.009	0.002	0.003	0.005	0.008	0.008	0.009	0.009	0.010	0.004	0.004	0.003	0.006	0.003	0.004
Copper	0.12	0.11	0.17	0.14	0.14	0.16	0.15	0.15	0.20	0.17	0.14	0.19	0.18	0.13	0.11
Iron	3.8	1.2	2.1	2.3	3.3	1.8	3.2	2.3	2.2	1.8	2.2	3.4	2	2.5	1.4
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.09	0.08	0.09	0.08	0.09	0.12	0.11	0.09	0.09	0.06	0.09	0.11	0.08	0.11	0.06
Mercury	0.11	0.08	0.11	0.1	0.08	0.13	0.13	0.11	0.12	0.10	0.13	0.17	0.1	0.1	0.12
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.02	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.27	0.24	0.26	0.19	0.31	0.17	0.19	0.23	0.23	0.26	0.32	0.31	0.35	0.28	0.17
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.24	0.19	0.17	0.26	0.19	0.10	0.09	0.08	0.21	0.08	0.3	0.42	0.34	0.67	0.24
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.03	0.03	0.04	0.04	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4	2.6	2.9	2.8	3.9	4.0	7.1	7.6	4.2	4.1	4.8	4.2	3.9	4.6	3.1
<b>Physical Properties</b>															
Moisture (%)	79.02	79.31	79.99	80.97	79.37	78.59	80.88	80.18	77.34	79.40	73.1	75	74.8	75	80.3
Length (cm)	39.5	39.4	40.6	45.5	40.9	46.2	45.5	42.5	44.3	42.7	37.2	39.9	39	39.3	34.2
Weight (g)	1000	960	1100	1380	1080	1380	1240	1160	1320	1200	900	950	1060	1000	1200
Sex	M	M	F	F	F	M	M	F	F	M	F	F	M	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	33	25	30	26	29	15	16	10	11	14	27	28	26	27	26
<b>Radionuclides</b>															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0003	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003	0.0003	0.0002
Radium-226 (Bq/g)	<0.00006	<0.00005	<0.00005	<0.00006	<0.00007	<0.00006	<0.00005	0.0002	<0.00006	<0.00006	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

<sup>1</sup>All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.  
GN = gill net; LT = lake trout; LW = lake whitefish; M = male; F = female; A = adult, U = unknown.

**APPENDIX C, TABLE 5**

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2022.

Chemical <sup>1</sup>	Stony Rapids (Fond du Lac River)														
	Lake Trout														
	2011					2012					2013				
	GN1-1	GN1-1	GN1-1	GN1-1	SP01-01	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT01	LT02	LT03	LT04	LT05		
<b>Metals</b>															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	
Arsenic	0.02	0.06	0.05	0.06	0.09	0.07	0.18	0.06	0.07	0.06	0.18	0.25	0.09	0.08	
Barium	<0.01	<0.01	0.01	<0.01	0.01	0.01	0.01	0.02	0.01	<0.01	<0.01	<0.01	<0.01	0.01	
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
Cobalt	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	
Copper	0.28	0.2	0.22	0.22	0.17	0.21	0.78	0.2	0.36	0.39	0.45	0.32	0.32	0.28	
Iron	1.9	1.7	1.5	1.6	1.2	2.3	8.6	2.6	4	3.6	3.3	6.1	3.1	2.7	
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	
Manganese	0.09	0.09	0.08	0.12	0.06	0.09	0.08	0.1	0.07	0.11	0.07	0.06	0.06	0.07	
Mercury	0.27	0.46	0.57	0.38	0.49	0.12	0.19	0.18	0.27	0.17	0.12	0.13	0.3	0.16	
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	
Nickel	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	
Selenium	0.1	0.11	0.09	0.14	0.16	0.15	0.19	0.17	0.19	0.16	0.19	0.15	0.18	0.15	
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	
Strontium	0.1	0.09	0.21	0.23	0.09	0.13	0.14	0.14	0.14	0.08	0.14	0.3	0.14	0.1	
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.02	<0.01	0.01	0.01	0.01	<0.01	0.02	0.01	
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Titanium	0.08	0.07	0.08	0.08	0.08	0.07	0.08	0.08	0.08	0.04	0.03	0.04	0.03	0.03	
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	
Zinc	4.7	3.1	3.4	3.3	2.5	3.8	5.4	3.6	3.8	3.1	4	4	3.8	3.1	
<b>Physical Properties</b>															
Moisture (%)	77.77	77.90	77.43	76.77	73.64	78.8	76.77	78.11	78.05	73.56	74.02	75.29	75.06	73.99	
Length (cm)	54.9	55.9	57.2	64.9	69.6	57.2	62.8	61	59.8	52	52.5	55	57	51.2	
Weight (g)	1750	2060	2180	2840	3720	1520	2060	1840	1820	1720	1680	1940	2060	1600	
Sex	F	F	F	F	M	M	M	M	M	F	M	F	M	F	
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
Age (years)	10	15	16	17	15	14	22	21	22	12	12	11	16	13	
<b>Radionuclides</b>															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	0.001	<0.001	<0.001	<0.001	<0.001	
Polonium-210 (Bq/g)	<0.0002	<0.0002	0.0004	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	0.0002	
Radium-226 (Bq/g)	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006	<0.00008	<0.00006	0.0001	
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	

**APPENDIX C, TABLE 5**

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2022.

Chemical <sup>1</sup>	Stony Rapids (Fond du Lac River)																	
	Lake Trout																	
	2014					2016			2018					2019				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	
<b>Metals</b>																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.14	0.11	0.04	0.07	0.04	0.1	0.12	0.08	0.11	0.14	0.12	0.08	0.18	0.03	0.05	0.11	0.05	0.03
Barium	0.1	0.09	<0.01	0.07	0.03	0.02	0.05	0.03	0.11	0.15	0.06	0.1	0.19	0.01	<0.01	<0.01	<0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.006	0.005	<0.002	0.004	0.003	0.004	0.004	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.002	<0.002	0.002
Copper	0.43	0.93	0.34	0.3	0.3	0.43	0.73	0.61	0.28	0.41	0.4	0.36	0.33	0.28	0.25	0.32	0.19	0.49
Iron	10	8.9	3	2.3	2.1	4	6.1	4.2	3.2	5	4.4	4.4	4.3	4.5	3.6	2.8	1.6	4.4
Lead	0.011	0.003	<0.002	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.005	<0.002	<0.002	<0.002	0.002
Manganese	0.13	0.09	0.06	0.07	0.06	0.05	0.05	0.08	0.08	0.07	0.06	0.08	0.06	0.06	0.06	0.11	0.06	0.06
Mercury	0.11	0.24	0.23	0.21	0.19	0.14	0.2	0.16	0.1	0.11	0.1	0.11	0.099	0.24	0.25	0.19	0.17	0.13
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.06	<0.01	<0.01	0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.13	0.15	0.16	0.15	0.14	0.18	0.16	0.16	0.15	0.14	0.17	0.18	0.14	0.14	0.12	0.14	0.12	0.12
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.26	0.15	0.2	0.34	0.28	0.22	0.25	0.17	0.3	0.24	0.21	0.24	0.14	0.19	0.12	0.72	0.08	0.33
Thallium	<0.01	0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.01	0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.14	0.09	0.09	0.09	0.08	0.02	<0.01	0.01	0.02	0.02	0.01	0.02	0.05	0.02	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.3	5.2	4.3	4.3	3	3.5	3.8	3.2	5.1	4.4	4.9	4.3	4.5	3.7	2.9	5.8	2.3	3.7
<b>Physical Properties</b>																		
Moisture (%)	73.76	75.09	76.30	76.67	75.55	70.53	75.35	72.93	77.90	76.77	74.99	78.64	74.12	79.89	79.11	76.18	77.07	79.64
Length (cm)	49.5	51.9	44.7	54	48.7	55	55.7	52.1	47.6	53.9	56.2	52.5	61	61.8	59.7	50.8	59.2	52
Weight (g)	1580	1640	1100	1670	1440	2080	1960	1920	1130	1640	1680	1660	2480	2180	2500	1560	2120	1480
Sex	F	M	M	M	F	F	F	F	F	F	M	F	F	M	M	M	M	M
Maturity	A	A	A	A	A	A	A	A	U	U	U	U	U	A	A	A	A	A
Age (years)	11	14	12	12	11	15	11	15	13	13	13	12	11	21	25	16	19	14
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00008	<0.00006	<0.00007	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00007	<0.00007	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**APPENDIX C, TABLE 5**

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2022.

Chemical <sup>1</sup>	Stony Rapids (Fond du Lac River)													
	Lake Trout													
	2020				2021					2022				
	GN1-1 LT06	GN1-1 LT07	GN1-1 LT08	GN1-1 LT09	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05
<b>Metals</b>														
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.04	0.04	0.05	0.03	0.07	0.06	0.08	0.06	0.13	0.25	0.24	0.22	0.11	0.13
Barium	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.02	<0.01	0.02	0.03	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	0.003	0.002	0.003	<0.002	0.002	0.003	0.004
Copper	0.29	0.36	0.38	0.29	0.21	0.25	0.34	0.32	0.33	0.5	0.39	0.48	0.26	0.45
Iron	3	4	4.1	5.4	3.5	2.1	7.2	3.1	3.3	4.6	4.4	6.3	3.4	5.2
Lead	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002
Manganese	0.15	0.08	0.1	0.08	0.07	0.06	0.07	0.06	0.05	0.1	0.07	0.07	0.08	0.11
Mercury	0.17	0.13	0.32	0.32	0.37	0.31	0.33	0.25	0.20	0.23	0.21	0.22	0.42	0.3
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.07	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.19	0.2	0.18	0.14	0.13	0.15	0.15	0.17	0.13	0.16	0.18	0.17	0.14	0.14
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	<0.002
Strontium	0.67	0.39	0.55	0.18	0.20	0.15	0.25	0.14	0.23	0.44	0.38	0.71	0.42	0.72
Thallium	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01	0.01	0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.04	0.04	0.05	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.7	5.3	6.9	4.7	8.9	5.6	5.3	4.0	3.3	4.8	4.7	7.7	5.1	5.7
<b>Physical Properties</b>														
Moisture (%)	76.00	75.89	79.24	81.49	81.03	81.49	81.25	78.31	79.43	75.2	77.3	77.7	77.5	77.3
Length (cm)	65.2	61.2	58.7	57.2	59.4	54.1	58.9	53.5	52.6	58.8	53.4	50.7	53.5	50
Weight (g)	2520	2290	2420	1980	2220	1840	2050	1820	1800	2140	1660	1600	1920	1680
Sex	M	M	F	M	F	F	F	M	F	M	M	M	F	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	12	11	26	31	26	18	28	18	13	18	13	15	19	15
<b>Radionuclides</b>														
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00005	<0.00005	<0.00005	<0.00006	<0.00006	<0.00005	<0.00005	<0.00006	<0.00005	<0.00008	<0.00006	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001



**APPENDIX C, TABLE 5**

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2022.

Chemical <sup>1</sup>	Stony Rapids (Fond du Lac River)														
	Lake Whitefish														
	2011					2012					2013				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
LW06	LW07	LW08	LW09	LW10	LW01	LW02	LW03	LW04	LW05	LW06	LW07	LW08	LW09	LW10	
<b>Metals</b>															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.06	0.03	0.03	0.07	0.02	0.02	0.06	0.05	0.03	0.04	0.03	0.02	0.04	0.03	0.03
Barium	0.01	0.01	0.09	<0.01	0.02	0.01	0.05	0.01	0.01	0.02	<0.01	0.02	<0.01	<0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.005	0.009	0.012	0.004	0.008	<0.002	0.009	0.005	0.007	0.003	0.004	0.004	0.006	0.004	0.005
Copper	0.36	0.15	0.14	0.26	0.19	0.24	0.14	0.3	0.14	0.11	0.31	0.15	0.17	0.23	0.25
Iron	3.5	2	2	2.2	1.7	1.3	1.4	4.2	1.9	1.1	4.7	1.9	1.2	2.2	2.4
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.09	0.1	0.18	0.08	0.1	0.08	0.22	0.08	0.1	0.1	0.09	0.12	0.08	0.12	0.19
Mercury	0.23	0.06	0.15	0.37	0.06	0.05	0.05	0.14	0.06	0.13	0.09	0.04	0.04	0.07	0.06
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.05	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.13	0.1	0.15	0.27	0.12	0.18	0.12	0.14	0.18	0.13	0.14	0.13	0.15	0.12	0.12
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.23	0.26	2	0.12	0.24	0.28	1.8	0.3	0.23	0.24	0.27	0.22	0.17	0.22	0.25
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.08	0.08	0.07	0.09	0.06	0.07	0.07	0.06	0.06	0.03	0.03	0.03	0.03	0.03
Uranium	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4	4	4.1	8.3	4.7	6.1	7	3.6	3.4	3.4	4	4.6	3.4	4.9	4.7
<b>Physical Properties</b>															
Moisture (%)	76.78	78.07	78.94	77.19	75.50	74.99	80.97	76.82	80.22	79.53	76.95	78.07	73.93	75.51	76.73
Length (cm)	47.8	44.8	48.1	51.4	42.5	48	47	50.6	50.8	49.5	44.5	42.2	43.3	39.9	40.5
Weight (g)	1490	1640	1730	2060	1410	1420	980	1680	1360	1520	1180	940	1100	1000	960
Sex	F	F	F	F	M	F	F	M	F	F	M	F	F	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	27	14	13	29	8	9	14	18	15	18	18	8	11	11	10
<b>Radionuclides</b>															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002
Radium-226 (Bq/g)	<0.00008	0.0001	0.00006	0.0001	<0.00006	<0.00005	0.001	<0.00006	<0.00007	<0.00005	<0.00006	<0.00006	0.0001	0.00009	<0.00006
Thorium-230 (Bq/g)	<0.0002	<0.00009	<0.00008	<0.0002	<0.0001	<0.0001	<0.002	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**APPENDIX C, TABLE 5**

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2022.

Chemical <sup>1</sup>	Stony Rapids (Fond du Lac River)																	
	Lake Whitefish																	
	2014					2016			2018					2019				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
LW06	LW07	LW08	LW09	LW10	LW04	LW05	LW06	LW01	LW02	LW03	LW04	LW05	LT01	LT02	LT03	LT04	LT05	
<b>Metals</b>																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.01	0.01	0.01	0.02	0.09	0.02	0.06	0.04	0.14	0.13	0.17	0.1	0.08	0.01	0.03	0.01	0.02	0.02
Barium	0.07	<0.01	0.08	0.03	0.04	<0.01	0.04	0.05	0.03	0.22	0.07	0.14	0.04	<0.01	<0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.005	0.003	0.004	0.008	0.012	0.023	0.007	0.009	0.014	0.003	0.006	<0.002	0.008	0.008	0.007	0.009	0.007
Copper	0.19	0.2	0.25	0.23	0.2	0.17	0.11	0.2	0.18	0.26	0.24	0.24	0.32	0.16	0.17	0.14	0.12	0.18
Iron	1.9	1.8	1.6	2.2	2	1.9	1.7	1.8	3	3.2	3.2	4.3	3.5	1.6	2.4	1.7	2.1	2.2
Lead	<0.002	<0.002	<0.002	<0.002	0.004	0.004	0.004	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.09	0.09	0.1	0.18	0.09	0.12	0.08	0.08	0.1	0.11	0.11	0.11	0.08	0.09	0.1	0.06	0.09	0.1
Mercury	0.13	0.098	0.08	0.1	0.056	0.036	0.048	0.039	0.03	0.032	0.052	0.073	0.1	0.043	0.066	0.087	0.064	0.082
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	0.02	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.11	0.08	0.11	0.12	0.16	0.12	0.17	0.1	0.08	0.16	0.19	0.22	0.21	0.08	0.12	0.1	0.11	0.11
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.36	0.1	0.18	0.3	0.29	0.5	0.5	0.34	0.28	0.45	0.4	0.46	0.29	0.29	0.36	0.13	0.34	0.25
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.09	0.06	0.09	0.09	0.08	<0.01	<0.01	0.01	0.01	0.02	0.01	0.02	0.03	0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	0.007	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.8	2.8	3.6	4.2	3.9	4.5	4.9	4.4	4.6	4.6	5.6	3.5	4.5	3.4	6.2	2.4	3	2.6
<b>Physical Properties</b>																		
Moisture (%)	74.28	79.20	76.81	75.18	76.08	76.94	75.08	76.91	79.48	75.79	73.45	77.61	78.27	77.70	77.03	80.34	75.85	74.44
Length (cm)	44	43.2	44.2	41.8	49.6	42	47.4	41	41.4	48.7	44	40.6	48.2	46.4	43.7	47.3	45.8	42.6
Weight (g)	1300	1120	1120	1130	1560	1160	1520	1040	1070	1420	1080	850	1420	1560	1460	1540	1420	1240
Sex	F	F	F	M	F	F	F	F	F	F	M	M	F	F	F	F	M	M
Maturity	A	A	A	A	A	A	A	A	U	U	U	U	U	A	A	A	A	A
Age (years)	11	9	9	8	11	8	12	12	10	11	13	13	10	8	15	18	16	14
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0004	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003	0.0003	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**APPENDIX C, TABLE 5**

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2022.

Chemical <sup>1</sup>	Stony Rapids (Fond du Lac River)														
	Lake Whitefish														
	2020					2021					2022				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
LT01	LT02	LT03	LT04	LT05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	
<b>Metals</b>															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.23	0.06	0.02	0.03	0.02	0.06	0.05	0.02	0.07	0.06	0.04	0.05	0.05	0.05	0.04
Barium	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.03	<0.01	0.03	<0.01	<0.01	0.03	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.002	0.004	0.003	0.009	0.003	0.004	0.004	0.013	0.009	0.005	0.008	0.007	0.007	0.007	0.007
Copper	0.22	0.18	0.2	0.26	0.17	0.26	0.18	0.26	0.25	0.32	0.15	0.15	0.11	0.38	0.21
Iron	2.4	1.8	2.6	2.7	1.8	3.5	1.7	3.0	2.9	3.1	2.4	1.8	1.9	4	1.7
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.007	<0.002	<0.002	<0.002	<0.002
Manganese	0.15	0.08	0.14	0.09	0.15	0.09	0.11	0.09	0.14	0.06	0.1	0.09	0.09	0.15	0.11
Mercury	0.15	0.09	0.04	0.07	0.09	0.11	0.072	0.13	0.058	0.084	0.13	0.11	0.1	0.088	0.13
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01
Selenium	0.31	0.13	0.11	0.12	0.17	0.11	0.19	0.14	0.08	0.14	0.1	0.11	0.09	0.11	0.13
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.3	0.29	0.3	0.38	0.4	0.26	0.25	0.44	0.30	0.22	0.27	0.26	0.32	0.34	0.46
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.04	0.03	0.04	0.04	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.2	3.1	4.2	5.3	4.8	6.2	3.6	5.2	5.7	5.5	3.3	4.5	3.9	4.7	6.1
<b>Physical Properties</b>															
Moisture (%)	79.89	78.62	77.46	78.42	73.15	78.42	79.19	77.21	75.30	78.04	78.2	77.8	76.2	76	77.2
Length (cm)	39.3	46.8	44.4	47.4	43.8	45.3	47.3	34.4	44.2	46.7	44.8	44.1	45.6	46	39.1
Weight (g)	800	1520	1350	1600	1300	1360	1640	1380	1720	1480	1240	1120	1620	1540	940
Sex	M	F	M	F	M	F	F	F	F	F	M	M	F	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	24	21	6	15	17	16	7	10	6	11	19	17	13	10	9
<b>Radionuclides</b>															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002
Polonium-210 (Bq/g)	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	0.0002	<0.0002	<0.0002	0.0007	0.0009	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00008	<0.00008	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00008	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002

<sup>1</sup>All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.  
GN = gill net; LT = lake trout; LW = lake whitefish; M = male; F = female; A = adult, U = unknown.

**APPENDIX C, TABLE 6**

Detailed fish flesh chemistry data from the EARMP community program (Uranium City), 2011 to 2022.

Chemical <sup>1</sup>	Uranium City (Prospectors Bay)																	
	Lake Trout																	
	2012					2013					2014					2016		
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	AN1-1	AN1-1
LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	
<b>Metals</b>																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	0.5	0.7
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.07	0.07	0.08	0.07	0.13	0.07	0.04	0.04	0.07	0.07	0.06	0.04	0.07	0.05	0.2	0.09	0.08	0.19
Barium	0.01	0.03	0.02	0.02	0.03	<0.01	<0.01	<0.01	0.04	0.01	0.03	0.06	0.02	0.03	0.04	0.01	0.04	0.03
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	0.002	0.002	<0.002	<0.002	0.004
Copper	0.27	0.21	0.21	0.26	0.26	0.18	0.19	0.22	0.28	0.25	0.29	0.27	0.3	0.25	0.32	0.25	0.2	0.63
Iron	2.2	4.5	2	3.3	1.9	1.2	1.6	2.7	7.5	1.9	2.1	2.1	2.7	3.6	2.8	2.4	1.4	6.4
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.004	0.002	0.006	0.003	0.003	<0.002	<0.002	<0.002	<0.002	0.002	<0.002
Manganese	0.08	0.07	0.05	0.05	0.05	0.07	0.06	0.07	0.12	0.08	0.08	0.08	0.08	0.07	0.06	0.05	0.08	0.11
Mercury	0.17	0.24	0.23	0.21	0.13	0.13	0.15	0.23	0.09	0.1	0.16	0.11	0.14	0.29	0.16	0.12	0.14	0.18
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	0.01	0.02	<0.01	<0.01	<0.01	<0.01
Selenium	0.18	0.17	0.17	0.18	0.17	0.15	0.14	0.18	0.15	0.13	0.15	0.15	0.14	0.15	0.14	0.11	0.16	0.18
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.17	0.11	0.13	0.25	0.32	0.05	0.04	0.07	0.18	0.16	0.15	0.12	0.26	0.08	0.16	0.3	0.08	0.14
Thallium	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01	<0.01	0.01	0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.07	0.07	0.07	0.06	0.04	0.02	0.03	0.03	0.03	0.08	0.08	0.1	0.08	0.07	<0.01	<0.01	0.02
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.3	4	3.7	5.4	4.1	2.7	2.7	3.1	3.8	2.7	7.2	3.4	3.6	3.2	6.8	3.2	3.2	6.1
<b>Physical Properties</b>																		
Moisture (%)	74.73	78.66	78.14	75.87	76.30	76.09	74.75	77.52	77.24	77.69	74.48	72.13	75.17	78.50	73.75	70.91	72.53	72.20
Length (cm)	55.6	60.2	59.1	61.8	63.4	46.8	50.1	52.3	51.5	54.2	54.9	52	52.1	56.7	55.1	59.6	50.7	54.7
Weight (g)	1380	1700	1520	1840	2140	1500	1580	1580	1540	1900	1940	1710	1605	2305	2010	2840	1760	2140
Sex	M	M	M	M	M	F	M	F	M	F	F	M	M	F	M	F	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	12	24	25	19	11	12	11	21	13	12	13	12	13	13	22	15	16	21
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00005	<0.00006	<0.00006	<0.00006	0.00006	<0.00006	0.0002	<0.00006	0.00009	<0.00006	<0.00006	<0.00006	0.00008	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**APPENDIX C, TABLE 6**

Detailed fish flesh chemistry data from the EARMP community program (Uranium City), 2011 to 2022.

Chemical <sup>1</sup>	Uranium City (Prospectors Bay)																			
	Lake Trout																			
	2018					2019					2020					2021				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	
<b>Metals</b>																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.06	0.04	0.04	0.16	0.29	0.15	0.12	0.1	0.04	0.06	0.11	0.06	0.03	0.05	0.12	0.08	0.11	0.05	0.30	0.07
Barium	0.04	0.06	0.04	0.05	0.03	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.003	<0.002	0.003	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	0.002	<0.002
Copper	0.23	0.43	0.23	0.4	0.21	0.35	0.35	0.42	0.27	0.22	0.22	0.31	0.36	0.2	0.32	0.38	0.20	0.16	0.23	0.21
Iron	2.4	5	1.7	2.4	2.1	2	2.2	2.9	2.4	2.1	1.4	1.8	1.8	1.6	2.6	2.9	0.5	1.4	3.4	1.4
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.1	0.08	0.09	0.08	0.08	0.06	0.05	0.07	0.06	0.06	0.05	0.1	0.05	0.09	0.08	0.07	0.07	0.08	0.05	0.08
Mercury	0.12	0.24	0.1	0.11	0.27	0.076	0.13	0.15	0.17	0.16	0.18	0.17	0.12	0.2	0.1	0.19	0.15	0.18	0.17	0.13
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.17	0.19	0.17	0.18	0.17	0.17	0.17	0.14	0.16	0.16	0.16	0.18	0.17	0.21	0.17	0.20	0.15	0.15	0.64	0.20
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.14	0.14	0.12	0.14	0.2	0.29	0.1	0.1	0.14	0.08	0.26	0.04	0.22	0.2	0.57	0.22	0.08	0.13	0.36	0.17
Thallium	<0.01	0.01	<0.01	0.01	<0.01	0.01	0.02	0.01	0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	0.03	0.04	0.04	0.04	0.07	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	2.9	6.6	3.8	4.6	2.7	3.7	3.6	3.2	4.3	2.9	4.4	3.1	3.1	3.6	5.2	7.4	3.0	2.8	6.2	3.9
<b>Physical Properties</b>																				
Moisture (%)	75.87	78.10	76.49	75.43	77.39	72.75	71.40	75.39	75.42	73.01	73.91	73.37	75.05	77.99	75.76	80.11	75.70	74.80	73.69	74.46
Length (cm)	56.3	57.4	51.6	53.5	51	53.5	53.8	58.1	58.6	53.4	58.9	54.3	56.0	54.1	52.1	52.8	54.1	50.5	58.7	54.3
Weight (g)	2120	2060	1500	1750	1620	1820	2040	2460	2720	1880	2360	2220	1880	1740	1620	1500	2220	1660	2720	2070
Sex	F	M	M	M	F	M	M	F	M	M	F	M	M	M	M	M	F	M	F	F
Maturity	U	U	U	U	U	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	18	19	13	13	18	10	17	15	17	16	17	17	11	15	12	9	16	19	14	10
<b>Radionuclides</b>																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00005	<0.00006	<0.00008	<0.00006	<0.00006	<0.00005	<0.00006	<0.00007	<0.00006	<0.00008	<0.00006	<0.00006	<0.00007	<0.00008	<0.00005	<0.00006	<0.00006	<0.00007	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**APPENDIX C, TABLE 6**

Detailed fish flesh chemistry data from the EARMP community program (Uranium City), 2011 to 2022.

Chemical <sup>1</sup>	Uranium City (Prospectors Bay)				
	Lake Trout				
	2022				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05
<b>Metals</b>					
Aluminum	<0.5	<0.5	<0.5	0.6	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.11	0.12	0.09	0.14	0.12
Barium	<0.01	0.02	<0.01	0.02	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	0.003	0.002	0.009	0.003
Copper	0.21	0.38	0.21	0.35	0.31
Iron	1.7	3.9	2.8	3.3	3.2
Lead	<0.002	0.004	<0.002	0.003	<0.002
Manganese	0.06	0.08	0.07	0.07	0.12
Mercury	0.18	0.18	0.35	0.17	0.24
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	0.01	<0.01	0.02	<0.01
Selenium	0.16	0.17	0.2	0.17	0.19
Silver	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.09	0.3	0.17	0.34	0.19
Thallium	0.01	<0.01	0.01	<0.01	0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	0.02	<0.01
Uranium	<0.001	0.001	<0.001	0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.4	5.9	3.8	5.1	4.9
<b>Physical Properties</b>					
Moisture (%)	74.5	78.7	79.6	76.7	78.7
Length (cm)	57.8	55.4	64.7	59.5	58.1
Weight (g)	2320	1960	3880	2680	2630
Sex	M	M	F	F	M
Maturity	A	A	A	A	A
Age (years)	12	15	25	13	27
<b>Radionuclides</b>					
Lead-210 (Bq/g)	0.002	<0.001	0.002	0.002	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00008	<0.00005	<0.00007	<0.00007	<0.00006
Thorium-230 (Bq/g)	<0.0002	<0.0001	<0.0001	0.0001	<0.0001

**APPENDIX C, TABLE 6**

Detailed fish flesh chemistry data from the EARMP community program (Uranium City), 2011 to 2022.

Chemical <sup>1</sup>	Uranium City (Prospectors Bay)																				
	Lake Whitefish																				
	2012					2013			2014					2016			2018				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
LW06	LW07	LW08	LW09	LW10	LW01	LW02	LW03	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW01	LW02	LW03	LW04	LW05	
<b>Metals</b>																					
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.08	0.03	0.09	0.05	0.1	0.17	0.18	0.22	0.23	0.06	0.07	0.05	0.07	0.04	0.12	0.05	0.08	0.16	0.05	0.04	0.05
Barium	0.01	0.02	0.01	0.01	0.01	0.02	<0.01	0.02	0.01	0.1	0.02	0.09	0.03	0.11	0.04	0.02	0.05	0.1	0.05	0.05	0.09
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	0.003	0.013	0.009	<0.002	0.004	0.006	0.016	0.004	0.004	0.007	0.016	0.008	0.005	0.003	0.004	0.004	0.004	0.004	0.006	0.007
Copper	0.12	0.13	0.17	0.18	0.14	0.22	0.18	0.39	0.48	0.22	0.28	0.26	0.23	0.21	0.22	0.16	0.23	0.3	0.21	0.33	0.21
Iron	1	2	1.8	1.6	1.4	2.3	1.8	2.9	4.3	1.8	2	4.4	2.4	1.9	1.5	1.9	2	2.6	2.3	2.5	1.4
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.003	<0.002	0.003	<0.002	0.005	0.011	0.006	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.07	0.06	0.07	0.07	0.12	0.1	0.06	0.11	0.09	0.12	0.12	0.1	0.08	0.09	0.1	0.09	0.08	0.09	0.13	0.07	0.14
Mercury	0.05	0.13	0.06	0.12	0.11	0.05	0.02	0.02	0.051	0.033	0.053	0.026	0.034	0.063	0.037	0.074	0.041	0.04	0.043	0.026	0.028
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.02	0.01	0.01	0.05	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.28	0.22	0.23	0.32	0.26	0.26	0.24	0.26	0.24	0.27	0.23	0.19	0.26	0.28	0.3	0.23	0.26	0.26	0.26	1.9	0.26
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.22	0.19	0.4	0.4	0.25	0.25	0.23	0.25	0.26	1.8	0.29	0.65	0.31	0.21	0.48	0.31	0.24	0.31	0.33	0.4	0.4
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.07	0.08	0.08	0.08	0.03	0.03	0.04	0.08	0.1	0.08	0.11	0.11	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	0.002	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.3	4.5	7.6	4.3	3.3	3.2	3.4	6.3	4	4.1	4.7	5.8	4.2	6.3	3.8	3.6	5.7	4.1	4.5	5.4	5.6
<b>Physical Properties</b>																					
Moisture (%)	79.31	78.40	75.72	73.83	76.89	79.25	76.91	72.22	74.04	74.06	76.04	75.15	76.82	68.43	76.07	73.75	75.53	75.03	73.10	78.38	77.34
Length (cm)	46.7	49.6	48.8	55	50	46.9	47	42.9	47.2	41.5	45.9	41.7	36.5	57.8	43.6	53.1	41.1	38.4	37.7	46	46.5
Weight (g)	640	980	1140	1520	1080	1480	1520	1300	1780	1090	1620	1310	750	3380	1280	2440	1010	800	810	1520	1360
Sex	M	M	F	F	F	M	M	F	M	F	M	F	M	M	M	F	F	M	M	F	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	U	U	U	U	U
Age (years)	12	29	14	17	21	23	14	11	19	10	15	10	10	18	13	32	11	5	5	13	7
<b>Radionuclides</b>																					
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	0.0006	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	0.0006	0.0005	0.0004	0.0011	0.0007	<0.0002	0.0003	<0.0002	0.0002	0.0006	0.0004	0.0005	0.001
Radium-226 (Bq/g)	<0.00006	<0.00007	<0.00005	<0.00006	<0.00008	0.00006	<0.00006	<0.00006	0.0001	<0.00006	<0.00006	<0.00007	0.0001	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	<0.0001

**APPENDIX C, TABLE 6**

Detailed fish flesh chemistry data from the EARMP community program (Uranium City), 2011 to 2022.

Chemical <sup>1</sup>	Uranium City (Prospectors Bay)																			
	Lake Whitefish																			
	2019					2020					2021					2022				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
LW01	LW02	LW03	LW04	LW05	LW06	LW07	LW08	LW09	LW09	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	
<b>Metals</b>																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.06	0.07	0.05	0.08	0.14	0.15	0.05	0.04	0.05	0.12	0.26	0.13	0.16	0.12	0.23	0.06	0.23	0.21	0.19	0.19
Barium	<0.01	<0.01	0.02	<0.01	<0.01	0.02	<0.01	<0.01	0.1	0.02	0.02	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.002	0.003	0.004	0.002	0.003	0.005	0.007	0.011	0.018	0.002	0.003	0.002	0.003	0.002	0.003	0.019	0.004	0.004	0.004	0.002
Copper	0.18	0.13	0.18	0.13	0.16	0.39	0.21	0.35	1.4	0.35	0.24	0.16	0.16	0.21	0.21	0.17	0.23	0.16	0.15	0.15
Iron	1.7	1	3.3	1.5	1.6	4.3	1.8	3.5	10	2.3	4.3	2.2	1.5	1.4	1.8	1.5	1.4	3.1	1.4	1.4
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.01	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.14	0.09	0.09	0.08	0.1	0.1	0.11	0.08	0.37	0.08	0.08	0.11	0.10	0.07	0.08	0.09	0.09	0.06	0.06	0.06
Mercury	0.083	0.038	0.094	0.061	0.052	0.027	0.026	0.028	0.027	0.039	0.044	0.041	0.069	0.034	0.07	0.098	0.076	0.043	0.086	0.086
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.03
Selenium	0.33	0.28	0.27	0.22	0.33	0.39	1.4	0.28	2.1	0.61	0.002	1.8	0.40	1.1	0.72	0.23	0.81	1.8	0.51	0.51
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.24	0.24	0.3	0.22	0.24	0.29	0.25	0.18	0.92	0.38	0.28	0.27	0.21	0.23	0.24	0.22	0.25	0.33	0.3	0.3
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	0.04	0.05	0.05	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	0.001	0.01	0.033	<0.001	0.002	0.002	<0.001	0.001	0.001	<0.001	0.002	0.002	0.002	0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.5	3.2	3.8	3.4	3.9	4.1	4.6	4.4	11	5.9	7.6	4.8	4.0	5.0	5.5	4.4	3.4	4.5	4	4
<b>Physical Properties</b>																				
Moisture (%)	75.21	73.42	75.93	76.37	74.76	74.64	77.98	74.98	76.71	74.96	75.28	73.55	73.51	75.88	76.2	73	71.2	77	70.9	70.9
Length (cm)	48.3	46.3	50.8	49	51.1	48.1	38.5	38.4	29.6	43.4	43.2	46.2	48.8	43.4	49	49.2	25.2	51	52.2	52.2
Weight (g)	1840	1520	2060	1760	2080	1840	860	800	320	1300	1320	1520	1770	1260	1900	1820	1580	1760	1800	1800
Sex	F	F	F	M	M	M	U	M	F	M	F	M	M	M	F	M	F	M	F	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	12	14	26	23	17	13	6	8	5	8	11	19	15	7	12	8	15	28	12	12
<b>Radionuclides</b>																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0004	0.0004	0.0004	0.0004	0.0006	0.0006	0.0012	0.0003	0.0004	0.0008	0.0005	0.0006	0.0002	0.0010	0.0008	0.0003	0.0005	0.0003	0.0007	0.0007
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00008	<0.00008	<0.00008	<0.00007	<0.00008	<0.00008
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	0.0002	<0.0002	<0.0001	<0.0002	<0.0002

<sup>1</sup>All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.  
GN = gill net; LT = lake trout; LW = lake whitefish; M = male; F = female; A = adult, U = unknown.



**APPENDIX C, TABLE 7**

Detailed fish flesh chemistry data from the EARMP community program (Wollaston Lake/Hatchet Lake), 2011 to 2022.

Chemical <sup>1</sup>	Wollaston Lake/Hatchet Lake (Welcome Bay, Wollaston Lake)														
	Lake Trout														
	2011					2012					2013				
	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	SP01-01 LT04	GN1-1 LT05	GN1-1 LT06	GN1-1 LT07	GN1-1 LT08	GN1-1 LT09	GN1-1 LT10	GN1-1 LT07	GN1-1 LT08	GN1-1 LT09	GN1-1 LT10	GN1-1 LT11
<b>Metals</b>															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.06	0.03	0.04	0.02	0.04	0.05	0.04	0.04	0.08	0.02	0.02	0.04	0.03	0.06	0.02
Barium	0.02	0.02	0.02	0.02	<0.01	0.02	0.01	<0.01	0.02	<0.01	<0.01	0.02	<0.01	<0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Copper	0.62	0.48	0.53	0.31	0.3	0.52	0.39	0.4	0.69	0.24	0.35	0.38	0.34	0.3	0.32
Iron	6	4	2.6	1.8	1.9	3.1	2.8	2.2	3.8	1.6	2.3	3	2.6	2.2	2.1
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.005
Manganese	0.1	0.1	0.07	0.06	0.07	0.08	0.06	0.08	0.07	0.05	0.08	0.09	0.1	0.1	0.09
Mercury	0.15	0.16	0.16	0.2	0.12	0.24	0.15	0.13	0.16	0.14	0.14	0.1	0.09	0.1	0.18
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.17	0.28	0.19	0.18	0.19	0.27	0.21	0.22	0.22	0.21	0.21	0.2	0.2	0.18	0.2
Silver	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.09	0.22	0.09	0.15	0.05	0.19	0.09	0.07	0.11	0.03	0.19	0.1	0.05	0.04	0.05
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.09	0.09	0.09	0.09	0.07	0.07	0.07	0.07	0.08	0.07	0.03	0.03	0.03	0.07	0.04
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	5.5	6.6	3.9	3.1	3.3	5.8	3.6	3.8	4.8	3.1	5.7	4.2	3.8	4.8	3.7
<b>Physical Properties</b>															
Moisture (%)	78.93	75.50	76.46	75.65	75.48	75.41	73.15	73.02	79.09	75.73	76.78	72.75	72.82	71.52	74.12
Length (cm)	51.5	46.3	46.8	47.9	46.6	55.6	50.5	50.8	50.5	52	45.3	46.5	44.1	45.4	48.5
Weight (g)	1730	1220	1440	1410	1430	1760	1420	1360	1400	1520	1200	1340	1060	1060	1400
Sex	F	M	M	F	M	M	M	M	M	M	M	M	F	F	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	7	7	7	8	6	6	7	7	9	7	8	7	8	8	8
<b>Radionuclides</b>															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	0.0003	0.00009	<0.00006	<0.00006	<0.00005	<0.00007	<0.00005	0.0002	0.00007	<0.00006	<0.00006	0.00008
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.00009	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**APPENDIX C, TABLE 7**

Detailed fish flesh chemistry data from the EARMP community program (Wollaston Lake/Hatchet Lake), 2011 to 2022.

Chemical <sup>1</sup>	Wollaston Lake/Hatchet Lake (Welcome Bay, Wollaston Lake)																	
	Lake Trout																	
	2014					2016			2018					2019				
	GN1-1 LT07	GN1-1 LT08	GN1-1 LT09	GN1-1 LT10	GN1-1 LT11	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	SP01-01 LT04	GN1-1 LT05	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05
<b>Metals</b>																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.01	0.03	0.02	0.03	0.05	0.03	0.02	0.09	0.08	0.09	0.04	0.12	0.06	0.1	0.03	0.03	0.04	0.17
Barium	0.02	0.03	0.02	0.01	0.03	<0.01	<0.01	<0.01	0.13	0.14	0.09	0.03	0.01	0.01	<0.01	<0.01	0.02	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	<0.002	<0.002	0.006	0.002	0.004	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	0.002	0.003	<0.002
Copper	0.44	0.25	0.29	0.26	0.29	0.32	0.33	0.2	0.62	0.31	0.32	0.29	0.56	0.25	0.26	0.18	0.62	0.21
Iron	2	1.9	1.7	1.6	2.7	3.2	3.4	1.4	4.6	2.3	3.4	4.7	2.7	2.2	1.8	1.3	4.7	1.6
Lead	<0.002	<0.002	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.08	0.11	0.06	0.1	0.09	0.11	0.09	0.1	0.09	0.1	0.08	0.11	0.12	0.1	0.07	0.06	0.08	0.09
Mercury	0.18	0.26	0.2	0.19	0.38	0.16	0.22	0.22	0.22	0.14	0.14	0.11	0.16	0.072	0.17	0.17	0.17	0.16
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.05	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.19	0.18	0.2	0.21	0.16	0.21	0.24	0.24	0.17	0.19	0.14	0.2	0.29	0.43	0.18	0.21	0.22	0.16
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.12	0.24	0.08	0.04	0.16	0.06	0.03	0.02	0.24	0.3	0.36	0.1	0.14	0.14	0.05	0.06	0.21	0.1
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.08	0.07	0.08	0.08	0.01	<0.01	0.01	0.02	0.01	0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.6	3	2.5	2.6	4.5	4	2.7	2.4	6.2	5.4	5	4.3	3.7	3.1	2.9	3.7	5.8	4.1
<b>Physical Properties</b>																		
Moisture (%)	78.37	75.48	75.05	77.38	74.92	75.20	77.38	77.09	76.68	75.09	76.32	76.31	76.97	75.27	74.33	73.39	77.05	73.18
Length (cm)	48.4	49.8	52.2	50.6	55.9	48	52	52.4	58	47	53.4	54.1	51	49.1	50	56.8	52.7	49.4
Weight (g)	1580	1610	1850	1780	2020	1600	1800	1980	2360	1520	1860	1840	1900	1680	1560	2260	1920	1600
Sex	M	F	M	M	F	F	F	F	F	M	F	F	F	F	F	F	M	F
Maturity	A	A	A	A	A	A	A	A	A	U	A	U	U	A	A	A	A	A
Age (years)	8	9	9	9	12	11	9	11	13	12	12	10	9	9	10	14	-	13
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.001	<0.0002	<0.0002	0.0002	0.0002
Radium-226 (Bq/g)	<0.00004	<0.00006	<0.00005	<0.00005	<0.00005	<0.00006	<0.00006	<0.00005	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.00008	<0.0001	<0.00009	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**APPENDIX C, TABLE 7**

Detailed fish flesh chemistry data from the EARMP community program (Wollaston Lake/Hatchet Lake), 2011 to 2022.

Chemical <sup>1</sup>	Wollaston Lake/Hatchet Lake (Welcome Bay, Wollaston Lake)														
	Lake Trout														
	2020					2021					2022				
	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN 2-1 LT05	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN 2-1 LT05
<b>Metals</b>															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.02	0.03	0.02	0.03	0.06	0.04	0.09	0.04	0.04	0.04	0.11	0.08	0.12	0.1	0.05
Barium	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	0.01	<0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	0.003	0.002	0.002	<0.002	0.002	<0.002	<0.002	0.002	<0.002	0.008	<0.002	0.002
Copper	0.31	0.33	0.31	0.24	0.48	0.23	0.26	0.27	0.25	0.19	0.48	0.36	0.76	0.39	0.22
Iron	1.9	1.9	2	1.9	4.1	2.5	1.9	1.9	1.6	1.4	4.5	3.7	5.2	3	1.4
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.08	0.11	0.08	0.07	0.07	0.10	0.06	0.12	0.08	0.07	0.09	0.12	0.08	0.09	0.07
Mercury	0.13	0.19	0.1	0.22	0.16	0.14	0.10	0.11	0.13	0.32	0.18	0.25	0.15	0.14	0.15
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.22	0.22	0.24	0.22	0.25	0.23	0.16	0.28	0.22	0.18	0.21	0.22	0.18	0.16	0.16
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.11	0.14	0.15	0.1	0.24	0.18	0.15	0.17	0.07	0.04	0.08	0.16	0.06	0.08	0.19
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.04	0.04	0.05	0.07	0.08	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.7	3.3	3.7	3.3	7	4.2	4.8	4.0	3.5	3.9	5.8	5.9	5.4	4	3.6
<b>Physical Properties</b>															
Moisture (%)	75.29	73.85	75.24	74.46	77.26	76.81	73.88	76.67	76.38	78.71	76.4	73.7	76.2	75.6	75.6
Length (cm)	46.1	48.1	43.3	44.5	48.7	45.1	42.8	46.2	46.5	51.5	47.4	49.9	46.6	45	42.6
Weight (g)	1300	1440	1220	2160	1400	1120	1180	1240	1300	1940	1580	1920	1640	1390	1250
Sex	M	M	M	M	M	F	M	F	M	F	M	M	M	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	7	9	7	15	10	10	6	7	8	15	9	13	7	7	7
<b>Radionuclides</b>															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00008	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00008	<0.00007	<0.00008	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0002	<0.0001

**APPENDIX C, TABLE 7**

Detailed fish flesh chemistry data from the EARMF community program (Wollaston Lake/Hatchet Lake), 2011 to 2022.

Chemical <sup>1</sup>	Wollaston Lake/Hatchet Lake (Welcome Bay, Wollaston Lake)														
	Lake Whitefish														
	2011					2012					2013				
	GN1-1 LW06	GN1-1 LW07	GN1-1 LW08	GN1-1 LW09	GN1-1 LW10	GN1-1 LW01	GN1-1 LW02	GN1-1 LW03	GN1-1 LW04	GN1-1 LW05	GN1-1 LW01	GN1-1 LW02	GN1-1 LW03	GN1-1 LW05	GN1-1 LW06
<b>Metals</b>															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.24	0.13	0.17	0.09	0.18	0.19	0.12	0.17	0.16	0.13	0.15	0.18	0.17	0.09	0.14
Barium	0.11	0.01	0.01	0.02	0.02	0.02	0.02	0.04	0.02	0.02	0.02	0.01	0.12	0.05	0.03
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	0.002	<0.002	0.003	<0.002	<0.002	<0.002	0.002	<0.002
Copper	0.26	0.16	0.18	0.12	0.14	0.12	0.18	0.13	0.14	0.21	0.13	0.16	0.16	0.14	0.13
Iron	2.2	1.3	1.5	3.1	1.4	1.1	1	1.5	1	3	1.8	1.7	2.5	3	1.7
Lead	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002
Manganese	0.15	0.09	0.09	0.12	0.1	0.09	0.07	0.14	0.1	0.13	0.11	0.09	0.1	0.25	0.11
Mercury	0.06	0.05	0.05	0.05	0.08	0.03	0.02	0.07	0.03	0.05	0.02	0.02	0.06	0.07	0.03
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	0.01	<0.01
Selenium	0.39	0.41	0.34	0.38	0.38	0.5	0.53	0.38	0.68	0.51	0.31	0.34	0.32	0.41	0.4
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.47	0.08	0.11	0.24	0.14	0.11	0.13	0.25	0.15	0.18	0.16	0.12	0.14	0.62	0.21
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.08	0.08	0.11	0.08	0.07	0.07	0.07	0.07	0.07	0.04	0.04	0.03	0.03	0.04
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	5.1	3	3.8	4.7	4.3	3.7	4.5	3.2	4.5	4	3.7	3.7	5.5	3.3	3.6
<b>Physical Properties</b>															
Moisture (%)	73.60	75.29	75.27	76.01	73.60	73.90	70.19	74.68	71.83	76.61	73.91	73.39	75.49	79.53	78.40
Length (cm)	36.5	38	40.6	36.9	39.2	47.9	43.3	46.2	44.4	43.6	36.2	37.4	37.5	39.5	40.1
Weight (g)	780	820	940	810	825	1380	880	1060	860	840	620	620	640	700	720
Sex	M	M	M	M	F	M	F	F	F	M	M	F	F	F	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	16	16	14	12	17	19	11	21	12	18	12	12	15	13	18
<b>Radionuclides</b>															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.004	<0.001	<0.004	<0.004	0.0003	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0003	0.0004	<0.0002	0.0002	0.0004	<0.0002	<0.001	<0.0002	<0.001	<0.001	<0.001	<0.0002	<0.0002	0.0002	0.0006
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00008	<0.00006	<0.00006	<0.00006	0.001	<0.00005	0.002	0.002	<0.001	0.0001	<0.0001	0.0001	0.0001
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.002	<0.0001	<0.002	<0.002	<0.00002	<0.0001	<0.0002	<0.0001	<0.0001

**APPENDIX C, TABLE 7**

Detailed fish flesh chemistry data from the EARMP community program (Wollaston Lake/Hatchet Lake), 2011 to 2022.

Chemical <sup>1</sup>	Wollaston Lake/Hatchet Lake (Welcome Bay, Wollaston Lake)																	
	Lake Whitefish																	
	2014					2016			2018					2019				
	GN1-1 LW01	GN1-1 LW02	GN1-1 LW03	GN1-1 LW05	GN1-1 LW06	GN1-1 LW04	GN1-1 LW05	GN1-1 LW06	GN1-1 LW01	GN1-1 LW02	GN1-1 LW03	SP01-01 LW04	GN1-1 LW05	GN1-1 LW01	GN1-1 LW02	GN1-1 LW03	GN1-1 LW04	GN1-1 LW05
<b>Metals</b>																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.14	0.15	0.11	0.11	0.06	0.13	0.18	0.03	0.13	0.08	0.11	0.16	0.08	0.02	0.1	0.11	0.07	0.1
Barium	0.02	0.02	0.04	0.08	0.02	<0.01	<0.01	<0.01	0.26	0.29	0.28	0.23	0.16	<0.01	<0.01	0.01	<0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.006	0.003	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.004	0.002	0.005	<0.002	0.002	0.003	0.004	0.003	0.004	0.004	0.002	0.004	0.003	<0.002	0.004	<0.002	0.002	<0.002
Copper	0.17	0.17	0.14	0.14	0.14	0.15	0.45	0.19	0.27	0.29	0.22	0.26	0.17	0.32	0.21	0.18	0.27	0.17
Iron	1.7	1.5	2	2.9	1.6	2.9	5.9	2.5	3.3	5.5	4.2	5.7	2.2	2	3.2	2.3	2.6	1.7
Lead	0.002	0.004	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	0.007	0.004	0.008	0.004	0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.12	0.1	0.11	0.24	0.1	0.12	0.11	0.1	0.29	0.09	0.11	0.14	0.13	0.07	0.1	0.08	0.07	0.09
Mercury	0.086	0.094	0.11	0.07	0.082	0.063	0.059	0.12	0.061	0.086	0.093	0.078	0.095	0.17	0.064	0.08	0.065	0.069
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.01	0.02	0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.44	0.34	0.36	0.39	0.36	1	0.41	0.24	0.38	0.45	0.45	0.4	0.44	0.18	0.77	0.63	0.54	0.35
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.15	0.15	0.16	0.54	0.11	0.1	0.09	0.14	1.1	0.2	0.28	0.41	0.38	0.08	0.12	0.13	0.08	0.16
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.1	0.07	0.08	0.09	0.08	0.02	0.01	0.01	0.02	0.02	0.03	0.02	<0.01	<0.01	0.01	<0.01	<0.01	<0.01
Uranium	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	0.002	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.9	3.3	4.1	2.8	2.9	3.5	3.6	7.7	3.9	7.6	4.6	5.8	3.2	3.1	3.6	3.9	3.2	3.4
<b>Physical Properties</b>																		
Moisture (%)	71.26	72.78	76.40	76.45	79.18	77.36	76.23	77.69	79.62	80.94	81.17	82.01	79.00	74.45	74.87	75.99	77.04	72.64
Length (cm)	43.4	37.9	42.4	38.6	41.9	38.7	40.5	39.7	42.8	42	41	44.2	44	41.6	46.8	42	43.4	39
Weight (g)	1230	850	930	950	1010	700	920	1020	880	820	910	940	980	1020	1300	1040	1100	820
Sex	M	F	M	F	M	M	M	M	F	F	M	M	M	F	F	F	M	F
Maturity	A	A	A	A	A	A	A	A	U	U	U	U	U	A	A	A	A	A
Age (years)	12	13	18	13	10	17	14	9	17	22	25	27	22	18	19	18	24	15
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0005	<0.0002	0.0004	0.0002	0.0003	0.0008	<0.0002	0.0002	0.0008	0.0004	0.0008	0.0005	0.0008	<0.0002	0.0009	0.0004	0.0014	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	0.0001	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00005	<0.00006	<0.00006	<0.00005	<0.00007	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**APPENDIX C, TABLE 7**

Detailed fish flesh chemistry data from the EARMF community program (Wollaston Lake/Hatchet Lake), 2011 to 2022.

Chemical <sup>1</sup>	Wollaston Lake/Hatchet Lake (Welcome Bay, Wollaston Lake)														
	Lake Whitefish														
	2020					2021					2022				
	GN1-1 LW06	GN1-1 LW07	GN1-1 LW08	GN1-1 LW09	GN1-1 LW10	GN1-1 LW01	GN1-1 LW02	GN1-1 LW03	GN1-1 LW04	GN1-1 LW05	GN1-1 LW01	GN1-1 LW02	GN1-1 LW03	GN1-1 LW04	GN1-1 LW05
<b>Metals</b>															
Aluminum	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.02	0.18	0.24	0.05	0.21	0.22	0.18	0.18	0.27	0.18	0.13	0.06	0.19	0.26	0.24
Barium	<0.01	0.03	0.07	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.01	0.03	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	0.003	0.002	0.003	0.003	0.004	0.004	0.004	<0.002	<0.002	0.002	<0.002	0.003	0.005	<0.002
Copper	0.12	0.2	0.17	0.19	0.41	0.16	0.16	0.16	0.16	0.24	0.16	0.12	0.15	0.35	0.17
Iron	1.1	1.8	2.6	2.6	2.8	2.2	1.2	2.4	2.6	2.7	2.6	1.6	2.2	3.1	2.3
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004
Manganese	0.08	0.1	0.14	0.06	0.06	0.08	0.14	0.11	0.14	0.12	0.13	0.18	0.06	0.14	0.09
Mercury	0.22	0.06	0.06	0.06	0.06	0.089	0.092	0.060	0.072	0.063	0.12	0.088	0.11	0.063	0.092
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.24	0.43	0.55	0.32	0.46	0.45	0.39	0.62	0.41	0.46	0.24	0.29	0.44	0.46	0.4
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.07	0.16	0.32	0.1	0.15	0.11	0.08	0.09	0.10	0.10	0.21	0.48	0.14	0.27	0.08
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.05	0.06	0.06	0.07	0.06	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.2	4.7	5	4.5	4.3	5.2	3.0	4.0	3.8	4.2	3.4	3.5	5.4	5.1	4.1
<b>Physical Properties</b>															
Moisture (%)	78.76	74.54	74.78	77.17	76.73	77.77	80.55	78.37	76.14	78.60	79	80.3	79.7	74.6	77.4
Length (cm)	45.0	39.7	40.0	43.0	42.8	40.7	42.6	39.8	39.6	38.8	46.6	47.4	39.6	42.2	41.5
Weight (g)	1240	1020	1060	1160	1300	1040	1100	1060	1060	940	1580	1680	810	1220	1320
Sex	F	M	F	F	F	F	M	M	M	F	M	F	F	M	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	14	15	19	13	18	22	19	18	20	16	15	12	27	17	21
<b>Radionuclides</b>															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	0.0002	0.0004	<0.0002	0.0002	0.0004	<0.0002	<0.0002	0.0004	0.0004	<0.0002	<0.0002	0.0002	0.0004	0.0003
Radium-226 (Bq/g)	<0.00008	<0.00006	<0.00005	<0.00007	<0.00006	<0.00006	<0.00005	<0.00005	<0.00006	<0.00005	<0.00008	<0.00007	<0.00005	<0.00006	<0.00005
Thorium-230 (Bq/g)	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001

<sup>1</sup>All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.  
GN = gill net; LT = lake trout; LW = lake whitefish; M = male; F = female; A = adult, U = Unknown.

**APPENDIX C, TABLE 8**

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Black Lake														
	2011					2012					2013				
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5
<b>Metals</b>															
Aluminum	6	8.6	7.9	8.6	6	13	6	7.1	7.9	7.7	11	7.1	11	8.9	7.8
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	12	15	13	11	15	13	14	17	15	15	11	12	14	14	7
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	6	5	5	3	5	6	8	5	5	7	8	4	7	5	13
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.05	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
Copper	3.3	3.2	2.5	2.6	3.1	2.8	3.8	3.5	3.4	3.8	3.2	1.8	1.8	1.8	1.6
Iron	8.4	11	8.6	11	10	20	10	8.1	8.8	9.8	10	6	8	8	5
Lead	0.07	0.02	0.02	0.07	<0.01	0.03	<0.01	<0.01	0.02	<0.01	0.02	0.02	<0.01	0.02	<0.01
Manganese	160	130	120	180	220	100	100	170	170	120	160	220	200	250	160
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	0.2	0.2	0.1	0.1	0.2	<0.1	<0.1	<0.1	<0.1	0.1	0.1	0.1	0.2	0.1	<0.1
Nickel	0.66	0.68	0.54	0.56	0.38	0.32	0.56	0.58	0.66	0.54	0.58	0.38	0.41	0.37	0.34
Selenium	<0.05	0.08	<0.05	<0.05	0.06	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	2.1	4.4	3.5	2.1	1.2	1.1	1.7	1.7	2	1.8	1.7	1.8	3	2	2
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	<0.05	0.08	0.06	0.1	0.15	0.1	0.05	0.05	0.08	<0.05	0.11	<0.05	0.12	0.07	0.06
Uranium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	4.8	6.1	5	3.9	5.5	3.9	6.1	6	5.3	6.4	5.8	6.2	6.7	7	3.6
<b>Physical Properties</b>															
Moisture (%)	86.24	86.69	85.12	86.04	87.39	86.19	85.89	84.95	84.99	84.86	84.23	83.47	84.32	83.26	84.73
<b>Radionuclides</b>															
Lead-210 (Bq/g)	0.009	0.005	0.007	0.009	0.012	0.002	0.002	<0.001	0.002	<0.001	0.002	<0.001	0.002	<0.001	<0.001
Polonium-210 (Bq/g)	0.001	0.002	0.001	0.002	<0.0009	0.0015	0.002	0.0024	0.0014	0.0012	0.0008	0.0008	0.0005	0.0008	0.0008
Radium-226 (Bq/g)	0.002	0.004	0.004	0.002	0.002	<0.00003	0.0012	<0.00003	0.0028	0.001	0.0025	0.0042	0.0029	0.0028	0.0022
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	0.002	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.002	<0.002

**APPENDIX C, TABLE 8**

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Black Lake													
	2014					2015			2016			2022		
	1	2	3	4	5	1	2	3	1	2	3	1	2	3
<b>Metals</b>														
Aluminum	19	16	12	12	12	45	19	5.7	6.8	13	7.7	53	62	46
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	21	18	24	22	24	14	15	12	16	18	12	8.9	15	13
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	4	4	4	4	4	4	4	6	5	4	3	7	5	5
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.02	0.02	0.01	0.01	0.01	0.03	0.02	<0.01	0.02	0.02	0.01	0.02	0.02	0.02
Copper	3.7	3.6	4	3.6	4	3.5	3.4	3.4	2.7	3.6	2.6	2.4	2.6	2.8
Iron	31	21	18	18	17	51	22	10	11	16	12	37	43	38
Lead	0.03	0.03	0.02	0.02	<0.01	0.02	0.01	<0.01	0.13	0.02	<0.01	0.01	0.02	0.02
Manganese	220	200	89	98	83	300	390	200	150	139	182	520	670	690
Mercury	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005
Molybdenum	<0.1	<0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.3	0.2	0.2	<0.1	<0.1	<0.1
Nickel	0.47	0.55	0.78	0.59	0.72	0.69	0.6	0.28	0.49	0.68	0.46	0.69	0.85	0.81
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	3.7	3.6	11	9.8	9.9	1.5	1.6	0.9	1.5	3	1.2	1.6	2.8	1.9
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	0.69	0.52	0.23	0.22	0.34	3.4	0.98	0.2	0.1	0.29	0.1	2	2.1	1.7
Uranium	<0.01	0.01	0.03	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	8.8	7.1	6.2	5.7	5.7	5.6	5.1	4.8	6.4	6.7	5.8	4.5	6.1	6.2
<b>Physical Properties</b>														
Moisture (%)	85.74	85.93	87.13	86.97	87.28	85.47	85.47	84.86	84.76	85.97	84.71	83.70	82.80	82.40
<b>Radionuclides</b>														
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	0.002	<0.001	0.003	0.001	0.002	<0.001	0.002	0.001	0.001	<0.001	0.001
Polonium-210 (Bq/g)	0.0007	0.0007	0.0011	0.0005	0.0007	0.0017	0.0014	0.0014	0.0008	0.0006	0.0007	0.0004	0.0002	0.0004
Radium-226 (Bq/g)	0.002	0.0008	0.001	0.001	0.002	0.0059	0.0066	0.0022	0.002	0.002	0.001	0.0002	0.0008	0.001
Thorium-230 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	0.0009	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.002	<0.0007	<0.0008



**APPENDIX C, TABLE 8**

Detailed blueberry chemistry results from the EARMF community program, 2011 to 2022.

Chemical <sup>1</sup>	Camsell Portage															
	2012					2013					2014			2022		
	1	2	3	4	5	1	2	3	4	5	1	2	3	1	2	3
<b>Metals</b>																
Aluminum	7.2	7.3	7	7.4	6	6.8	7.7	6.7	7.1	7.2	10	13	8.6	5.2	5.3	5
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	12	24	20	22	20	11	13	12	12	13	22	24	20	13	12	12
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	5	8	8	8	6	4	4	4	4	4	5	6	5	3	5	4
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
Copper	3.5	3	3.4	3.5	2.6	2.2	2.2	2.2	2.2	2.4	3.8	3.8	3.5	2.9	2.8	2.8
Iron	11	8.7	9.7	18	13	8	10	10	13	9	15	17	16	11	13	9
Lead	<0.01	0.04	<0.01	<0.01	<0.01	0.03	0.02	0.03	<0.01	0.02	0.01	0.02	0.01	<0.01	<0.01	<0.01
Manganese	280	490	490	480	580	350	390	360	380	360	430	470	370	488	462	446
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005
Molybdenum	0.1	0.1	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	<0.1	<0.1	<0.1
Nickel	0.44	0.37	0.6	0.79	0.44	0.12	0.17	0.16	0.14	0.14	0.36	0.36	0.39	0.32	0.36	0.3
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	1.4	1.4	1.4	1.6	1.5	0.9	1	1	1	1.1	1.9	1.8	2	1.7	1.8	1.6
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.1
Titanium	0.07	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.06	<0.05	0.15	0.21	0.14	0.11	0.15	0.06
Uranium	0.01	0.08	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	13	6.5	8.9	8	5.9	6	6.7	5.6	8.4	6.2	7.6	7.8	6.9	5.8	5.8	6
<b>Physical Properties</b>																
Moisture (%)	83.98	85.16	84.30	84.62	85.57	84.78	84.99	84.99	84.76	84.82	84.37	84.90	83.77	82.20	82.30	82.20
<b>Radionuclides</b>																
Lead-210 (Bq/g)	0.001	0.004	<0.001	0.001	0.002	<0.004	0.013	0.004	0.008	<0.004	0.002	0.002	0.002	0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0014	0.0017	0.0013	0.001	0.0016	<0.001	0.001	<0.001	<0.001	<0.001	0.0018	0.0013	0.0012	<0.0002	0.0002	0.0002
Radium-226 (Bq/g)	0.0025	0.0028	0.0025	0.0049	0.0045	0.003	0.002	0.002	0.004	0.003	0.003	0.004	0.003	0.0019	0.0018	0.0013
Thorium-230 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.0009	<0.001	<0.0008	<0.0008	<0.0007

**APPENDIX C, TABLE 8**

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Fond du Lac																			
	2011					2012					2013					2014				
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5
<b>Metals</b>																				
Aluminum	4.4	9.5	6.2	7	6.2	14	20	7.3	13	5.9	10	21	13	14	15	29	13	33	12	39
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	12	12	13	13	12	12	9.9	14	11	11	14	14	16	18	15	20	16	22	14	29
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	8	6	7	8	6	14	6	5	8	5	6	4	5	4	6	6	7	6	5	7
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5
Cobalt	0.01	0.02	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.02	<0.01	<0.01	0.02	0.02	0.02	0.01	0.05	0.03	0.05	0.03	0.06
Copper	2.7	3	3.6	3.2	3.9	2.8	3.9	3.3	3.9	2.8	1.8	2.4	2.8	1.8	2.1	5.2	5	5.6	5.2	5.6
Iron	10	8.2	9.7	11	9.3	14	21	12	16	10	10	23	17	17	10	48	23	40	22	44
Lead	<0.01	0.02	<0.01	0.03	0.01	0.03	0.01	<0.01	0.01	<0.01	0.04	0.02	0.02	0.01	0.02	0.02	0.03	0.17	0.14	0.04
Manganese	140	150	140	140	130	280	460	240	370	310	460	410	660	700	460	400	380	400	390	390
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	0.4	0.2	0.4	0.4	0.4	0.2	0.2	<0.1	0.2	<0.1	0.2	0.3	0.3	0.3	0.2	0.5	0.5	0.6	0.4	0.6
Nickel	0.97	0.67	0.75	0.8	0.74	0.48	0.55	0.54	0.6	0.5	0.4	0.7	0.62	0.53	0.48	2.2	0.89	2.3	0.89	2.1
Selenium	<0.05	<0.05	<0.05	0.08	0.07	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	1.3	1.3	1.4	1.6	1.3	2.8	1.8	1.8	2.6	1.6	1.8	2.4	1.8	1.8	2	6.4	2.5	6.3	1.9	5
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.09	<0.05	0.07	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.15	<0.05
Titanium	<0.05	0.08	0.08	0.08	0.1	0.35	0.88	0.07	0.42	0.05	0.21	0.86	0.43	0.4	0.21	1.5	0.46	2	0.33	1.7
Uranium	<0.01	0.02	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	0.01	0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	5.6	6	7.5	7	7.1	4.4	5.1	10	5.4	5.8	6.7	6.2	7.1	8.4	6.4	7.7	7.7	8.6	6.5	8.2
<b>Physical Properties</b>																				
Moisture (%)	87.1	85.5	86.68	84.6	86.31	83.99	83.87	84.56	83.79	84.11	84.33	83.47	84.18	84.47	83.71	84.83	82.79	84.76	82.2	84.79
<b>Radionuclides</b>																				
Lead-210 (Bq/g)	<0.004	0.007	0.01	0.011	0.006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.004	0.002	<0.001	0.009	0.005	<0.001	<0.001	0.001	0.001	<0.001
Polonium-210 (Bq/g)	0.001	0.002	0.001	0.004	0.002	0.0012	0.0009	0.0015	0.0012	0.0014	0.001	0.0066	0.0008	0.002	<0.001	0.001	0.001	0.0008	0.0007	0.0018
Radium-226 (Bq/g)	0.002	0.004	0.003	0.001	0.005	0.0023	0.0018	0.0026	0.0021	0.0026	0.003	0.0033	0.0038	0.006	0.005	0.001	0.004	<0.0005	0.002	0.003
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.001	<0.0004	<0.001	<0.0003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.001	<0.0009	<0.0009	<0.0009

**APPENDIX C, TABLE 8**

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Fond du Lac																		
	2015			2016			2018					2019					2022		
	1	2	3	1	2	3	1	2	3	4	5	1	2	3	4	5	1	2	3
<b>Metals</b>																			
Aluminum	47	18	23	34	15	11	16	10	9.5	8.9	9	7.8	6.8	6	7.8	6	11	8.9	11
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	18	14	18	16	27	19	14	15	15	16	17	15	16	13	8.8	16	18	17	17
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	5	5	6	4	5	4	7	5	6	5	6	6	6	6	3	6	5	5	17
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.03	0.02	0.02	0.03	0.01	<0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	<0.01	0.02	0.02	0.02
Copper	3.9	3.8	3.1	4.6	4.2	3.7	2.8	2.3	2.4	2.3	2.4	2.6	2.4	2.4	3.2	2.3	2.7	2.8	2.8
Iron	54	18	22	30	20	14	11	10	10	10	9.8	9.2	8.9	7.9	11	7.2	27	21	22
Lead	0.04	0.01	0.03	0.03	0.02	0.02	0.03	0.02	0.06	0.03	0.02	0.02	<0.01	<0.01	<0.01	<0.01	0.21	<0.01	0.02
Manganese	290	340	480	336	94	113	227	202	210	197	204	195	172	174	389	223	161	183	153
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005
Molybdenum	0.3	0.3	0.2	0.4	1.4	1.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.4	0.1	0.2	0.2	0.2
Nickel	1.3	0.69	0.77	1.7	1.2	0.96	0.77	0.51	0.55	0.55	0.55	1	0.99	0.94	0.82	0.79	1	1	1
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	4.4	2.6	2.5	3.1	3.8	2.5	1.4	1.2	1.2	1.2	1.2	1.4	1.5	1.4	1.8	1.4	1.7	1.8	1.8
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.2	<0.05
Titanium	3.3	0.76	0.77	1.2	0.49	0.19	0.08	0.14	0.11	0.19	0.08	0.09	0.08	0.06	0.12	0.06	0.26	0.3	0.38
Uranium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	6.6	6.6	7.4	7.9	7.9	6.5	6.1	5.2	5.4	5.6	5.7	5.9	5.7	5.3	5.3	4.8	9.6	10	9.2
<b>Physical Properties</b>																			
Moisture (%)	86.12	86.14	86.17	83.54	82.53	82.76	85.32	84.42	84.34	84.54	84.55	85	84.77	85.04	85.53	85.1	82.5	82.3	82.3
<b>Radionuclides</b>																			
Lead-210 (Bq/g)	0.003	0.004	0.004	0.002	<0.001	<0.001	<0.001	<0.001	0.001	0.001	<0.001	0.003	0.004	0.01	0.004	<0.001	<0.001	<0.001	0.001
Polonium-210 (Bq/g)	0.001	0.0021	0.0032	0.0012	0.0007	0.0005	0.0018	0.0011	0.0011	0.0012	0.0017	0.0008	0.001	0.0008	0.0009	0.0008	<0.0002	<0.0002	0.0002
Radium-226 (Bq/g)	0.0022	0.0031	0.0038	0.003	0.002	0.004	0.0046	0.0034	0.0032	0.0026	0.0052	0.0044	0.0051	0.0041	0.0026	0.0066	0.0081	0.0069	0.0063
Thorium-230 (Bq/g)	0.002	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.002	<0.002	<0.002

**APPENDIX C, TABLE 8**

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Stony Rapids														
	2011					2012					2013				
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5
<b>Metals</b>															
Aluminum	21	8	27	37	10	9.6	8.9	7	11	7.6	300	180	250	240	250
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	15	15	16	8.9	13	14	12	12	10	13	10	9	13	14	13
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	12	5	4	3	4	5	4	11	14	6	4	4	4	5	5
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.01	0.07	0.01	0.02	0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Copper	2.9	3.2	3	2.4	2.9	1.9	2	2.3	2.1	2	2.4	2.8	2.1	2.5	2.4
Iron	16	12	23	32	11	12	12	11	10	9.9	9.9	10	10	11	12
Lead	0.01	<0.01	0.02	0.04	<0.01	0.1	<0.01	0.03	0.03	<0.01	<0.01	0.02	<0.01	<0.01	0.01
Manganese	140	100	130	70	180	290	250	230	240	260	210	200	270	340	300
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	0.1	0.2	<0.1	<0.1	<0.1	0.1	<0.1	0.4	0.3	0.3	0.2	0.1	<0.1	<0.1	0.1
Nickel	0.75	0.68	0.84	0.82	0.74	0.39	0.48	0.47	0.37	0.4	0.38	0.42	0.24	0.3	0.29
Selenium	<0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	2.6	1.7	2.9	2.5	2	1.7	1.5	2.9	2.6	2.4	3.4	3	3.5	4.5	3.8
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	0.26	0.12	1.6	1.4	0.19	0.2	0.23	0.09	0.26	0.11	0.08	0.14	0.07	0.06	0.06
Uranium	<0.01	<0.01	0.02	0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	5.8	6.4	5.1	4.9	5.3	3.3	3.7	4.9	3.4	4	5.9	5.8	5.9	7.6	6.4
<b>Physical Properties</b>															
Moisture (%)	85.84	85.47	84.14	85.08	86.57	85.35	85.14	84.42	85.08	84.82	85.92	85.78	86.59	86.18	86.45
<b>Radionuclides</b>															
Lead-210 (Bq/g)	<0.004	0.005	0.012	0.006	<0.004	<0.01	<0.01	<0.01	<0.01	<0.01	0.007	<0.004	<0.004	<0.004	<0.004
Polonium-210 (Bq/g)	0.002	0.002	0.002	0.003	0.002	0.001	<0.001	0.001	0.001	<0.001	<0.001	<0.001	0.001	<0.001	0.001
Radium-226 (Bq/g)	0.003	0.006	0.001	<0.0009	0.001	0.003	<0.001	0.003	0.003	0.004	0.015	0.014	0.016	0.012	0.015
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002

**APPENDIX C, TABLE 8**

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Stony Rapids														
	2014					2015			2016			2019	2022		
	1	2	3	4	5	1	2	3	1	2	3	1	1	2	3
<b>Metals</b>															
Aluminum	7.8	9.3	10	8.3	8.9	22	18	9.5	13	16	18	6.8	1	1.6	2.1
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	22	21	21	18	21	13	15	15	14	15	15	17	<0.05	<0.05	<0.05
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	4	5	5	5	16	5	5	7	12	5	5	6	<1	<1	<1
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.01	0.02	0.1	<0.01	0.02	<0.01	<0.01	0.01	0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01
Copper	4.5	4.2	4.2	4	4.4	3.6	3.3	3.2	3	3.4	3.4	2.9	0.61	0.98	1.2
Iron	14	15	14	13	15	19	19	13	22	17	18	9.1	<0.5	<0.5	<0.5
Lead	<0.01	0.01	<0.01	0.02	0.01	0.26	0.02	0.02	0.06	0.01	0.03	<0.01	<0.01	<0.01	<0.01
Manganese	130	150	140	270	140	130	150	220	229	337	357	226	0.1	<0.1	<0.1
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005
Molybdenum	0.2	0.2	0.2	0.2	0.2	<0.1	<0.1	0.1	0.1	0.1	0.1	0.2	<0.1	<0.1	<0.1
Nickel	1.1	1.1	1.4	0.54	1	0.68	0.65	0.8	0.68	0.57	0.57	0.58	0.17	0.3	0.35
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	2.5	2.5	2.2	5.3	2.6	1.6	1.7	3.1	3	1.7	1.8	1.6	0.41	0.66	0.84
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.07	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	0.12	0.3	0.17	0.08	0.26	0.7	0.81	0.28	0.29	0.37	0.47	0.07	<0.05	<0.05	0.06
Uranium	0.03	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	5.2	5.2	5.5	6.1	5.3	5.2	5.4	5.6	5.5	6.7	6.6	6.4	<0.5	<0.5	<0.5
<b>Physical Properties</b>															
Moisture (%)	86.37	86.04	86.10	86.52	86.16	86.67	86.62	86.11	85.76	83.59	83.88	84.52	84.00	84.20	84.00
<b>Radionuclides</b>															
Lead-210 (Bq/g)	0.001	0.001	<0.001	<0.001	<0.001	0.003	0.002	0.002	0.002	<0.001	0.002	0.004	0.002	<0.001	0.006
Polonium-210 (Bq/g)	<0.0002	0.0008	0.0007	0.0008	0.0006	0.0012	0.0014	0.0012	0.0011	0.0009	0.001	0.0012	0.0016	<0.0003	<0.0003
Radium-226 (Bq/g)	0.003	0.002	0.002	0.013	0.002	0.004	0.0039	0.0018	0.002	0.002	0.001	0.0016	0.0016	0.0015	0.0022
Thorium-230 (Bq/g)	<0.0009	<0.001	<0.001	<0.001	<0.001	<0.0005	0.0007	<0.0005	<0.0009	<0.0009	<0.001	<0.0007	-	-	-

**APPENDIX C, TABLE 8**

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Wollaston Lake/Hatchet Lake														
	2011					2012					2013				
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5
<b>Metals</b>															
Aluminum	6.1	3.9	8.7	6.2	5.9	14	20	12	26	22	7.4	6.8	6.8	6.7	7.3
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	16	17	15	14	15	10	9.9	7.7	16	16	13	13	11	12	10
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	7	4	7	13	6	5	7	17	7	8	4	5	4	5	5
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.02	0.01	<0.01	0.01	<0.01	<0.01	0.01	<0.01
Copper	2.9	1.7	3	3	2.6	3.4	2.9	2.5	2.6	3.5	1.8	1.7	2.1	1.6	1.6
Iron	6.8	5.4	12	9.5	9	17	17	15	21	20	10	9	10	9	9
Lead	0.04	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.03	0.02	0.02	0.03	<0.01	0.02	<0.01	<0.01
Manganese	270	290	300	290	260	150	160	110	180	190	150	140	150	140	150
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	<0.1	<0.1	<0.1	0.1	0.1	0.3	0.1	0.1	0.2	0.2	0.1	<0.1	0.2	<0.1	<0.1
Nickel	0.66	0.28	0.59	0.5	0.59	0.66	0.44	0.68	0.5	0.68	0.23	0.19	0.24	0.19	0.24
Selenium	<0.05	<0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	3.4	1.2	3.1	3.8	3.6	1.3	1.2	1.1	1.4	2.8	1.8	2.3	1.6	1.8	1.5
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	<0.05	0.07	0.13	0.09	0.09	0.38	1.3	0.4	0.91	0.51	0.1	0.05	0.05	0.11	0.09
Uranium	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	5.7	3	5.5	5.1	4.4	6.6	7.7	4.7	6.7	8	6.4	6	6.2	5.6	5.3
<b>Physical Properties</b>															
Moisture (%)	85.31	84.46	84.79	84.44	85.11	84.44	84.81	84.13	85.40	84.17	85.61	85.47	85.66	85.56	85.51
<b>Radionuclides</b>															
Lead-210 (Bq/g)	0.005	0.009	0.008	0.01	0.004	<0.001	0.001	0.001	<0.001	<0.01	0.008	0.002	<0.002	0.012	<0.004
Polonium-210 (Bq/g)	0.002	0.002	0.004	0.004	0.004	0.0012	0.0012	0.0008	0.0017	<0.001	<0.001	<0.001	<0.001	<0.001	0.002
Radium-226 (Bq/g)	<0.001	0.001	<0.001	0.006	<0.001	0.0024	0.0032	0.0032	0.0057	0.004	0.008	0.005	0.006	0.009	0.004
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.001	<0.0009	<0.001	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002

**APPENDIX C, TABLE 8**

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Wollaston Lake/Hatchet Lake													
	2014					2015			2016			2022		
	1	2	3	4	5	1	2	3	1	2	3	1	2	3
<b>Metals</b>														
Aluminum	11	11	10	12	12	28	13	16	13	10	15	7.9	7	7.5
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	21	19	15	22	18	17	13	14	20	13	22	19	17	16
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	5	5	8	6	5	6	7	6	5	4	6	12	5	6
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.02	0.01	0.2	0.03	0.14	0.03	0.01	0.01	0.01	0.02	0.01	0.01	0.01	<0.01
Copper	4.5	4.4	4.5	4.8	4.5	3.5	3.3	3.6	3.4	3.9	3.2	3.6	3.4	3.3
Iron	17	18	18	17	17	29	15	17	12	14	12	11	9.9	12
Lead	<0.01	0.02	0.02	<0.01	0.02	0.02	0.02	0.03	0.02	0.01	0.05	0.04	<0.01	0.01
Manganese	100	81	90	84	59	160	170	180	88	317	118	69	67	66
Mercury	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005
Molybdenum	0.3	0.4	0.3	0.4	0.4	0.2	0.1	0.1	0.2	0.3	0.2	0.4	0.4	0.4
Nickel	1.1	0.92	1.2	1.3	1.5	1.6	0.82	0.94	0.69	0.59	0.56	0.73	0.72	0.72
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	2.6	3.7	1.5	2.6	5.4	3.1	1.4	1.6	5.4	2.6	4.2	3.4	3.4	3.3
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.07	<0.05	<0.05
Titanium	0.16	0.17	0.14	0.17	0.25	1.1	0.34	0.88	0.1	0.19	0.14	0.14	0.12	0.11
Uranium	<0.01	0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	7.3	8.1	7.3	7.5	7.4	6	6.8	7	5.8	5.3	5.8	5.4	5.5	4.2
<b>Physical Properties</b>														
Moisture (%)	86.34	86.99	86.93	87.01	86.51	88.00	84.22	84.43	85.72	86.66	86.27	84.10	84.00	84.00
<b>Radionuclides</b>														
Lead-210 (Bq/g)	0.001	<0.001	<0.001	<0.001	<0.001	0.004	0.002	<0.001	0.004	0.004	0.003	<0.002	<0.001	<0.001
Polonium-210 (Bq/g)	0.0006	0.001	0.0005	0.0008	0.0007	0.0016	0.001	0.0014	0.0018	0.0011	0.0015	<0.0004	<0.0003	<0.0003
Radium-226 (Bq/g)	0.004	0.002	0.004	0.005	0.004	0.006	0.0046	0.0045	0.002	<0.0005	0.003	0.0028	0.0033	0.0034
Thorium-230 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.0009	<0.0006	<0.0005	<0.0005	<0.0009	<0.001	<0.001	-	-	-

**APPENDIX C, TABLE 8**

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Uranium City												
	2012					2014			2018			2019	
	1	2	3	4	5	1	2	3	1	2	3	1	2
<b>Metals</b>													
Aluminum	5.3	5.6	8.7	4.4	5.4	9.2	7.7	11	4.6	4.2	4.8	7.7	6.3
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	12	11	12	12	9.9	14	14	14	11	11	11	12	11
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	8	8	9	6	7	3	4	3	6	5	5	5	6
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.01	<0.01	0.01	<0.01	0.02	<0.01	<0.01	0.06	0.01	0.01	0.02	0.02	0.02
Copper	3.9	3.4	3.7	3.5	2.9	4.1	4.1	4.1	3.3	3.4	3.3	3.5	3.1
Iron	11	9.7	10	12	8.7	14	14	14	9.4	9.2	9	12	9.7
Lead	0.01	0.01	0.02	0.01	<0.01	<0.01	0.06	0.01	<0.01	0.01	0.07	<0.01	<0.01
Manganese	280	330	280	200	140	430	440	450	530	460	550	680	640
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	0.2	0.2	0.3	0.4	<0.1	0.2	0.2	0.2	0.3	0.4	0.3	0.2	0.3
Nickel	0.54	0.47	0.58	0.44	0.51	0.37	0.41	0.5	0.32	0.3	0.32	0.46	0.34
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	1.3	1.1	1.4	1.3	1.6	1.3	1.3	1.4	1.5	1.5	1.5	1.6	1.6
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	<0.05	<0.05	<0.05	0.05	0.05	0.17	0.13	0.21	<0.05	<0.05	<0.05	0.16	0.08
Uranium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	6.3	5.9	6.2	6.3	4.2	6.7	6.5	6.4	5.1	4.9	4.7	4.9	4.3
<b>Physical Properties</b>													
Moisture (%)	84.40	83.99	84.04	85.06	84.43	89.62	89.29	89.56	81.80	81.73	81.57	84.16	84.46
<b>Radionuclides</b>													
Lead-210 (Bq/g)	0.002	0.004	0.003	0.002	0.02	0.001	0.005	0.002	<0.001	<0.001	<0.001	0.002	0.002
Polonium-210 (Bq/g)	0.0021	0.005	0.0032	0.0015	0.002	0.0031	0.003	0.0028	0.001	0.0009	0.0008	0.0014	0.0016
Radium-226 (Bq/g)	0.0014	0.006	0.0016	0.1	0.001	0.0007	0.003	0.001	<0.0003	<0.0003	<0.0003	0.0005	<0.0002
Thorium-230 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.002	<0.001	<0.001	<0.001	<0.0007	<0.0007	<0.0007	<0.0005	<0.0005

<sup>1</sup>All concentrations are in µg/g dry weight, unless specified otherwise.



**APPENDIX C, TABLE 9**

Detailed bog cranberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Black Lake		Camsell Portage																		
	2019		2011					2014		2015			2016			2018			2022		
	1	2	1	2	3	4	5	1	2	1	2	3	1	2	3	1	2	3	1	2	3
<b>Metals</b>																					
Aluminum	110	33	17	17	19	19	16	17	16	16	19	21	22	21	22	20	25	22	17	18	17
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	11	14	14	13	14	15	9.1	15	15	18	19	19	7.6	8.5	8.6	8.1	9	8.2	8.8	10	8.7
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	8	8	9	8	8	10	9	6	5	10	6	6	6	7	6	9	8	9	7	8	6
Cadmium	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	0.01	0.02	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.02	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.02	0.01
Copper	3.5	3.6	4.5	4.2	4.8	4.9	3.6	4	4.3	4.3	3.8	4.8	3.6	3.6	3.7	3.3	3.5	3.2	4	4	4.1
Iron	68	15	9.7	9.7	10	10	11	15	14	16	12	13	9.3	8.8	9	9	9.6	8.7	11	11	11
Lead	0.04	0.03	<0.01	<0.01	<0.01	0.01	0.02	0.02	<0.01	0.03	<0.01	<0.01	<0.01	0.02	0.01	0.04	0.01	0.01	<0.01	<0.01	<0.01
Manganese	192	148	110	120	100	100	80	170	170	140	200	220	171	124	155	116	126	127	69	81	66
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005
Molybdenum	0.5	<0.1	0.1	0.1	0.2	0.2	<0.1	<0.1	<0.1	0.2	0.1	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Nickel	0.47	0.36	0.46	0.46	0.49	0.65	0.37	0.54	0.52	0.36	0.36	0.41	0.23	0.32	0.27	0.36	0.34	0.31	0.41	0.47	0.42
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	1.5	2.7	2.3	2	2.1	2.5	1.8	2.3	2.3	3.1	3.8	4.5	1	1.2	1.1	1.5	1.7	1.5	1.7	2	1.8
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.9	<0.05	1.3	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.1	<0.05
Titanium	4.4	0.49	0.06	0.06	<0.05	0.08	0.17	0.08	0.08	0.1	0.11	0.12	0.07	0.22	<0.05	0.07	0.11	0.08	0.08	0.13	0.1
Uranium	<0.01	<0.01	0.01	<0.01	0.01	<0.01	0.02	<0.01	0.01	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01
Vanadium	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	6.7	5.8	6.6	6.4	6.5	6.7	5.3	6.2	6.2	7.8	7.8	8	7.2	7	6.9	6.5	7.2	6.5	7.5	7.5	8.4
<b>Physical Properties</b>																					
Moisture (%)	87.22	84.62	87.53	87.36	87.13	86.87	86.78	86.06	86.2	87.73	87.24	87.37	85.66	85.54	85.58	84.77	84.84	84.79	83.90	83.10	84.10
<b>Radionuclides</b>																					
Lead-210 (Bq/g)	0.007	0.004	0.007	0.006	0.02	0.013	0.018	0.001	<0.001	0.002	0.002	0.002	0.002	0.004	0.003	0.001	0.001	0.002	0.001	0.002	0.002
Polonium-210 (Bq/g)	0.002	0.0039	0.003	0.002	0.001	0.002	0.003	0.0011	0.0011	0.0015	0.0014	0.0015	0.0009	0.0011	0.001	0.0024	0.0021	0.0019	<0.0002	0.0007	0.0005
Radium-226 (Bq/g)	0.0078	0.0046	0.004	0.002	0.006	0.004	0.002	0.0008	<0.0005	0.0016	0.0017	0.0007	0.002	0.002	0.002	0.0014	0.0016	0.0009	0.001	0.0024	0.0009
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.001	<0.0006	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0007	<0.0007	<0.0007	<0.0007	<0.0008	<0.0006

**APPENDIX C, TABLE 9**

Detailed bog cranberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Fond du Lac					Stony Rapids								Wollaston Lake					
	2018			2022		2018			2019				2018		2019				
	1	2	3	1	2	1	2	3	1	2	3	4	1	2	1	2	3	4	
<b>Metals</b>																			
Aluminum	25	25	25	43	58	87	90	97	110	51	49	56	84	28	35	36	32	33	
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
Barium	9.7	10	9.7	11	15	16	16	16	10	10	8.7	12	16	10	12	11	12	11	
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Boron	10	11	5	6	5	16	14	9	7	5	6	7	8	9	6	5	6	6	
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	0.04	0.03	<0.01	<0.01	<0.01	<0.01	0.06	0.03	0.02	0.02	0.04	0.03	
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
Cobalt	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.02	0.01	0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	
Copper	2.9	2.9	2.9	2.8	3.2	3	3.2	3.2	3.2	2.9	2.9	2.8	3.9	2.8	3.8	3.1	4	3.9	
Iron	12	13	13	25	35	45	45	47	67	29	31	32	44	10	14	15	14	16	
Lead	<0.01	0.01	0.03	0.08	0.1	0.09	0.13	0.13	0.04	0.03	0.02	0.02	0.06	0.02	<0.01	0.02	0.04	0.01	
Manganese	157	164	157	85	100	133	129	127	164	192	163	174	139	114	83	138	132	101	
Mercury	-	-	-	<0.005	<0.005	-	-	-	-	-	-	-	-	-	-	-	-	-	
Molybdenum	0.1	<0.1	<0.1	0.3	0.3	<0.1	<0.1	0.1	0.4	0.1	0.2	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
Nickel	0.23	0.22	0.23	0.56	0.59	0.46	0.48	0.65	0.49	0.38	0.28	0.31	0.68	0.32	0.7	0.4	0.72	0.9	
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Strontium	1.8	1.8	1.9	2.6	3.2	3.9	3.7	3.2	1.6	2	1.2	1.4	2.6	2.1	2.4	1.9	2	2.4	
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
Tin	<0.05	<0.05	<0.05	<0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.06	<0.05	
Titanium	0.38	0.36	0.37	1.5	2.4	2.2	2.4	2.9	4.1	1.5	1.7	1.9	2.6	0.41	0.52	0.71	0.55	0.56	
Uranium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
Zinc	6.7	6.9	7.2	5.8	7	7.2	7	6.8	6.6	7.4	6.3	6.1	11	5.9	6	5.1	6.4	5.8	
<b>Physical Properties</b>																			
Moisture (%)	84.40	84.42	84.37	85.50	85.20	86.12	86.09	85.23	85.39	86.37	85.83	86.01	85.36	84.56	84.84	85.00	84.51	85.14	
<b>Radionuclides</b>																			
Lead-210 (Bq/g)	0.001	0.001	0.001	<0.002	0.003	<0.001	0.004	0.005	0.004	0.003	0.003	0.004	0.004	0.003	0.003	0.004	0.002	0.002	
Polonium-210 (Bq/g)	0.0015	0.0008	0.0013	0.0007	0.001	0.0015	0.0035	0.0049	0.0022	0.0018	0.0028	0.0028	0.0034	0.0023	0.002	0.0039	0.0012	0.0022	
Radium-226 (Bq/g)	0.0013	0.0009	0.001	0.0045	0.0054	0.0019	0.0017	0.0014	0.01	0.0031	0.0064	0.0067	0.0021	0.0031	0.0013	0.0014	0.0017	0.0026	
Thorium-230 (Bq/g)	<0.0007	<0.0007	<0.0007	-	-	<0.0007	<0.0007	<0.0007	<0.0005	<0.0007	<0.0005	<0.0005	<0.0007	<0.0007	<0.0005	<0.0005	<0.0005	<0.0007	

**APPENDIX C, TABLE 9**

Detailed bog cranberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical <sup>1</sup>	Uranium City																
	2011					2013					2014		2015	2016			2019
	1	2	3	4	5	1	2	3	4	5	1	2	1	1	2	3	1
<b>Metals</b>																	
Aluminum	20	29	15	19	27	21	56	50	45	28	22	23	20	18	25	17	9.9
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	13	9.1	11	9.4	13	10	12	14	12	10	13	12	15	11	10	10	11
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	10	9	8	14	10	18	16	15	7	5	6	6	9	6	4	7	6
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.02	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.02	0.14	0.02	0.02	0.02	0.01	0.02	0.02	0.02	0.02	0.05	0.04	<0.01	0.02	0.03	0.02	<0.01
Copper	5.9	3.6	2.6	2.6	3.2	2.6	2.1	2.3	2.4	3.2	5.6	6.4	3.4	4.2	5.4	4.2	2.7
Iron	16	20	9.5	13	14	13	12	26	26	14	12	14	12	11	14	10	7.3
Lead	0.01	0.01	0.01	0.01	0.02	0.02	0.2	0.03	0.02	0.03	0.04	0.03	0.02	0.11	0.04	0.01	<0.01
Manganese	150	110	300	210	220	210	150	100	81	100	160	160	90	158	103	120	200
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.7	0.1	0.7	<0.1
Nickel	1.1	0.8	0.28	0.5	0.42	0.2	0.28	0.42	0.46	0.36	0.59	0.59	0.74	0.34	0.72	0.38	0.21
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	3.4	2.5	2.5	2.4	1.8	2.1	2.2	2.2	2.1	1.5	1.6	1.5	3.7	1.9	1.3	2	2.1
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	0.07	0.47	0.06	0.18	0.14	0.11	0.56	0.6	0.7	0.33	0.16	0.11	0.19	0.1	0.14	<0.05	0.06
Uranium	0.01	0.02	<0.01	0.01	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	8.9	7.3	5.7	5.2	6.8	7.2	8.9	7.4	7	7	6.2	7.1	5.3	6.7	7.6	6.6	4.5
<b>Physical Properties</b>																	
Moisture (%)	88.39	87.69	87.22	86.90	87.44	84.89	85.40	85.63	85.57	85.84	86.38	86.63	85.92	85.20	86.48	84.88	84.02
<b>Radionuclides</b>																	
Lead-210 (Bq/g)	0.005	0.005	0.016	0.01	0.016	0.016	0.009	<0.004	<0.004	<0.004	0.005	0.002	0.003	0.005	0.002	0.003	0.004
Polonium-210 (Bq/g)	0.003	0.003	0.013	0.002	0.005	0.002	0.001	0.001	<0.001	0.001	0.0039	0.0036	0.0027	0.0024	0.0015	0.0013	0.0012
Radium-226 (Bq/g)	0.002	0.007	<0.0009	<0.0009	<0.0009	<0.001	0.002	0.003	0.002	0.003	0.003	0.002	0.0034	0.0008	0.0008	0.0009	0.0013
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.001	<0.0005	<0.001	<0.001	<0.001	<0.0007

<sup>1</sup>All concentrations are in µg/g dry weight, unless specified otherwise.

APPENDIX C, TABLE 10

Detailed barren-ground caribou flesh chemistry results from the EARMP community program, 2012 to 2020.

Chemical <sup>1</sup>	Black Lake																					
	2012					2013					2014					2015					2017	
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	1	2
<b>Metals</b>																						
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.04	<0.02	<0.02	<0.02	<0.02	0.06	0.04	0.38	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.02	0.01	0.02	0.02	0.02	0.04	0.02	0.03	0.02	0.02	0.01	0.01	0.01	<0.01	<0.01	0.02	0.03	0.02	0.04	0.02	0.03	0.02
Barium	0.2	0.03	0.04	0.03	0.25	0.04	0.02	0.02	0.01	<0.01	0.02	0.05	0.11	0.33	0.02	0.04	0.03	0.02	0.03	0.02	0.21	0.17
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	0.7	0.2	0.6	<0.2	0.9	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.002	0.004	0.002	<0.002	<0.002	0.004	0.003	0.002	0.006	0.005	0.002	<0.002	0.003	0.005	0.004	0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.005
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1
Cobalt	0.005	0.004	0.003	0.003	0.003	0.008	0.005	0.004	0.004	0.005	<0.002	0.002	0.002	<0.002	0.002	0.009	0.006	0.009	0.008	0.016	0.004	0.006
Copper	4.3	2.6	3	3	3.3	3.3	4.2	3.4	3	3.1	4.6	3.3	3.2	2.4	4.6	4.9	3.5	4.6	4.8	2.5	2.5	2.6
Iron	43	29	40	38	45	33	49	44	50	43	49	38	58	37	52	46	32	53	48	37	35	33
Lead	0.013	<0.002	0.008	<0.002	0.005	0.003	0.31	0.003	0.48	0.013	<0.002	0.008	0.56	0.028	0.004	0.015	0.009	0.007	0.005	0.006	0.043	0.006
Manganese	0.45	0.29	0.35	0.38	0.42	0.28	0.53	0.34	0.3	0.26	0.48	0.56	0.48	0.34	0.42	0.49	0.34	0.54	0.48	0.3	0.24	0.32
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.01	<0.01	<0.01	0.02	0.02	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	0.04	0.04	0.01	<0.01
Selenium	0.15	0.2	0.21	0.19	0.2	0.15	0.27	0.18	0.2	0.18	0.24	0.15	0.21	0.17	0.21	0.22	0.18	0.24	0.22	0.18	0.17	0.18
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.03	0.03	0.02	0.02	0.03	0.05	0.04	0.03	0.03	0.03	0.03	0.06	0.12	0.27	0.05	0.04	0.03	0.02	0.02	0.03	0.07	0.04
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	-	-	-	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.08	0.07	0.07	0.08	0.09	0.11	0.08	0.08	0.08	0.06	0.1	0.07	0.1	0.09	0.07	0.07	0.07	0.07	0.06	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	17	31	21	16	29	26	29	33	30	32	19	21	23	30	20	14	23	15	15	46	35	46
<b>Physical Properties</b>																						
Moisture (%)	74.06	74.11	74.21	73.58	72.53	76.52	73.84	75.07	75.50	74.1	70.87	67.93	65.21	69.85	71.08	73.58	73.63	72.12	72.03	73.79	75.45	72.45
<b>Radionuclides</b>																						
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.011	0.0095	0.0083	0.01	0.011	0.0007	0.0052	0.0065	0.0085	0.0094	0.023	0.014	0.013	0.015	0.012	0.019	0.014	0.015	0.016	0.013	0.0081	0.0063
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	0.008	<0.005	<0.005	<0.005	<0.005	<0.00006	0.0003	<0.00006	0.0003	0.0001	0.0002	0.0002	<0.00008	0.0001	<0.00006	<0.00007	<0.00005
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001

**APPENDIX C, TABLE 10**

Detailed barren-ground caribou flesh chemistry results from the EARMP community program, 2012 to 2020.

Chemical <sup>1</sup>	Camsell Portage		Fond du Lac																				
	2013		2012					2013						2014					2015			2017	
	1	2	1	2	3	4	5	1	2	3	4	5	6	1	2	3	4	5	1	2	3	1	2
<b>Metals</b>																							
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	0.6	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.02	0.01	0.01	0.02	0.02	0.02	0.01	<0.01	<0.01	0.03	<0.01	<0.01	0.01	<0.01	0.01	0.03	<0.01
Barium	0.02	<0.01	0.08	0.02	0.03	0.04	0.02	0.05	0.14	0.11	0.08	0.12	0.32	0.01	<0.01	0.02	0.02	0.04	<0.01	<0.01	0.18	0.04	0.17
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	0.4	0.5	0.3	0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.004	0.003	0.004	0.002	0.003	0.002	<0.002	0.004	0.002	0.005	<0.002	0.003	0.14	0.004	0.004	<0.002	0.003	0.002	0.004	0.004	0.008	0.004	0.004
Chromium	<0.1	<0.1	0.3	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.002	<0.002	0.004	0.006	0.006	0.003	0.003	0.003	<0.002	0.003	0.002	0.006	0.013	0.005	0.004	0.005	0.004	<0.002	0.004	0.004	0.006	0.005	0.003
Copper	3.7	3.7	3.9	2.3	2.2	4.1	3.1	1.8	2.6	3.2	3.3	3.9	4.3	4.2	4.3	2.6	4	4.2	3.5	2.6	1.9	2.4	3.4
Iron	50	46	48	31	29	48	32	30	36	43	50	39	45	46	47	27	48	49	47	36	36	34	61
Lead	<0.002	<0.002	0.008	<0.002	<0.002	<0.002	<0.002	0.006	0.006	0.008	<0.002	0.014	0.004	0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	0.004	0.004	0.005
Manganese	0.35	0.26	0.39	0.26	0.25	0.43	0.32	0.24	0.26	0.33	0.37	0.53	0.8	0.38	0.35	0.32	0.39	0.44	0.41	0.33	0.29	0.21	0.31
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	0.08	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
Selenium	0.23	0.22	0.15	0.15	0.15	0.18	0.15	0.12	0.13	0.16	0.2	0.14	0.34	0.19	0.17	0.17	0.18	0.22	0.19	0.17	0.16	0.15	0.2
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.04	0.04	0.07	0.05	0.06	0.05	0.03	0.06	0.07	0.07	0.05	0.08	0.14	0.04	0.04	0.03	0.05	0.05	0.03	0.04	0.07	0.04	0.09
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01						0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.07	0.08	0.08	0.07	0.08	0.09	0.08	0.05	0.09	0.08	0.08	0.08	0.06	0.13	0.12	0.05	0.13	0.07	0.07	0.08	<0.01	0.02
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	26	25	22	56	59	16	49	40	15	23	12	16	18	28	22	30	26	24	22	28	59	39	14
<b>Physical Properties</b>																							
Moisture (%)	72.15	72.11	71.24	76.19	74.05	73.91	73.77	71.94	71.95	72.90	73.46	71.99	68.45	62.73	71.46	75.61	72.28	70.81	73.17	73.00	71.99	76.17	73.17
<b>Radionuclides</b>																							
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	0.002	0.002	<0.001	<0.001	0.008	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.017	0.015	0.0042	0.0084	0.0098	0.0096	0.0021	0.015	0.015	0.015	0.016	0.016	0.021	0.012	0.012	0.011	0.01	0.014	0.0071	0.008	0.0075	0.0071	0.012
Radium-226 (Bq/g)	<0.00008	<0.0001	<0.00005	0.0002	0.0001	<0.00004	0.00008	<0.00006	<0.00006	<0.00006	<0.00007	<0.00007	0.00009	<0.00006	<0.00006	<0.00006	0.00007	0.00008	<0.00006	0.00008	<0.00006	<0.00008	<0.00009
Thorium-230 (Bq/g)	<0.0002	<0.0002	<0.0001	0.0003	<0.0002	<0.00008	<0.0001	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002

**APPENDIX C, TABLE 10**

Detailed barren-ground caribou flesh chemistry results from the EARMP community program, 2012 to 2020.

Chemical <sup>1</sup>	Stony Rapids															Uranium City		
	2013					2014			2015					2019				
	1	2	3	4	5	1	2	3	1	2	3	4	5	1	2	3		
<b>Metals</b>																		
Aluminum	<0.5	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5		
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02		
Arsenic	0.01	0.01	0.01	0.02	0.01	0.03	0.02	0.01	0.02	0.02	0.03	0.02	0.01	<0.01	<0.01	0.01		
Barium	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.04	0.12	0.03	0.01	0.02	0.02	0.01	0.05	0.1	0.03		
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002		
Boron	<0.2	0.8	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2		
Cadmium	0.003	0.004	0.002	0.003	0.002	<0.002	0.002	0.008	0.007	<0.002	<0.002	0.006	0.003	0.003	0.008	0.003		
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.2	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	0.1	<0.1		
Cobalt	0.006	0.003	0.004	0.004	0.003	0.004	0.002	0.003	0.005	0.004	0.002	0.005	0.004	0.004	0.004	0.005		
Copper	4	4.6	4.7	3.3	4.1	2.4	3.4	1.8	2.4	4.3	3.6	3.8	3.5	1.7	1.3	2.4		
Iron	52	55	46	51	55	38	38	40	34	43	46	47	50	37	32	36		
Lead	0.002	0.065	0.009	0.003	0.004	0.005	0.052	0.032	0.004	0.002	<0.002	0.009	<0.002	<0.002	0.004	<0.002		
Manganese	0.46	0.55	0.42	0.44	0.44	0.3	0.28	0.36	0.21	0.47	0.41	0.42	0.51	0.21	0.17	0.32		
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02		
Nickel	<0.01	<0.01	0.01	<0.01	<0.01	0.18	<0.01	0.06	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
Selenium	0.21	0.26	0.21	0.21	0.21	0.16	0.14	0.11	0.17	0.18	0.22	0.2	0.19	0.13	0.11	0.16		
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002		
Strontium	0.02	0.03	0.02	<0.02	<0.02	0.05	0.04	0.17	0.03	0.02	0.03	0.04	0.03	0.04	0.06	0.04		
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		
Titanium	0.03	0.12	0.2	0.09	0.11	0.13	0.04	0.08	0.07	0.07	0.06	0.08	0.07	<0.01	<0.01	0.01		
Uranium	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001		
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02		
Zinc	22	13	16	29	15	40	17	48	41	15	15	18	20	53	29	59		
<b>Physical Properties</b>																		
Moisture (%)	70.86	70.20	70.00	70.40	71.00	74.41	74.78	67.52	73.27	73.71	72.62	72.05	71.78	75.66	66.73	75.99		
<b>Radionuclides</b>																		
Lead-210 (Bq/g)	<0.001	0.001	<0.002	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001		
Polonium-210 (Bq/g)	0.026	0.001	<0.001	0.012	0.025	0.0083	0.01	0.0059	0.013	0.017	0.025	0.033	0.02	0.0055	0.0059	0.0048		
Radium-226 (Bq/g)	0.002	<0.001	<0.001	0.002	0.001	<0.00006	<0.00006	<0.00005	<0.00007	0.0001	0.00008	<0.00007	0.0001	<0.0002	<0.0002	<0.0002		
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0002	<0.0005	<0.0005	<0.0005		

**APPENDIX C, TABLE 10**

Detailed barren-ground caribou flesh chemistry results from the EARMP community program, 2012 to 2020.

Chemical <sup>1</sup>	Wollaston Lake/Hatchet Lake																		
	2012					2013					2014					2015			
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	1	2	3	4
<b>Metals</b>																			
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.03	<0.02	<0.02
Arsenic	<0.01	<0.01	0.01	0.02	0.02	0.02	0.02	0.01	0.01	<0.01	0.02	<0.01	0.01	0.02	<0.01	<0.01	0.01	0.02	<0.01
Barium	0.04	0.09	0.03	0.04	0.09	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	0.4	<0.2	0.4	0.3	0.4	0.3	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.005	0.008	0.002	0.004	0.002	0.008	0.003	<0.002	0.004	0.003	0.002	0.002	<0.002	<0.002	0.003	0.003	0.003	0.005	0.027
Chromium	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.003	0.007	0.005	0.004	0.008	0.006	0.006	0.004	0.006	0.003	0.006	<0.002	0.003	0.004	0.017	0.006	0.003	0.008
Copper	3.1	3.2	2.5	3.9	3.1	4.4	2.3	2.4	3.6	3.5	3.6	3.3	2.3	3.8	3.5	3.1	3	2.8	3.9
Iron	37	35	26	45	29	63	36	43	52	43	42	43	23	44	45	42	36	27	52
Lead	0.013	0.002	<0.002	0.046	0.051	0.006	0.003	0.013	0.014	<0.002	<0.002	<0.002	0.003	0.005	<0.002	<0.002	1.1	<0.002	<0.002
Manganese	0.35	0.29	0.25	0.53	0.33	0.46	0.27	0.29	0.5	0.44	0.31	0.37	0.21	0.37	0.41	0.39	0.29	0.29	0.4
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.15	0.17	0.17	0.19	0.13	0.18	0.13	0.12	0.19	0.17	0.21	0.13	0.16	0.2	0.18	0.14	0.16	0.16	0.19
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.04	0.03	0.03	0.02	0.03	0.05	0.03	0.03	0.02	<0.02	0.02	0.04	0.05	0.03	0.04	0.02	0.03	0.02	0.03
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	-	-	-	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.07	0.07	0.07	0.07	0.11	0.09	0.11	0.08	0.09	0.03	0.06	0.06	0.07	0.11	0.06	0.06	0.06	0.06
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	33	30	30	20	29	16	52	42	20	16	16	20	18	13	23	33	29	23	19
<b>Physical Properties</b>																			
Moisture (%)	74.50	73.60	75.20	74.14	75.20	72.82	78.45	77.45	73.98	72.58	75.58	74.52	75.00	74.43	73.43	76.77	73.74	74.44	68.86
<b>Radionuclides</b>																			
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.016	0.013	0.011	0.015	0.011	0.011	0.012	0.0095	0.019	0.014	0.0082	0.0083	0.012	0.016	0.01	0.0079	0.0072	0.0047	0.0053
Radium-226 (Bq/g)	<0.00006	<0.00007	<0.00006	<0.00006	<0.00005	<0.00008	<0.00006	<0.00006	0.0001	<0.00007	<0.00008	<0.00009	0.0002	<0.00006	0.00007	<0.00006	<0.00005	<0.00006	0.0001
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

**APPENDIX C, TABLE 10**

Detailed barren-ground caribou flesh chemistry results from the EARMP community program, 2012 to 2020.

Chemical <sup>1</sup>	Wollaston Lake/Hatchet Lake					
	2017		2020			
	1	2	1	2	3	4
<b>Metals</b>						
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	0.6
Antimony	0.02	<0.02	<0.02	<0.02	<0.02	25
Arsenic	0.03	0.03	0.02	0.01	<0.01	0.34
Barium	0.04	0.05	0.09	0.05	0.11	0.16
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.004	0.004	0.003	0.005	0.004	0.005
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.004	<0.002	0.005	0.006	0.005
Copper	3	3.6	1.7	3.3	1.8	3
Iron	45	38	24	46	33	64
Lead	0.52	0.014	0.15	0.003	2.1	910
Manganese	0.33	0.39	0.24	0.42	0.21	0.37
Mercury	-	-	0.008	0.012	0.006	0.006
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.2	0.22	0.12	0.26	0.13	0.17
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	0.048
Strontium	0.04	<0.02	0.07	0.03	0.06	0.05
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	0.36
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.01	<0.01	0.04	0.03	0.03	0.04
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	43	38	56	42	64	45
<b>Physical Properties</b>						
Moisture (%)	74.15	74.87	76.29	71.75	74.47	73.57
<b>Radionuclides</b>						
Lead-210 (Bq/g)	<0.001	<0.001	0.002	<0.001	<0.001	0.002
Polonium-210 (Bq/g)	0.0075	0.0082	0.0084	0.0093	0.0094	0.012
Radium-226 (Bq/g)	<0.00007	<0.00007	<0.00007	<0.00007	<0.0001	<0.00007
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001

<sup>1</sup>All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.

- = data not available.



**APPENDIX C, TABLE 11**

Detailed moose flesh chemistry results from the EARMP community program, 2011 to 2020.

Chemical <sup>1</sup>	Camsell Portage										Fond du Lac	Stony Rapids				
	2011				2013		2014		2015		2016	2016	2018	2020		
	1	2	3	4	1	2	1	2	1	2	1	1	1	1	2	3
<b>Metals</b>																
Aluminum	1.5	3	<0.5	3.8	<0.5	<0.5	0.6	4.4	5.1	0.5	0.6	0.5	<0.5	0.6	1	0.6
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	0.01	<0.01
Barium	0.04	0.15	0.03	0.02	0.05	0.02	0.07	0.04	0.05	0.02	0.05	0.06	0.02	0.04	0.04	0.03
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	0.3	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.3	0.3	0.3	<0.2
Cadmium	<0.002	0.006	0.002	<0.002	0.002	0.003	0.003	0.05	0.005	0.004	0.002	0.002	<0.002	0.011	0.012	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.014	0.011	0.022	0.01	0.012	0.015	0.02	0.016	0.015	0.006	0.011	0.019	0.012	0.03	0.014	0.01
Copper	2	1.2	1.8	1.6	1.5	1.8	0.56	1.4	0.93	1.4	1.5	1.7	0.82	0.99	1.4	0.73
Iron	21	25	25	29	29	34	22	32	29	29	38	29	12	45	46	20
Lead	0.018	0.019	<0.002	0.002	0.004	<0.002	0.029	0.011	0.004	<0.002	0.01	0.01	<0.002	0.027	0.009	0.009
Manganese	0.2	0.18	0.21	0.13	0.13	0.16	0.38	0.27	0.2	0.18	0.22	0.24	0.15	0.26	0.3	0.18
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	0.002	0.003	0.003
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01
Selenium	0.2	0.06	0.1	0.12	0.06	0.06	0.08	0.08	0.17	0.13	0.1	0.09	0.16	0.15	0.17	0.13
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002
Strontium	0.1	0.06	0.03	0.02	0.06	0.04	0.06	0.09	0.06	0.02	0.06	0.03	0.03	0.16	0.15	0.08
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.09	0.25	0.09	0.08	0.07	0.07	0.1	0.22	0.14	<0.01	0.05	0.06	0.02	0.06	0.07	0.07
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	24	38	47	45	59	45	63	58	61	48	53	49	32	50	62	50
<b>Physical Properties</b>																
Moisture (%)	75.01	73.92	75.02	75.12	73.27	72.65	73.14	70.99	73.20	74.63	75.66	73.90	74.12	70.99	67.02	73.25
<b>Radionuclides</b>																
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.0003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0019	0.0004	0.0003	-	0.0004	0.0002	0.0004	<0.0002	0.0011	0.0005	0.0003	0.0006	0.0006	0.001	0.0008	0.001
Radium-226 (Bq/g)	<0.00008	<0.00007	0.0002	<0.00006	0.00006	0.00007	<0.00006	<0.00006	0.00005	0.00008	<0.00005	<0.00007	<0.00007	<0.00005	0.0001	<0.00006
Thorium-230 (Bq/g)	<0.0002	<0.0001	<0.0001	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.00009	<0.0001	<0.0001	<0.0001	<0.0001	<0.0004	-	<0.0002

**APPENDIX C, TABLE 11**

Detailed moose flesh chemistry results from the EARMP community program, 2011 to 2020.

Chemical <sup>1</sup>	Uranium City																
	2011				2012			2013			2014	2015	2016	2018		2020	
	Mackintosh Bay	Deadman Channel	Melville Lake	Orbit Bay	Ace Creek	Gunnar	Milliken Lake	1	2	3	1	1	1	1	2	1	2
<b>Metals</b>																	
Aluminum	2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	0.6	<0.5	0.5	<0.5	<0.5	<0.5	0.9
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Barium	0.03	0.02	<0.01	0.02	0.04	0.22	0.08	0.02	0.09	0.02	<0.01	0.04	0.1	0.03	0.04	0.02	0.1
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.003	<0.002	0.002	0.004	0.011	0.006	0.003	0.004	0.005	0.003	0.056	0.018	0.011	0.004	0.004	0.011	0.01
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.013	0.014	0.003	0.017	0.016	0.01	0.012	0.01	0.011	0.008	0.009	0.044	0.009	0.01	0.011	0.027	0.005
Copper	1.3	1.8	3.8	1.7	1.2	1.4	1.3	1.6	2	1.5	1.9	1.5	1.8	1.4	0.95	1.6	1.2
Iron	30	25	42	42	35	34	26	34	37	26	36	33	25	37	22	35	35
Lead	<0.002	<0.002	<0.002	<0.002	0.005	0.004	0.003	0.003	0.025	0.003	0.003	0.002	0.01	<0.002	0.006	<0.002	0.006
Manganese	0.16	0.16	0.33	0.14	0.17	0.18	0.15	0.14	0.24	0.14	0.22	0.23	0.16	0.19	0.2	0.19	0.16
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.003	0.002
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.01	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01
Selenium	0.11	0.16	0.18	0.09	0.1	0.11	0.1	0.09	0.12	0.08	0.14	0.08	0.13	0.14	0.13	0.13	0.09
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	<0.02	<0.02	0.04	0.03	0.08	0.05	0.05	0.02	0.03	0.03	0.04	0.03	0.06	0.04	0.02	0.02	0.06
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.14	0.08	0.1	0.13	0.08	0.08	0.06	0.06	0.06	0.06	0.09	0.01	0.11	0.02	0.03	0.04	0.11
Uranium	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	50	49	31	49	75	56	55	44	48	56	52	52	35	48	42	59	42
<b>Physical Properties</b>																	
Moisture (%)	74.42	72.36	72.74	73.84	69.87	74.09	74.28	74.01	71.23	74.71	75.54	76.93	76.46	75.89	76.73	74.72	78.09
<b>Radionuclides</b>																	
Lead-210 (Bq/g)	0.002	<0.001	<0.001	<0.001	<0.00002	<0.00001	<0.00002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	0.0005	0.0023	0.0003	0.0002	0.0004	<0.0002	0.0004	0.0005	0.0003	0.0016	0.001	0.0008	0.0004	0.0002	0.0003	0.0005
Radium-226 (Bq/g)	<0.00006	<0.0001	<0.00006	<0.00007	<0.00009	<0.00006	<0.00008	0.00008	0.0001	<0.00005	<0.00005	0.00006	<0.00009	<0.00006	<0.00007	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0002	<0.0001	<0.0001	<0.0002	0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0005	<0.0001	<0.0001

**APPENDIX C, TABLE 11**

Detailed moose flesh chemistry results from the EARMP community program, 2011 to 2020.

Chemical <sup>1</sup>	Wollaston Lake/Hatchet Lake	
	2020	
	1	2
<b>Metals</b>		
Aluminum	<0.5	<0.5
Antimony	<0.02	<0.02
Arsenic	<0.01	0.01
Barium	0.07	0.07
Beryllium	<0.002	<0.002
Boron	<0.2	<0.2
Cadmium	0.006	0.004
Chromium	0.2	0.2
Cobalt	0.006	<0.002
Copper	1.9	2
Iron	40	35
Lead	0.29	0.02
Manganese	0.2	0.26
Mercury	0.034	0.016
Molybdenum	<0.02	<0.02
Nickel	<0.01	<0.01
Selenium	0.18	0.15
Silver	<0.002	<0.002
Strontium	0.05	0.05
Thallium	<0.01	<0.01
Tin	<0.01	<0.01
Titanium	0.05	0.04
Uranium	<0.001	<0.001
Vanadium	<0.02	<0.02
Zinc	50	49
<b>Physical Properties</b>		
Moisture (%)	74.93	73.61
<b>Radionuclides</b>		
Lead-210 (Bq/g)	<0.001	0.002
Polonium-210 (Bq/g)	0.003	0.0034
Radium-226 (Bq/g)	<0.0001	<0.0001
Thorium-230 (Bq/g)	<0.0002	<0.0002

<sup>1</sup>All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.

- = data not available.

**APPENDIX C, TABLE 12**

Detailed barren-ground caribou and moose organ chemistry results from the EARMP community program, 2014 to 2020.

Chemical <sup>1</sup>	Black Lake			Camsell Portage						Fond du Lac							
	Barren-ground Caribou			Moose						Barren-ground Caribou							
	Kidney		Heart	Liver			Kidney			Kidney			Heart	Liver			
	2016	2018	2018	2014		2015	2014		2015		2014		2015		2018	2018	
1	1	1	1	2	1	1	2	1	2	1	2	3	1	2	1	1	
<b>Metals</b>																	
Aluminum	<0.5	0.6	<0.5	<0.5	1.1	0.6	<0.5	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.01	0.02	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	0.01	<0.01	0.01
Barium	0.2	1	0.11	0.1	0.12	0.11	0.23	0.44	0.12	0.13	0.58	0.45	0.41	0.43	0.43	0.06	0.12
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	6.9	4.7	0.004	1.7	1.1	0.66	8.6	6.5	6.8	4.9	6.2	9.6	6.8	10	7.3	0.002	0.004
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1
Cobalt	0.035	0.062	0.014	0.25	0.2	0.18	0.12	0.2	0.18	0.058	0.029	0.044	0.046	0.036	0.025	0.02	0.013
Copper	5	3.5	4.5	38	47	15	2.1	3.8	3.8	2.6	3.6	4.9	4.3	4.4	3.6	4.5	3.3
Iron	37	24	55	100	150	160	70	90	52	30	40	60	60	28	40	59	37
Lead	0.07	0.041	0.005	<0.002	0.003	0.003	<0.002	0.002	<0.002	0.004	0.073	0.068	0.078	0.12	0.089	0.01	0.003
Manganese	1.8	1.4	0.55	1.3	2.2	2.1	1.2	2	2.7	1.5	1.8	2	1.8	1.7	1.5	0.52	0.33
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	0.15	0.21	<0.02	0.9	1	1.1	0.21	0.42	0.45	0.25	0.12	0.11	0.14	0.16	0.12	<0.02	<0.02
Nickel	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	0.05	0.06	0.03	0.04	<0.01	0.01	0.01	<0.01	<0.01	0.01	0.02
Selenium	1	0.94	0.27	0.22	0.21	0.92	0.71	0.78	1.2	0.78	1.3	1.6	1.4	1.2	1.1	0.26	0.18
Silver	<0.002	<0.002	<0.002	0.009	0.014	0.033	<0.002	<0.002	<0.002	<0.002	0.003	0.003	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.1	0.11	0.05	0.06	0.07	0.05	0.17	0.13	0.11	0.09	0.18	0.18	0.16	0.11	0.12	0.04	0.06
Thallium	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	0.02	<0.01	0.03	0.01	0.02	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.02	0.08	<0.01	<0.5	<0.5	0.03	0.03	0.08	<0.01	<0.01	0.06	0.08	0.07	0.05	0.04	<0.01	0.01
Uranium	<0.001	<0.001	<0.001	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	24	24	19	15	20	20	16	23	26	20	23	28	27	26	25	20	37
<b>Physical Properties</b>																	
Moisture (%)	69.25	76.39	75.00	74.05	70.38	68.14	76.94	78.33	78.43	82.17	48.56	66.49	42.82	54.43	54.00	74.89	71.08
<b>Radionuclides</b>																	
Lead-210 (Bq/g)	0.049	0.023	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	0.002	0.002	0.072	0.054	0.042	0.077	0.073	<0.001	<0.001
Polonium-210 (Bq/g)	0.064	0.076	0.012	0.0036	0.0024	0.026	0.0018	0.0023	0.027	0.0076	0.088	0.081	0.086	0.083	0.066	0.0092	0.0088
Radium-226 (Bq/g)	0.0005	<0.0001	<0.00006	0.0001	<0.0001	0.0002	<0.00006	0.0005	0.0001	0.0003	0.0003	0.0009	0.0005	0.0003	0.0003	<0.00007	<0.00006
Thorium-230 (Bq/g)	<0.0003	<0.0002	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0004	<0.0001	<0.0001	<0.0003	<0.0006	<0.0005	0.0005	<0.0003	<0.0001	<0.0001

**APPENDIX C, TABLE 12**

Detailed barren-ground caribou and moose organ chemistry results from the EARMP community program, 2014 to 2020.

Chemical <sup>1</sup>	Stony Rapids				Uranium City											
	Moose				Moose						Barren-ground Caribou					
	Kidney		Heart		Liver			Kidney			Heart			Liver		
	2017	2020	2020		2014	2015	2017	2014	2015	2017	2019			2019		
1	1	1	2	1	1	1	1	1	1	1	2	3	1	2	3	
<b>Metals</b>																
Aluminum	<0.5	<0.5	<0.5	<0.5	1.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02
Barium	0.14	0.08	0.07	0.04	0.1	0.48	0.14	0.27	0.16	0.26	0.08	0.1	0.04	0.18	0.24	0.17
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	0.2	0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.73	1.1	0.009	0.003	0.48	0.054	1.4	8	20	8.6	0.004	<0.002	0.002	1.3	0.96	1.3
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.29	0.19	0.13	0.1	0.054	0.068	0.078	0.097	0.25	0.11	0.008	0.012	0.012	0.06	0.07	0.052
Copper	13.2	3.7	3.6	4	28	0.55	28.1	3	2.2	2.9	4.4	4.5	4.7	38.8	24	26.6
Iron	200	42	50	63	120	680	140	41	33	31	56	79	52	380	200	150
Lead	0.004	<0.002	0.016	<0.002	0.008	<0.002	0.018	0.002	<0.002	0.012	<0.002	0.003	<0.002	0.074	0.067	0.072
Manganese	4.1	3.6	0.45	0.52	1.4	0.09	2.4	1	0.8	1.2	0.53	0.64	0.57	2.5	2.9	3.3
Mercury	-	0.08	0.002	0.002	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	1.1	0.44	0.02	0.02	0.65	<0.02	0.81	0.24	0.17	0.2	<0.02	<0.02	<0.02	0.31	0.38	0.43
Nickel	0.02	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	0.02	0.08	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.24	0.93	0.17	0.24	0.2	0.18	0.53	0.67	0.53	0.88	0.23	0.26	0.26	0.34	0.26	0.31
Silver	0.014	<0.002	<0.002	<0.002	0.01	<0.002	0.01	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.34	0.18	0.17
Strontium	0.08	0.15	0.14	0.06	0.1	0.06	0.04	0.11	0.1	0.08	0.05	0.05	0.04	0.07	0.07	0.06
Thallium	<0.01	0.09	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.02	0.04	0.04	0.05	<0.5	<0.01	0.02	0.04	<0.01	0.02	0.02	<0.01	<0.01	0.03	0.03	0.03
Uranium	<0.001	<0.001	0.004	<0.001	<0.01	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	27	21	22	24	14	15	23	25	24	23	18	19	18	31	18	24
<b>Physical Properties</b>																
Moisture (%)	68.77	78.39	75.94	77.01	58.58	72.88	61.03	78.25	83.14	82.38	76.88	77.14	76.74	70.63	72.87	72.64
<b>Radionuclides</b>																
Lead-210 (Bq/g)	0.001	<0.007	<0.001	<0.001	0.001	0.002	<0.001	0.001	0.002	<0.001	<0.002	<0.002	<0.002	0.082	0.086	0.085
Polonium-210 (Bq/g)	0.0042	0.018	0.0008	0.0015	0.0021	0.0018	0.0057	0.0032	0.0037	0.0063	0.012	0.014	0.011	0.22	0.16	0.15
Radium-226 (Bq/g)	<0.00008	<0.00008	<0.00006	<0.00005	0.00007	0.0003	0.0001	<0.00006	0.00007	0.0003	<0.0005	<0.0005	<0.0005	<0.001	<0.001	<0.001
Thorium-230 (Bq/g)	<0.0002	<0.0005	<0.0004	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002

**APPENDIX C, TABLE 12**

Detailed barren-ground caribou and moose organ chemistry results from the EARMP community program, 2014 to 2020.

Chemical <sup>1</sup>	Wollaston Lake/Hatchet Lake					
	Barren-ground Caribou					
	Liver					Heart
	2015	2018		2020		2020
1	1	2	1	2	1	
<b>Metals</b>						
Aluminum	0.7	0.5	<0.5	0.6	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.02	0.02	0.01	0.01	<0.01	<0.01
Barium	0.02	0.36	0.27	0.2	0.15	0.11
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	0.7	<0.2	<0.2	<0.2	<0.2
Cadmium	0.65	1.8	1.6	1.9	2.2	0.005
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.075	0.1	0.071	0.06	0.069	0.017
Copper	26	54.6	31.7	27	33.6	4.1
Iron	140	190	170	300	170	69
Lead	0.097	0.076	0.055	0.15	0.11	0.31
Manganese	3.6	3.3	3.8	2.7	3.6	0.59
Mercury	-	-	-	0.25	0.26	0.004
Molybdenum	1	0.74	0.57	0.77	0.7	<0.02
Nickel	<0.01	0.02	<0.01	0.01	<0.01	<0.01
Selenium	0.4	0.4	0.4	0.41	0.33	0.27
Silver	0.12	0.19	0.097	0.16	0.21	<0.002
Strontium	0.04	0.07	0.05	0.07	0.05	0.05
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.5	0.08	0.03	0.11	0.06	0.04
Uranium	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	24	36	41	29	33	20
<b>Physical Properties</b>						
Moisture (%)	71.23	70.73	71.4	66.6	67.42	73.60
<b>Radionuclides</b>						
Lead-210 (Bq/g)	<0.001	0.056	0.04	0.12	0.10	<0.001
Polonium-210 (Bq/g)	0.0093	0.24	0.18	0.34	0.33	0.015
Radium-226 (Bq/g)	0.0002	<0.00007	<0.00007	0.00006	0.00006	<0.0001
Thorium-230 (Bq/g)	<0.0001	<0.0005	<0.0001	<0.0001	<0.0001	<0.0002

<sup>1</sup>All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.

RDL for chromium decreased from 0.5 µg/g to 0.1 µg/g between 2014 and 2015.

- = data not available.

**APPENDIX C, TABLE 13**

Detailed snowshoe hare flesh chemistry results from the EARMP community program, 2011 to 2021.

Chemical <sup>1</sup>	Black Lake				Camsell Portage									Fond du Lac						
	2017				2021	2011					2014				2017			2021 <sup>2</sup>		
	1	2	3	4	1	1	2	3	4	5	1	2	3	1	2	3	1	2	3	
<b>Metals</b>																				
Aluminum	0.9	<0.5	<0.5	1.4	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	
Arsenic	0.02	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	
Barium	<0.01	<0.01	<0.01	<0.01	0.02	0.09	0.04	0.08	0.03	0.08	0.18	0.1	0.12	0.01	<0.01	<0.01	0.02	0.03	0.08	
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.2	0.2	<0.2	0.4	<0.2	
Cadmium	0.038	0.004	0.002	0.005	0.015	0.003	0.004	0.01	<0.002	0.002	<0.002	0.004	0.006	0.008	0.009	0.003	<0.002	<0.002	<0.002	
Chromium	0.2	<0.1	0.1	0.2	<0.1	0.003	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.6	0.2	0.1	<0.1	<0.1	<0.1	
Cobalt	0.011	0.011	0.013	0.007	0.005	0.003	0.006	0.007	0.003	0.004	<0.002	0.005	0.032	0.021	0.014	0.019	0.013	0.01	0.007	
Copper	2.2	4	1.8	1.9	2.1	0.003	2.4	1.5	1.8	1.5	1.9	2.1	1.8	1.4	2	2.6	2.4	2.8	1.8	
Iron	44	38	30	31	30	0.003	28	24	22	24	19	25	20	36	35	38	26	33	29	
Lead	0.005	0.003	0.003	0.004	2.4	0.003	<0.002	0.006	<0.002	<0.002	0.003	0.002	0.002	0.004	0.003	0.002	<0.002	<0.002	<0.002	
Manganese	1.7	0.91	0.21	0.54	0.38	0.003	0.46	0.32	0.22	0.22	0.36	0.28	0.39	0.46	0.64	0.44	0.19	0.51	1.2	
Mercury	0.007	0.002	0.002	0.002	0.002	-	-	-	-	-	-	-	-	0.002	<0.001	0.001	<0.001	0.001	0.002	
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	0.003	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	
Nickel	0.06	<0.01	0.06	0.06	<0.01	0.003	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.07	0.07	0.08	0.05	<0.01	<0.01	<0.01	
Selenium	0.44	0.28	0.23	0.34	0.17	0.003	0.03	0.13	0.02	0.06	0.03	0.08	0.14	0.3	0.19	0.16	0.07	0.11	0.03	
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	
Strontium	0.08	0.07	0.07	0.1	0.03	0.003	0.07	0.22	0.05	0.09	0.2	0.1	0.29	0.11	0.06	0.08	0.06	0.13	0.18	
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	0.003	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	0.003	<0.01	0.04	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Titanium	0.08	0.1	0.08	0.08	<0.01	0.003	0.07	0.05	0.08	0.04	0.09	0.06	0.09	0.07	0.05	0.01	0.01	<0.01	<0.01	
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	0.003	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	
Zinc	19	13	22	17	15	0.003	11	23	13	13	13	11	16	23	16	21	13	19	16	
<b>Physical Properties</b>																				
Moisture (%)	75.64	76.72	77.46	78.30	75.64	77.61	76.53	75.79	77.60	78.45	71.24	75.39	73.89	74.03	75.58	77.68	74.73	74.00	75.14	
<b>Radionuclides</b>																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	0.001	<0.001	<0.001	<0.001	<0.001	
Polonium-210 (Bq/g)	0.001	0.0009	0.0011	0.0007	0.0009	0.0011	0.0018	0.0021	0.0013	0.0012	0.0017	0.002	0.0018	0.0006	0.0012	0.0008	0.0006	0.0007	0.0013	
Radium-226 (Bq/g)	<0.0002	<0.0002	0.0003	<0.0002	<0.00005	0.0001	<0.00007	0.0001	0.0001	0.0002	0.0001	<0.00006	0.0001	<0.0002	<0.0002	<0.0002	<0.00005	<0.00007	<0.00006	
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.0005	<0.0005	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0005	<0.0005	<0.0005	-	<0.0001	<0.0001	

**APPENDIX C, TABLE 13**

Detailed snowshoe hare flesh chemistry results from the EARMP community program, 2011 to 2021.

Chemical <sup>1</sup>	Stony Rapids						Uranium City									
	2017			2021 <sup>2</sup>			2011					2014		2021 <sup>2</sup>		
	1	2	3	1	2	3	1	2	3	4	5	1	2	1	2	3
<b>Metals</b>																
Aluminum	1.6	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.02	<0.01	<0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.01	<0.01	0.01
Barium	<0.01	<0.01	<0.01	0.02	0.02	0.02	0.27	0.05	0.09	0.04	0.05	0.13	0.28	0.05	0.1	0.08
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.2	<0.2	<0.2
Cadmium	0.14	0.014	0.008	0.005	0.004	0.005	0.004	<0.002	0.003	0.003	<0.002	<0.002	0.005	0.003	<0.002	0.016
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.013	0.005	0.022	0.004	0.003	0.004	0.007	0.005	0.004	0.004	0.006	0.005	0.004	0.006	0.004	0.005
Copper	1.8	1.8	1.1	2.5	1.8	1.8	1.5	1.5	1	1.4	1.1	2.4	2.1	1.2	1.6	3
Iron	57	36	25	32	30	21	27	22	22	14	20	21	31	18	29	31
Lead	0.008	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	0.003	0.002	<0.002	<0.002	<0.002	0.002
Manganese	0.42	0.25	0.21	0.31	0.19	0.18	0.27	0.2	0.37	0.29	0.18	0.24	1.1	0.15	0.13	0.57
Mercury	0.004	0.001	0.002	0.001	<0.001	<0.001	-	-	-	-	-	-	-	<0.001	<0.001	<0.001
Molybdenum	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.04	<0.01	0.03	<0.01	<0.01	<0.01	0.01	0.02	<0.01	<0.01	<0.01	0.02	0.05	0.01	<0.01	<0.01
Selenium	0.14	0.21	0.22	0.2	0.13	0.1	0.13	0.05	0.1	0.12	0.06	0.15	0.07	0.2	0.16	0.11
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.07	0.06	0.06	0.05	0.08	0.07	0.39	0.1	0.28	0.1	0.19	0.14	0.19	0.06	0.14	0.07
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.05	0.03	<0.01	<0.01	<0.01	0.07	0.04	0.07	0.08	0.15	0.05	0.1	0.02	<0.01	<0.01
Uranium	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	21	32	19	17	21	12	25	24	17	10	19	10	16	12	18	18
<b>Physical Properties</b>																
Moisture (%)	76.38	75.35	75.67	75.17	79.70	76.20	77.55	77.14	77.49	78.65	78.51	70.07	65.80	76.15	76.05	75.76
<b>Radionuclides</b>																
Lead-210 (Bq/g)	0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0026	0.0012	0.001	0.0023	0.0019	0.0012	0.0014	0.0013	0.0015	0.00003	0.0016	0.0022	0.0015	0.0006	0.0007	0.0032
Radium-226 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.00005	<0.00005	<0.00005	<0.00006	0.00009	0.0001	0.0001	0.00009	0.0001	0.00007	<0.00005	<0.00005	<0.00007
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.0005	-	-	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	-	-	<0.0001



**APPENDIX C, TABLE 13**

Detailed snowshoe hare flesh chemistry results from the EARMP community program, 2011 to 2021.

Chemical <sup>1</sup>	Wollaston Lake					
	2017			2021 <sup>2</sup>		
	1	2	3	1	2	3
<b>Metals</b>						
Aluminum	0.6	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	0.01	0.01	0.01
Barium	<0.01	<0.01	<0.01	0.04	0.03	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.009	0.014	0.012	0.013	<0.002	0.009
Chromium	0.1	<0.1	0.1	<0.1	<0.1	<0.1
Cobalt	0.006	0.009	0.01	0.003	0.004	0.003
Copper	1.8	2.1	2.5	2.2	3	2.5
Iron	24	36	31	30	25	30
Lead	0.007	0.009	<0.002	0.002	0.003	0.035
Manganese	0.26	0.57	0.33	0.4	0.6	0.49
Mercury	0.002	<0.001	0.002	<0.001	0.002	0.002
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.03	<0.01	0.04	<0.01	<0.01	<0.01
Selenium	0.15	0.14	0.13	0.06	0.04	0.07
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.03	0.04	0.04	0.12	0.1	0.11
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.06	0.01	0.02	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	16	17	16	14	19	15
<b>Physical Properties</b>						
Moisture (%)	73.26	75.80	73.05	76.67	74.65	73.75
<b>Radionuclides</b>						
Lead-210 (Bq/g)	<0.001	0.002	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0008	0.0008	0.0016	0.0021	0.0033	0.0021
Radium-226 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.0005	<0.0001	<0.0001	<0.0001

<sup>1</sup>All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.

<sup>2</sup>Some 2021 samples were collected in the early months of 2022.

- = data not available.

**APPENDIX C, TABLE 14**

Detailed spruce grouse flesh chemistry results from the EARMP community program, 2017 to 2021.

Chemical <sup>1</sup>	Black Lake						Camsell Portage			Fond du Lac					
	2017			2021 <sup>2</sup>			2021 <sup>2</sup>			2017			2021 <sup>2</sup>		
	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
<b>Metals</b>															
Aluminum	3.6	1.8	<0.5	0.6	<0.5	<0.5	<0.5	0.7	3.2	1.3	0.5	0.6	<0.5	<0.5	<0.5
Antimony	0.03	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Barium	0.04	0.02	<0.01	<0.01	0.03	0.02	0.04	0.03	0.06	0.04	<0.01	0.03	0.02	0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.006	0.009	0.005	<0.002	0.002	<0.002	0.002	0.003	0.035	0.013	0.006	0.028	0.011	0.011	0.004
Chromium	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.005	0.036	0.019	0.003	<0.002	0.002	0.002	<0.002	<0.002	0.006	0.004	0.009	<0.002	<0.002	<0.002
Copper	2.5	3.6	3.3	2.7	3.4	2.8	2.2	2.8	2.5	2.5	4.1	2.9	2.9	3.1	1.8
Iron	50	99	49	34	33	34	26	37	35	54	64	46	40	55	24
Lead	4.2	0.36	0.9	<0.002	0.008	0.032	<0.002	<0.002	0.002	0.34	0.027	0.004	0.009	0.014	<0.002
Manganese	0.51	0.74	0.4	0.45	0.4	0.58	0.59	0.46	0.66	1.2	1.2	3.4	0.78	0.81	0.42
Mercury	0.001	0.001	0.002	0.001	<0.001	0.001	<0.001	0.001	0.001	<0.001	0.002	0.002	<0.001	0.001	<0.001
Molybdenum	<0.02	0.06	0.03	0.02	0.02	<0.02	0.02	0.05	0.1	0.03	0.07	0.02	0.04	0.04	0.02
Nickel	0.07	0.03	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	0.01	<0.01	<0.01	<0.01
Selenium	0.28	0.27	0.24	0.26	0.32	0.41	0.23	0.2	0.23	0.24	0.36	0.29	0.25	0.28	0.22
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	<0.002	0.004	<0.002	<0.002	<0.002
Strontium	0.09	0.06	0.03	0.04	0.04	0.07	0.07	0.04	0.05	0.08	0.05	0.13	0.03	0.04	0.09
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.11	0.11	0.02	0.02	<0.01	<0.01	<0.01	0.01	0.03	0.06	0.03	0.04	0.07	0.01	0.03
Uranium	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	13	18	7.5	8.9	7.1	7	6.4	6.8	7.3	13	18	23	8.8	8.9	15
<b>Physical Properties</b>															
% Moisture	76.49	74.28	77.38	69.75	70.94	71.14	74.00	72.63	71.58	72.20	73.87	73.88	72.32	71.96	71.84
<b>Radionuclides</b>															
Lead-210 (Bq/g)	-	-	-	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	-	-	-	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0004	0.0003	0.0003	<0.0002	<0.0002	0.0002	<0.0002	0.0007	0.0009	0.0007	0.001	0.0007	0.0005	0.0007	<0.0002
Radium-226 (Bq/g)	<0.0002	<0.0002	0.0002	<0.00005	<0.00005	<0.00007	<0.00005	<0.00005	<0.00005	<0.0002	0.0002	<0.0002	<0.00005	<0.00005	<0.00005
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.0005	-	-	-	-	-	-	<0.0005	<0.0005	<0.0005	-	-	-

**APPENDIX C, TABLE 14**

Detailed spruce grouse flesh chemistry results from the EARMP community program, 2017 to 2021.

Chemical <sup>1</sup>	Stony Rapids							Uranium City						Wollaston Lake					
	2017				2021 <sup>2</sup>			2017			2021 <sup>2</sup>			2017			2021 <sup>2</sup>		
	1	2	3	4	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
<b>Metals</b>																			
Aluminum	4.9	2.8	1.4	1.5	2.4	<0.5	0.8	1.7	0.6	0.8	<0.5	<0.5	<0.5	0.7	0.6	<0.5	<0.5	<0.5	<0.5
Antimony	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.23	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.03	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Barium	0.06	0.08	0.02	0.02	0.03	0.01	0.02	0.18	<0.01	<0.01	0.02	0.02	0.02	0.05	0.03	<0.01	0.01	0.02	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	0.2	0.4	0.4	<0.2	<0.2	<0.2	0.2	<0.2	<0.2	0.2	<0.2	<0.2	0.3	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.005	0.009	0.004	0.026	<0.002	0.01	0.005	0.004	0.014	0.003	0.004	<0.002	<0.002	0.006	0.002	<0.002	0.003	0.003	0.003
Chromium	0.1	<0.1	0.3	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1
Cobalt	0.004	0.002	0.005	0.004	<0.002	<0.002	<0.002	0.003	0.004	<0.002	<0.002	<0.002	<0.002	0.006	0.002	0.004	<0.002	<0.002	<0.002
Copper	2	1	2.2	2.3	2.1	3	3.1	2.2	2.8	0.98	2	3.1	2.9	1.7	2.9	1.7	2.4	2.9	3
Iron	34	41	43	46	27	54	44	59	52	33	29	37	34	33	41	26	37	39	38
Lead	4	0.046	0.22	0.084	<0.002	0.024	0.004	2.4	0.19	0.1	0.075	0.12	<0.002	0.006	0.35	0.08	<0.002	<0.002	<0.002
Manganese	1.6	1.1	2.8	10	0.33	0.38	0.43	0.87	0.42	0.34	0.25	0.43	0.3	0.71	0.42	0.4	0.47	0.71	0.54
Mercury	0.001	<0.001	<0.001	<0.001	0.003	<0.001	<0.001	0.002	0.001	<0.001	<0.001	<0.001	0.002	<0.001	0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	0.04	0.08	<0.02	0.03	0.05	<0.02	<0.02	0.05	0.02	0.03	0.03	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	<0.02
Nickel	0.03	0.04	0.02	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	<0.01	0.01	<0.01	<0.01	<0.01
Selenium	0.2	0.18	0.16	0.18	0.13	0.22	0.26	0.32	0.16	0.1	0.44	0.26	0.37	0.29	0.22	0.26	0.22	0.33	0.24
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.14	0.15	0.14	0.09	0.15	0.04	0.04	0.52	0.03	0.03	0.05	0.03	0.04	0.05	0.08	0.12	0.05	0.12	0.04
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.23	0.13	0.05	0.04	0.11	0.01	0.03	0.08	0.03	0.04	<0.01	0.01	<0.01	0.05	0.04	0.02	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	0.003	0.002	0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	10	22	14	27	7.2	8.3	8.2	19	7	13	6.9	8.2	5.3	7.2	7.3	7	6.5	7	7.7
<b>Physical Properties</b>																			
% Moisture	77.87	74.13	73.90	72.95	71.70	71.54	71.46	73.35	72.07	74.90	72.87	71.66	72.48	72.63	72.86	74.13	72.04	71.87	71.4
<b>Radionuclides</b>																			
Lead-210 (Bq/g)	-	-	-	-	<0.001	<0.001	<0.001	-	-	-	<0.001	<0.001	<0.001	-	-	-	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0003	<0.0002	0.0002	0.0004	0.0002	0.0004	0.0005	0.0003	0.0006	<0.0002	0.0002	0.0002	<0.0002	<0.0002	0.0006	<0.0002	0.0006	0.0005	0.0007
Radium-226 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.00005	<0.00005	<0.00005	<0.0002	<0.0002	<0.0002	<0.00005	<0.00005	<0.00005	<0.0002	<0.0002	<0.0002	<0.00005	<0.00005	<0.00005
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.0005	<0.0005	-	-	-	<0.0005	<0.0005	<0.0005	-	-	-	<0.0005	<0.0005	<0.0005	-	-	-

<sup>1</sup>All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.

<sup>2</sup>Some 2021 samples were collected in the early months of 2022.

- = data not available.